For KCC Use:	7-16-08
Effective Date:	14-04
District #	<u>3</u> ,
SGA2 TVes	No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007
Form must be Typed
Form must be Signed

Sign personation in the position of the positi	NOTICE OF INTENT TO DRILL  Must be approved by KCC five (5) days prior to commencing well			All blanks must be Filled
Courty. Alson.  Courty. Alson.  State. \$62 \times 20 \times 690.  Contract Preson.  Well Diffied For:  Well Class.  Type Equipment.  Find Name.  Well Diffied For:  Well Class.  Type Equipment.  Gable  Depart.  Gable  Depart.  Gable  Depart.  Cable  Depart.  Organd Completion Date.  Organd Total Depth.  Sorrange.  Organd Completion Date.  Organd Total Depth.  Sorrange.  Organd Total Depth.  Sorrange.  The conductor Fipe (if ann).  Wall storage  Depth.  The undersigned hereby affirms that the driffing, completion and eventual plugging of this wall will comply with K.S.A. 55 et. soq.  It is agreed that the following minimum requirements will be met.  1. Notify the appropriate district office prior to sputding of wall.  2. A copy of the approved note of infent b call is white the posted on each driffing formation.  It is agreed that the following minimum requirements will be met.  1. Notify the appropriate district office prior to sputding of wall.  3. The minimum amount of surface pipe as a specified below shall be set by circulating comment to the top; in all cases surface pipe shall be sefficient.  The well is dry hole, an agreement between the operator and the district office on pipe largely propaged or recurrent of the underlying formation.  It is not be approved notice on linean to driff shall be posted on each driffing formation.  The world is dry hole, an agreement between the operator and the district office on pipe largely propaged or recurrent of the underlying formation.  In the wall is dry hole, an agreement between the operator and the district office on pipe largely promation.  For KCC Use ONLY  Approved by Far T-109  In the world is driffing not stated within 12 months of approved date.  The approved to the notice of the property of the propaged of the production of the property of the propaged of the production of the propaged of t	OPERATOR: License# Name: Kerr Oil LLC. Address 1: 1651 2000 St.	day year	Spot Description:  SW Sec. 34 Twp. 27  (O(O(O(O)))  4,125 feet from [ 1,320 feet from [ Is SECTION: Regular   Irregular?	N / S Line of Section E / W Line of Section
Field Name. Models:    Field Name   Schools   Field Name   Field Name	City: lola State: KS		County: Allen	
Target Formation(s)   Tubber   Tubbe	Phone: 620-365-0550		Field Name: Wrestler	
Coround Surface Elevation: 1000   Starter Misc   Start Mode   Start		Solitization and daviso of Mose	Target Formation(s) Tucker	
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set/CHTA KS through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office or plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  For KCC use ONLY  API #15  OOI - 29 795 - OOO  Conductor pipe required  None feet  Minimum surface pipe required  Pope required  Po	Gas Storage Pool Ex Wildcat Disposal Wildcat Other:  If OWWO: old well information as follow Operator: Well Name: Original Completion Date: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location:	Mud Rotary Air Rotary Cable  ws:  Driginal Total Depth:	Ground Surface Elevation: 1000  Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: 100  Depth to bottom of usable water: 200-/50  Surface Pipe by Alternate: I X II  Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): none Projected Total Depth: 850'  Formation at Total Depth: Squirrel  Water Source for Drilling Operations: Well Farm Pond Other: Hauling  DWR Permit #:  (Note: Apply for Permit with Depth)	feet MSL Yes No Yes No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be sefficially formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133.891-C, without applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date: 7-7-08 Signature of Operator or Agent: Approved by			If Yes, proposed zone:	RECEIVED
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be sent through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Poll - 29 79 5 000  Conductor pipe required  None feet  Minimum surface pipe required  None feet  Title:  Privation (CP-1) with Intent to Drilt: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.    Well Not Drilled - Permit Expired Date:	The undersigned hereby affirms that the dril			KANSAS CORPORATION COMMISSION
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be setCHITA KS through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date: 7-7-8. Signature of Operator or Agent:   For KCC Use ONLY  API # 15  OOI - 29 79 5 0000  Conductor pipe required	•			JUL 1 1 2008
Title: Owner of Operator or Agent:  For KCC Use ONLY  API # 15 - OOI - 29 79 5 0000  Conductor pipe required None feet Minimum surface pipe required Approved by:	<ol> <li>A copy of the approved notice of inter</li> <li>The minimum amount of surface pipe through all unconsolidated materials</li> <li>If the well is dry hole, an agreement to</li> <li>The appropriate district office will be an ALTERNATE II COMPLETION, programment to Appendix "B" - Eastern must be completed within 30 days of</li> </ol>	nt to drill <b>shall be</b> posted on each of as specified below <b>shall be set</b> by plus a minimum of 20 feet into the between the operator and the distri- notified before well is either plugge production pipe shall be cemented in Kansas surface casing order #13 the spud date or the well shall be p	y circulating cement to the top; in all cases surface underlying formation. ct office on plug length and placement is necessary of or production casing is cemented in; from below any usable water to surface within 120 (3,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prior	pipe shall be seliCHITA KS  y prior to plugging;  DAYS of spud date. alternate II cementing
For KCC Use ONLY  API # 15 - OOI - 29 79 5 0000  Conductor pipe required				
File Drill Pit Application (form CDP-1) with Intent to Drill;  API # 15 - O01 - 29 79 5 0000  Conductor pipe required	Date: 7-7-08 Signature of	Operator or Agent: 700	Title: Ou	mer operator
This authorization expires:  (This authorization void if drilling not started within 12 months of approval date.)  Well Not Drilled - Permit Expired Date:  Signature of Operator or Apent:	API # 15 - OOI - 29795 TO NON Minimum surface pipe required	<b>e</b> feet	<ul> <li>File Drill Pit Application (form CDP-1) with Intent</li> <li>File Completion Form ACO-1 within 120 days of</li> <li>File acreage attribution plat according to field pro</li> <li>Notify appropriate district office 48 hours prior to</li> <li>Submit plugging report (CP-4) after plugging is of</li> </ul>	to Drill; spud date; oration orders; workover or re-entry; completed (within 60 days);
Well Not Drilled - Permit Expired Date:	This authorization expires: 7-11-09	thin 12 months of approval date.)	check the box below and return to the address b	elow.
	1		<b>—</b>	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 001-29795-0000	
Operator; Kerr Oll LLC.	Location of Well: County: Allen
Lease: Wrestler	4,125 feet from N / S Line of Section
Well Number: 7	1,320 feet from E / W Line of Section
Field: Wrestler	Sec. 34 Twp. 23 S. R. 18 🔀 E 🗌 W
Number of Acres attributable to well:  OTR/QTR/QTR/QTR of acreage:  SW SW	Is Section: Regular or Irregular
N2 N2 52	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

		:	1	:		:	:	:
		:	:	:	!	;	:	:
		:	:	:			:	:
		:		:		:	:	:
		•				•	•	•
		:		:	ļ	-	;	•
		:			i	:	:	:
		:	:	:		;	:	:
		:		:		•	•	:
					:			
		:	:	:			;	
		:	:	:		:	:	:
		:	:	:		:		:
!		:	:	:		;	:	:
		•	:				-	•
		:	:	;		:	:	:
		:	•	:		:	:	:
		÷	:	:		:		:
			:	:		•		•
		:	:	;		:	<u>:</u>	:
				:			:	
				•				
		:						
		•		•		•		
							*******	*******
					ı			
		:	:	:			:	
		: UI	75	:				:
		: (1	TNL	:		:		
			25 FNL				-	
	FUL							
	FNL.	. :						
12 -	,	: 8	, :	:		:		
1520				:				
. , , ,	-					:		
						•	•	
				.				.
		: :						
		:	:	: i				
				: !				
	:		: :	: !		:		i
								i

RECEIVED KANSAS CORPORATION COMMISSION

JUL 1 1 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

				ì	
Operator Name: Kerr Oil LLC.			License Number: 33970		
Operator Address: 1651 2000 St.			lola	KS 66749	
Contact Person: Matt Kerr			Phone Number: 620-365-0550		
Lease Name & Well No.: Wrestler	7		Pit Location (QQQQ):		
Type of Pit:	Pit is:	·····	SW NE SW SW		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 34 Twp. 23 R. 18	East West	
Settling Pit	If Existing, date co	onstructed:	4,125 Feet from North /	South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		1,320 Feet from East / West Line of Section		
(If WP Supply API No. of Year Drilled)	Fit capacity.	(bbis)	Allen	County	
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration:	mg/i	
		<u> </u>	(For Emergency Pits and Set		
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is n	ot used?	
Pit dimensions (all but working pits):	10 Length (fe	eet) 5	Width (feet)	N/A: Steel Pits	
	rom ground level to de	eepest point:	4 (feet)	] No Pit	
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and detendence and detendence and special monitoring.		
Distance to nearest water well within one-mile	e of pit	1 '	west fresh water 190 40 feet.		
		Source of information:  measured    well owner    electric log    KDWR  Drilling, Workover and Haul-Off Pits ONLY:			
Emergency, Settling and Burn Pits ONLY:		<del>                                     </del>	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover: Mud Pump		
·		Number of working pits to be utilized:1			
Barrels of fluid produced daily:	<del></del>	Abandonment	procedure: Evaporate and Fill Ir	<b></b>	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits		Drill pits must be closed within 365 days of spud date. RECEIVED			
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.	NSAS CORPORATION COMM	
7-7-88		Mat ?	M-	JUL 1 1 2008	
Date		· 1-	ignature of Applicant or Agent	CONSERVATION DIVISION WICHITA, KS	
	KCC	OFFICE USE O	NLY Steel Pit RFA	C RFAS	
Date Received: 7/11/08 Permit Num	ıber:	Perm	it Date: 7/11/08 Lease Inspecti	on: Yes No	