# For KCC Use: Effective Date: 7-/9-08 District # SGA? Ves No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: July 12, 2008	Spot Description:	<del></del>
month day year	<u>SW</u> - <u>SE</u> Sec. 29 Twp. 28 S. R. 19 XE V	٧
OPERATOR: License#	(0/0/0/0) 660 feet from N / X S Line of Section	
Name: Quest Cherokee, LLC	2,000 feet from KE / W Line of Section	
Address 1: 210 W. Park Ave., Suite 2750	Is SECTION: Regular Irregular?	
Address 2:	<del>-</del>	
City: Oklahoma City State: OK Zip: 73102 +	(Nate: Locate well on the Section Plat on reverse side)  County: Neosho	
Contact Person: Richard Marlin		_
Phone: 405-702-7480	Lease Name: Shaw, George A. Well #: 29-4 Field Name: Cherokee Basin CBM	_
CONTRACTOR: License# 33837 or another Licensed by KCC	11010 140(110)	
Name: _TXD Services LP	Is this a Prorated / Spaced Field?	)
Name.	Target Formation(s): Cherokee Coals	_
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 640	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 950 feet MS	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	
DisposalWildcatCable	Public water supply well within one mile:	0
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100	_
Other: Coalbed Methane	Depth to bottom of usable water: 150	-
If OWWO: old well information as follows:	Surface Pipe by Alternate:	
	Length of Surface Pipe Planned to be set: 25	_
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 1500 Cherokee Coals	_
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth:	Well Farm Pond Other: Air	_
Bottom Hole Location:	DWR Permit #:	_
KCC DKT #:	(Note: Apply for Permit with DWR ☐)  Will Cores be taken?  Yes ☒N	_
NOO BIXT II.	Will Cores be taken?	
		J
	If Yes, proposed zone:	_
AFE	If Yes, proposed zone:RECEIVED	_
	If Yes, proposed zone:  RECEIVED  DAVIT  KANSAS CORPORATION CO	_
The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:  RECEIVED  DAVIT  KANSAS CORPORATION CO  ging of this well will comply with K.S.A. 55 et. seq.	— MMISSION
	If Yes, proposed zone:  RECEIVED  DAVIT  KANSAS CORPORATION CO	— MMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION CO  ging of this well will comply with K.S.A. 55 et. seq.  JUL 1 0 200	— mmission 8
The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION CO  ging of this well will comply with K.S.A. 55 et. seq.  JUL 1 0 200  drilling rig;  CONSERVATION DIVIS	— mmission 8
The undersigned hereby affirms that the drilling, completion and eventual plugilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION CO  ging of this well will comply with K.S.A. 55 et. seq.  JUL 1 0 200  drilling rig;  conservation Divis  r circulating cement to the top; in all cases surface pipe shall be Wild HITA, KS	— mmission 8
The undersigned hereby affirms that the drilling, completion and eventual plugilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state.	If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION CO  ging of this well will comply with K.S.A. 55 et. seq.  JUL 1 0 200  drilling rig;  conservation Divis  r circulating cement to the top; in all cases surface pipe shall be Wighita, KS  underlying formation.	— mmission 8
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugges.	RECEIVED  RECEIVED  KANSAS CORPORATION CO  ging of this well will comply with K.S.A. 55 et. seq.  JUL 1 0 200  drilling rig;  CONSERVATION DIVIS  v circulating cement to the top; in all cases surface pipe shall be WightTA, KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;	— mmission 8
The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the surface pipe is dry hole, an agreement between the operator and the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented	RECEIVED  RECEIVED  KANSAS CORPORATION CO  ging of this well will comply with K.S.A. 55 et. seq.  JUL 1 0 200  drilling rig;  CONSERVATION DIVIS  or circulating cement to the top; in all cases surface pipe shall be WightTA, KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	— mmission 8
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the infinimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the interval of the	RECEIVED  RECEIVED  KANSAS CORPORATION CO  ging of this well will comply with K.S.A. 55 et. seq.  JUL 10 200  drilling rig;  CONSERVATION DIVIS  v circulating cement to the top; in all cases surface pipe shall be WightTA, KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing	— mmission 8
The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard that the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard that the surface is the surface will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted.	RECEIVED  ANSAS CORPORATION CO  ging of this well will comply with K.S.A. 55 et. seq.  JUL 10 200  drilling rig;  conservation Divis  r circulating cement to the top; in all cases surface pipe shall be Wighita, KS  underlying formation.  et office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	— mmission 8
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the infinimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the interval of the	RECEIVED  RANSAS CORPORATION CO  Grigging of this well will comply with K.S.A. 55 et. seq.  JUL 10 200  Arilling rig;  CONSERVATION DIVIS  A circulating cement to the top; in all cases surface pipe shall be WARHITA, KS underlying formation.  Cot office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.	— mmission 8
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard to the surface of the set of th	RECEIVED  RECEIVED  KANSAS CORPORATION CO  ging of this well will comply with K.S.A. 55 et. seq.  JUL 10 200  drilling rig;  conservation DIVIS  recirculating cement to the top; in all cases surface pipe shall be WightTA, KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.	— mmission 8
The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard that the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard that the surface is the surface will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted.	RECEIVED KANSAS CORPORATION CO ging of this well will comply with K.S.A. 55 et. seq.  JUL 10 200  drilling rig;  conservation Divis recirculating cement to the top; in all cases surface pipe shall be Wightia, KS underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing strugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Vice President	MMISSION  BION
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intentio	RECEIVED KANSAS CORPORATION CO ging of this well will comply with K.S.A. 55 et. seq.  JUL 10 200  drilling rig;  conservation Divis recirculating cement to the top; in all cases surface pipe shall be Wightia, KS underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing strugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Vice President	— mmission 8
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intentio	If Yes, proposed zone:  RECEIVED KANSAS CORPORATION CO ging of this well will comply with K.S.A. 55 et. seq.  JUL 10 200  Arilling rig; CONSERVATION DIVIS A circulating cement to the top; in all cases surface pipe shall be with HITA, KS underlying formation.  It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Wice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	MMISSION  BION
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the information of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the intention of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put in the production of the well shall be put in the statements made herein are true and correct to the best plug 7, 2008.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 27485-000	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION CO  ging of this well will comply with K.S.A. 55 et. seq.  JUL 10 200  drilling rig;  CONSERVATION DIVIS  recirculating cement to the top; in all cases surface pipe shall be Wightta, KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACQ-1 within 120 days of soud date:	MMISSION  SION  29
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intentio	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION CO  ging of this well will comply with K.S.A. 55 et. seq.  JUL 10 200  drilling rig;  conservation Division of circulating cement to the top; in all cases surface pipe shall be wightin, KS underlying formation.  ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief.  Title:  Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;	MMISSION  BION
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the intention of	RECEIVED  DAVIT  KANSAS CORPORATION CO  ging of this well will comply with K.S.A. 55 et. seq.  JUL 10 200  drilling rig;  conservation DIVIS  recirculating cement to the top; in all cases surface pipe shall be Wightta, KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):	MMISSION  SION  29
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the intention of the intention	RECEIVED  DAVIT  KANSAS CORPORATION CO  ging of this well will comply with K.S.A. 55 et. seq.  JUL 10 200  drilling rig;  conservation DIVIS  recirculating cement to the top; in all cases surface pipe shall be Wightta, KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):	MMISSION  SION  29
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be camented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and correct to the best of the provided state of the intention of the in	RECEIVED  CANSAS CORPORATION CO  Ging of this well will comply with K.S.A. 55 et. seq.  JUL 10 200  drilling rig;  conservation Division of circulating cement to the top; in all cases surface pipe shall be wighta, KS underlying formation.  ct office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);	MMISSION  8  SION  29
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the information of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the result of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and correct to the best Date:    July 7, 2008	RECEIVED  KANSAS CORPORATION CO  ging of this well will comply with K.S.A. 55 et. seq.  JUL 10 200  drilling rig;  conservation Division of circulating cement to the top; in all cases surface pipe shall be wightra, KS underlying formation.  ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.	MMISSION  8  SION  29
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be camented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and correct to the best of the provided state of the intention of the in	RECEIVED  KANSAS CORPORATION CO  ging of this well will comply with K.S.A. 55 et. seq.  JUL 10 200  drilling rig;  conservation Division of circulating cement to the top; in all cases surface pipe shall be wighta, KS underlying formation.  ct office on plug length and placement is necessary prior to plugging; do production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	MMISSION  8  SION  29
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the information of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the result of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and correct to the best Date:    July 7, 2008	RECEIVED  KANSAS CORPORATION CO  ging of this well will comply with K.S.A. 55 et. seq.  JUL 10 200  drilling rig;  conservation Division of circulating cement to the top; in all cases surface pipe shall be wighting. The wighting formation.  confice on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Vice President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	MMISSION  8  SION  29


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27485-0000	
Operator: Quest Cherokee, LLC	Location of Well: County: Neosho
Lease: Shaw, George A.	
Well Number: 29-4	2,000 feet from X E / W Line of Section
Field: Cherokee Basin CBM	Sec. 29 Twp. 28 S. R. 19 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

#### Submit in Duplicate

Operator Name: Quest Cherokee, LLC		License Number: 33344	
Operator Address: 210 W. Park Av	e., Suite 275	0	Oklahoma City OK 73102
Contact Person: Richard Marlin		Phone Number: 405-702-7480	
Lease Name & Well No.: Shaw, Geor	ge A. 29-	-4	Pit Location (QQQQ):
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 29 Twp. 28 R. 19 East West
Settling Pit  Drilling Pit	If Existing, date constructed:		660 Feet from North / South Line of Section
Workover Pit Haul-Off Pit			2,000 Feet from East / West Line of Section
(if WP Supply API No. or Year Drilled)	Pit capacity: 300	(bbls)	Neosho County
Is the pit located in a Sensitive Ground Water	Area? Yes	INO	Chloride concentration:mg/l
		<u></u>	(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Yes No	Yes X		Air Balling Well Native Soil (AB)
Pit dimensions (all but working pits):3	BO Length (fe	eet)10	Width (feet) N/A: Steel Pits
Depth fr	om ground level to de	eepest point:	10 (feet) No Pit
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining including any special monitoring.
		ng air drilled with operations lasting approx.	
3 days		3 days	
Distance to nearest water well within one-mile	e of pit		owest fresh waterfeet.
Source of inf		Source of info	rmation: ured well owner electric log KDWR
		cover and Haul-Off Pits ONLY:	
		al utilized in drilling/workover: Air Drilled	
•		rking pits to be utilized:	
· · · · ·		procedure: Air Dry, Back fill and cover.	
		Abandonment	procedure. The Digital Control of the Digital
Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No Drill pits must		be closed within 365 days of spud date. RECEIVED	
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.  KANSAS CORPORATION COI
		$\supset$ $\cdot$ $\cdot$	JUL 1 0 2008
July 7, 2008	5	, chard	Waster CONSERVATION DIVIS
Date			Signature of Applicant or Agent WICHITA, KS
			· · · · · · · · · · · · · · · · · · ·
	KCC (	OFFICE USE O	NLY Steel Pit RFAC RFAS



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

July 11, 2008

Richard Marlin Quest Cherokee, LLC 210 W. Park Ave Ste 2750 Oklahoma City, OK 73102

RE:

**Drilling Pit Application** 

Shaw, George A Lease Well No. 29-4

SE/4 Sec. 29-28S-19E Neosho County, Kansas

Dear Mr. Marlin:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: <a href="https://www.kcc.state.ks.us/conservation/forms">www.kcc.state.ks.us/conservation/forms</a>.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: File