For KCC Use: 7-20-0} Effective Date: 3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well

must be approved by NOC net	e (5) days prior to commencing well
Evented Stud Date: 7/8/08	Out Description
Expected Spud Date:	Spot Description: NW SE NW SW Sec. 35 Twp. 15 S. R. 20 NE W
ODERATOR: 13-1473	(9/0/0/0) 1/11(1)
BG-5 Inc	feet from N / X S Line of Section E / X W Line of Section
Name: 3339 Ellis Road	Is SECTION: Regular Irregular?
Address 2:	
	County: Franklin
Contact Person: Jimmie Patton 785-241-4016	Lease Name: Luckan Well # 11
Phone:	Lease Name. Luckan Field Name: Rantoul- LeLup Well #: 11
CONTRACTOR: License# 6142 Name: Town Oil Inc.	Is this a Prorated / Spaced Field?
Name: 104411 Off IIIC.	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 850
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 17/8 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 120 Depth to bottom of usable water: 500 200
Other:	Surface Dine by Attemate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any): NONE
Well Name:	Projected Total Danth: 000
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirre!
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #;
KCC DKT #:	(Note: Apply for Permit with DWR)
	Will Cores be taken? Yes, proposed zone:
	RECEIVED
AFF	TIDAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plu	gging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	JUL 1 4 2008
Notify the appropriate district office <i>prior</i> to spudding of well;	
	CONSERVATION DIVISION
2. A copy of the approved notice of intent to drill shall be posted on each	drilling rig; CONSERVATION DIVISION WICHITA, KS
3. The minimum amount of surface pipe as specified below shall be set to	drilling rig; WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set
The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the	drilling rig; WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugging. 	drilling rig; WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set underlying formation. Into office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	drilling rig; WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set underlying formation. dct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: 	drilling rig; WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set underlying formation. Indeed the set of th
 The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set of underlying formation. Indict office on plug fength and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the statement in the surface of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the best of the statements. 	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set of underlying formation. Indict office on plug fength and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set of underlying formation. Indict office on plug fength and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bedate: Signature of Operator or Agent:	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Indict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Sest of my knowledge and belief.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the bedienes. Signature of Operator or Agent: For KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set of underlying formation. Indict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
 The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the boundarie: Date: Signature of Operator or Agent: For KCC Use ONLY API #15 - O59 - 25370 - OOOO	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by underlying formation. Indict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface distriction of the surface construction of the surface casing order with the surface casing order with the statements made herein are true and correct to the boundate: Signature of Operator or Agent: Signature of Operator or Agent: API # 15 - 059 - 25370 - 0000	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set of underlying formation. Indict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or recentary.
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 2 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 3 hereby certify that the statements made herein are true and correct to the between the complete within 30 days of the spud date or the well shall be 4 hereby certify that the statements made herein are true and correct to the between the complete within 30 days of the spud date or the well shall be 4 hereby certify that the statements made herein are true and correct to the between the complete within 30 days of the spud date or the well shall be 4 hereby certify that the statements made herein are true and correct to the between the complete within 30 days of the spud date or the well shall be 4 hereby certified between the complete within 30 days of the spud date or the well shall be 4 hereby certified between the complete within 30 days of the spud date or the well shall be 4 hereby certified between the complete within 30 days of the spud date or the well shall be 4 hereby certified between the complete within 30 days of the spud date or the well shall be 4 hereby certified between the complete within 30 days of the spud date or the well shall be 4 hereby certified between the complete within 30 days of the spud date or the well shall be 4 hereby certified between the complete within 30 days of the spud date	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by underlying formation. Indict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the both the both place. Signature of Operator or Agent: For KCC Use ONLY API #15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by underlying formation. Include on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the well is dry hole, an agreement between the operator and the district of the well is dry hole, an agreement between the operator and the district of the well is district of the well is district of the well is district of the production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the boundary. Date: Signature of Operator or Agent:	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by underlying formation. Incit office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate if cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and roture to the address halow.
3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the both the both place. Signature of Operator or Agent: For KCC Use ONLY API #15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by underlying formation. Indict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the well is dry hole, an agreement between the operator and the district of the well is dry hole, an agreement between the operator and the district of the well is district of the well is district of the well is district of the production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the boundary. Date: Signature of Operator or Agent:	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by underlying formation. Incit office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate if cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and roture to the address halow.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059 - 25370-0000	
API No. 15 - <i>059 - 253 70-00</i> 00 Operator: BG-5 Inc.	Location of Well: County: Franklin
Lease: Luckan	1/00 feet from N / X S Line of Section
Well Number: 11 Field: Rantoul	850 feet from E / W Line of Section Sec. 35 Twp. 15 S. R. 20 E W
nber of Acres attributable to well: P/QTR/QTR/QTR of acreage: NW _ SE _ NW _ SW	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

(Show footage to the nearest lease or unit boundary line.)


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)

35

RECEIVED KANSAS CORPORATION COMMISSION

JUL 14 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: BG-5 Inc.	License Number: 31473	
Operator Address: 3939 Ellis Road	Rantoul KS 66079	
Contact Person:Jimmie Patton	Phone Number: 785-241-4016	
Lease Name & Well No.: Luckan 11	Pit Location (QQQQ):	
Type of Pit: Pit is:	NW SE NW SW	
Emergency Pit Burn Pit Proposed E	Existing Sec. 35 Twp. 15 R. 20 East West	
Settling Pit Drilling Pit If Existing, date constru	Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Pit capacity:	850 Feet from East / West Line of Section	
(IVVI Supply Al Tito. Of real Billion)	(bbls) Franklin County	
Is the pit located in a Sensitive Ground Water Area? Yes No	Chloride concentration:mg/l	
Is the bottom below ground level? Artificial Liner?	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Yes No	Clay	
Pit dimensions (all but working pits):	12 Width (feet) N/A: Steel Pits	
Depth from ground level to deepest point:5(feet) No Pit		
If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining		
material, thickness and installation procedure.	r integrity, including any special monitoring.	
	1	
Distance to nearest water well within one-mile of pit Dep	oth to shallowest fresh waterfeet.	
Sot	irce of information:	
leet Deput of water wellleet	measured well owner electric log KDWR	
	lling, Workover and Haul-Off Pits ONLY: e of material utilized in drilling/workover: Fresh Water	
l l	nber of working pits to be utilized:	
	Pits filed as soon as well is	
Does the slope from the tank battery allow all spilled fluids to	Indonment procedure: completed	
flow into the pit? Yes No	pits must be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct	to the best of my knowledge and belief. KANSAS CORPORATION COMMISS	
JUL 14 2008		
Date CONSERVATION DIVISION Signature of Applicant or Agent WiCHITA KS		
Date Signature of Applicant or Agent WICHITA, KS		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS		
Date Received: 7/14/08 Permit Number:	Permit Date: 7/15/08 Lease Inspection: Yes No	



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

July 15, 2008

Jimmie Patton BG-5 Inc. 3939 Ellis Road Rantoul KS 66079

Re:

Drilling Pit Application Luckan Lease Well No. 11 SW/4 35-15S-20E

Franklin County, Kansas

Dear Mr. Patton:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: http://kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Jonelle Rains, Supervisor

Tonelle Rains

Department of Environmental Protection and Remediation

CC:

Steve Korf

File