

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: July 21, 2008	Spot Description:	
month day year	<u>\$\ldots</u> . NW/4 . SW Sec. 2 Twp. 29 S. R. 23 \(\times\) E	lw
34102	(avarara) 1,845 feet from N / X S Line of Sec	
OPERATOR: License#	4,930 feet from X E / W Line of Sec	
Name: JayHawk Energy, Inc.	Is SECTION: Regular Irregular?	
Address 1: P.O. Box 191		
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Tony Anderson	County: Crawford	
Phone: 620-724-7040	Lease Name: Richard Geler Well #: 2-1	
	Field Name: Wildcat	
CONTRACTOR: License# 5675	Is this a Prorated / Spaced Field?	No
Name: McPherson Drilling, Inc	Target Formation(s): Miss Chat	
Well Drilled For: Well Class: Type Equipment;	Nearest Lease or unit boundary line (in footage): 330	
XOil	Ground Surface Elevation:feet N	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	
Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 50	
Other:	Depth to bottom of usable water:	
If OWWO: old well information as follows:	Surface Pipe by Alternate: 1 1 1 1 1 1 1 1 1 1	
Operator:	Length of Conductor Pipe (if any): None	
Well Name:	Projected Total Depth: 600	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Miss Chat	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken?	No
	¥VIII COTES DE LANGITE	140
	If Yes, proposed zorie: RECEIVE) —
AFFI) —
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zorie: RECEIVED KANSAS CORPORATION C	OMMISSION
****	If Yes, proposed zorie: RECEIVET KANSAS CORPORATION C	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: KANSAS CORPORATION O DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUL 1 5 20	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	If Yes, proposed zone: RECEIVED KANSAS CORPORATION OF DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIV drilling rig; RECEIVED CONSERVATION OF WICHITA, KS	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: RECEIVED KANSAS CORPORATION OF DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIV drilling rig; Vicinity Circulating cement to the top; in all cases surface pipe shall be set	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: RECEIVED KANSAS CORPORATION OF DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIV drilling rig; WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation.	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION OF DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIV WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging;	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the surface propriate district office will be notified before well is either plugger.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION OF DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIV WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the distriction of the through the state of the stat	If Yes, proposed zone: RECEIVED KANSAS CORPORATION OF CONSERVATION DIV Grilling rig; Vicinity circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved in the state of th	If Yes, proposed zone: RECEIVED KANSAS CORPORATION OF DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIV WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. to office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	If Yes, proposed zone: RECEIVED KANSAS CORPORATION OF CONSERVATION DIV drilling rig; Victuraling cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	If Yes, proposed zone: RECEIVED KANSAS CORPORATION OF DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVIDING IN THE CONSERVATION	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	If Yes, proposed zone: RECEIVED KANSAS CORPORATION OF DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVIDING IN THE CONSERVATION	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the standard of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the standard	Title: RECEIVED KANSAS CORPORATION OF CONSERVATION DIV WICHITA, KS WICHITA, K	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intended of the	If Yes, proposed zone: RECEIVED KANSAS CORPORATION OF DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIV WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: General Manager	OMMISSION OR ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	Title: RECEIVED KANSAS CORPORATION OF CONSERVATION DIV WICHITA, KS WICHITA, K	OMMISSION OB ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced by the statements made herein are true and correct to the best of the intention	If Yes, proposed zone: RECEIVED KANSAS CORPORATION OF DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIV WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: General Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	OMMISSION OR ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the special	If Yes, proposed zone: RECEIVED KANSAS CORPORATION OF DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIV drilling rig; with circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: General Manager Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	OMMISSION OB ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the distriction of the intention of the in	If Yes, proposed zone: RECEIVED KANSAS CORPORATION OF DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIV drilling rig; viciculating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: General Manager Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	OMMISSION OR ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be posted on each of the appropriate district office of intent to drill <i>shall be</i> posted on each of the shall be set be the shall be set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the shall b	RECEIVED KANSAS CORPORATION OF DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIV drilling rig; vicirculating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: General Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	OMMISSION OB ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the special special special below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the special	RECEIVED KANSAS CORPORATION OF DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVIDIDITION drilling rig; Vicirculating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: General Manager Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	OMMISSION OR ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the object of the well is dry hole, an agreement between the operator and the distriction of the intention of the in	If Yes, proposed zone: RECEIVED KANSAS CORPORATION OF CONSERVATION DIV drilling rig; vicinculating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	OMMISSION OR ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved in amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best placed. I hereby certify that the statements made herein are true and correct to the best placed. For KCC Use ONLY API #15	RECEIVED KANSAS CORPORATION OF CONSERVATION DIV drilling rig; driculating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do r production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: General Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date: Well Not Drilled - Permit Expired Date:	OMMISSION OR ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved in amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best placed. I hereby certify that the statements made herein are true and correct to the best placed. For KCC Use ONLY API #15	If Yes, proposed zone: RECEIVED KANSAS CORPORATION OF CONSERVATION DIV drilling rig; vicinculating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	OMMISSION OR ISION

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 037-22061-0000		
Operator: JayHawk Energy, Inc.	Location of Well: County: Crawford	
Lease: Richard Geier	1,845 feet from N / X S Line of Section	1
Well Number: 2-1	4,930 feet from E / W Line of Section	1
Field: Wildcat	Sec. 2 Twp. 29 S. R. 23 X E W	
Number of Acres attributable to well: 40 QTR/QTR/QTR/QTR of acreage: SW	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

2	4930								
4930	4930					ł		•	
4930	4930					į.			-
4930	4930	:		:					
4930	4930								
4930	4930					E .	•		
4930	4930					ľ	•		•
4930	4930				•	ř			
4930	4930				•				•
4930	4930				•		•		
4930	4930								
4930	4930								
4930	4930								
4930	4930							•	*
4930	4930				•		•	•	:
4930	4930				•		•	•	:
4930	4930				•		:	•	
4930	4930			-	•		•	•	
4930	4930			•	•		•	•	:
4930	4930			•			<u>:</u>	•	-
4930	4930			•	•		•	-	
4930	4930								
4930	4930								
4930	4930								
4930	4930					I	_		
4930	4930	:		•	1	I		:	
4930	4930			•		1		:	
4930	4930			•		1	•		
4930	4930			-		I			
4930	4930	:		-	_	1			
4930	4930	:		-		1			
4930	4930			-		1	•		
4930	4930	:		Ξ .	<u>.</u>	1	•	<u>:</u>	
4930	4930	•		-		3			
4930	4930					1			
4930	4930								
4930	4930					1			
4930	4930					1	•		
4930	4930			-		1	•	•	
4930	4930				-	1	•		
4930	4930					i	•	-	
4930	4930				- 1	(•	-	
4930	4930				•	•	-	•	•
4930	4930				•		•	•	•
4930	4930				•	~	•	•	,
4930	4930				. •-	/	•	•	,
4930	4930					/			
					. 4				
				:					,
		:							,
		:							
						1			2
						1			
				11					
				・・ハイエーつ					
								******	*********
					~)			*******	
			1	· 44.70	0		: ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;		
		<u> </u>		473	<u> </u>			*******	
		•		773	<u> </u>				
848	1845	• :		473	<u> </u>			**1****	
1843	248	•		443	0				
1845	845	•		443	0				
1845	1845			443	0		-		
1843	1845			443	0				
1845	1845			443	<u>0</u>				
1845	1845			443	<i>O</i>				
1845	1845			775					
848	845			775					
845	248			443					
8H2 1	845			443	<i></i>				
	345			473					
				443					
		8/		473					
		8		473					
		18)		473					
		184		473					
		184		493					
		1842		473					
		1845		473					
		1845		473					
		1845		473					
		1845		493	0				
		1845		443					
		1845		443	0				
		1845		443	0				
		1845		. 443					

RECEIVED KANSAS CORPORATION COMMISSION

JUL 15 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			· · · · · · · · · · · · · · · · · · ·	
Operator Name: JayHawk Energy, Inc		License Number: 34102		
Operator Address: P.O. Box 191, Girard, KS 66743				
Contact Person: Tony Anderson		Phone Number: 620-724-7040		
Lease Name & Well No.: Richard Geier; 2-1		Pit Location (QQQQ):		
Type of Pit: Pit is:		SW _ NW/4 _ SW		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 2 Twp. 29 R. 23 East West	
Settling Pit Drilling Pit	Settling Pit Drilling Pit If Existing, date constructed:		1,845 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		4,930 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	80	(bbls)	<u>Crawford</u> County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l	
		<u> </u>	(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Native Clay	
		10		
Pit dimensions (all but working pits):	25 Length (fe	eet)10	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	eepest point:	6 (feet) No Pit RECEIVED	
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and tienshin fing PORATION COMMISSION including any special monitoring.	
NA	•	NA	JUL 1 5 2008	
			CONSERVATION DIVISION	
			WICHITA, KS	
Distance to nearest water well within one-mile	e of pit	1 '	west fresh waterfeet.	
Source of infor		rmation: ured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:	
		ial utilized in drilling/workover: Air		
		king pits to be utilized:		
I				
Date the class from the test better allow all coiled fluids to				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must b		procedure: backfill when dry pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
1 1 1				
July 10, 2008 Date Signature of Applicant or Agent				
	KCC (OFFICE USE OI	NLY Steel Pit RFAC RFAS	
Date Received: 7/15/08 Permit Numi	ber:	Permi	it Date: 7/13/08 Lease Inspection: Yes 又No	