# For KCC Use: Effective Date: District # SCA2 Ves VNo

#### Kansas Corporation Commission Oil & Gas Conservation Division

## CONSERVATION DIVISION Form must be S Form must be S All blanks must be

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

### NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 7/28/2008	Spot Description: Appx
month day year	E/2 - SW - SE - Sec. 31 Twp. 10 S. R. 16 EXW
7076 ✓	(Q/Q/Q/Q/) 710 feet from N / X S Line of Section
OPERATOR: License#	1,710 feet from X E / W Line of Section
Name: Black Diamond Oil, Inc.	Is SECTION: Regular Irregular?
Address 1: P.O. Box 641	is Section. Manegular Integular:
Address 2:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Kenneth Vehige	County: Rooks
Phone: 785-625-5891	Lease Name: George Well #: 5
	Field Name: Wetherill
CONTRACTOR: License# 33575	Is this a Prorated / Spaced Field?
Name: WW Drilling	Target Formation(s): Lansing KC/Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 710
⊠Oil / ☐ Enh Rec	Ground Surface Elevation: 1910 Estfeet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Cable	Public water supply well within one mile:
Seismic : # of Holes Other	Depth to bottom of fresh water: 150
Other:	Depth to bottom of usable water: 600
	Surface Pipe by Alternate: XII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any): none
Well Name:	Projected Total Depth: 3600
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	RECEIVED
AFFI	DAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	JUL 1 7 2008
1. Notify the appropriate district office prior to spudding of well;	CONCERNATION DRIVEYOR
O & at the appropriate at intent to drill about he posted on onch	drilling rig; CONSERVATION DIVISION WICHITA KS
A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below <b>shall be set</b> by the surface pipe as specified by the shall upganged into the state of the	y circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	didenying formation.
The well is dry note, an agreement between the operator and the district.  The appropriate district office will be notified before well is either plugge.	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	from below any usable water to surface within 120 DAYS of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	3,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall be	plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and correct to the be	st of my knowledge and belief.
notical a	Allen Die
Date: 7/12/08 Signature of Operator or Agent:	Title: Fas.
	Remember to:
For KCC Use ONLY	
1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 163-23749-0000	- File Completion Form ACO-1 within 120 days of spud date;
Marc	- File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
Conductor pipe required	<ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage altribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> </ul>
Conductor pipe required	<ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage altribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed (within 60 days);</li> </ul>
Conductor pipe required	<ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage altribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed (within 60 days);</li> <li>Obtain written approval before disposing or injecting salt water.</li> </ul>
Conductor pipe required	<ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage altribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed (within 60 days);</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please</li> </ul>
Conductor pipe required	<ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage altribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed (within 60 days);</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.</li> </ul>
Conductor pipe required Nove feet  Minimum surface pipe required 200 feet per ALT. I III  Approved by: Pub. 7-17-08  This authorization expires: 7-/7-09	<ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage altribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed (within 60 days);</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please</li> </ul>

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 163-23749-0000	
Operator: Black Diamond Oil, Inc.	Location of Well: County: Rooks
Lease: George	710 feet from N / X S Line of Section
Well Number: 5	1,710 feet from X E / W Line of Section
Field: Wetherill	Sec. <u>31</u> Twp. <u>10</u> S. R. <u>16</u> E 🗶 W
Number of Acres attributable to well: 10  QTR/QTR/QTR/QTR of acreage: E/2 - SW - SE -	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

	_						.
		•	•	1	•	•	•
			•		•		•
			•	i .	•		•
			•	1	•		•
	1	: .		1			4
1	-	:		ł.			.
1	:	:		J			.
	•	•	:	1	:	•	
	•	•	-	<b>S</b>	•	•	: 1
				i			I
				i			I
				1			I
				1	•	•	.
	1	: .		1		_	
	•	•		1	-	•	
	7	•		i			
	•	•	•	1	:	•	<u> </u>
	•	•	•	1	•	•	• ,
			•	1	•	•	• [
	•		•	!	•		•
				1	•		•
				1			
1				1			
				1			
1				1			
1			•	i	•		• 1
1	•		•	1	•	•	• :
1		•		1	•	•	
1			•	1	•		. 1
1				1	•		• 1
1		: .		1	•		. 1
1	1			1		:	. 1
1	•		:	1		7	_
1	•		•	1	•	•	: 1
1			•	1	•	-	•
1				1			
1							
1				1			
i		-		1		•	.
<b>!</b>	•	•	•	1	•	•	
	•			1	•	•	•
!			•	1		•	•
l						•	•
•				1			•
2	1	:		3			
1	•	•	:		1	7	
1	•	•	•		-	•	:
			•				.
1							
1	:				•		•
1	:	•	. 2	14	•	•	·
<u> </u>	:	<u> </u>	· 3	1	•	•	
-	<u>:                                      </u>	<u> </u>	<del></del> 3	31			
	<del>:</del>	•	3	31	•	•	:
	: :		: 3	31	:	· :	· •
	: :	:	· 3	31	· :	· :	· ·
	<u>:</u> :		· 3	31	· :	· :	· :
	: : :		3	31	· :	<u> </u>	· •
	: : :		3	31	•	· :	
	: :		3	3 <b>1</b>		· :	
	: : :		3	i <b>1</b>	· :		
	: :		3	; <b>1</b>	•	· :	
	:		3	1 <b>1</b>	· :	•	
	: : : :	•	3	; <b>1</b>	•	· · · · · · · · · · · · · · · · · · ·	
	: :		3	;1 !			
	:		3	<b>1</b>			
	:		3	;1 ]			
	:		3	i1   			
	:		3	1 ! 			
	:		3	1   			
			3			· · · · · · · · · · · · · · · · · · ·	
			3				
			3 	31 ———   		· · · · · · · · · · · · · · · · · · ·	
			3				
			3	1			
			3 	31   		· · · · · · · · · · · · · · · · · · ·	
			3	31 ———— !			
			3	31 ! 			
			3	31   			
			3	; ; 			
			3				
			3				
			3	J			
			3	; ; 			
			3	; ; 		1710	
			3	; ; 		1710	
			3			1710	
			3	; ; 		1710	
			3	; ; 		1710	
			3	; ; 	•	1710	
			3		• —	:	
			3	J	•	1710	
			3		• —	:	
			3		• —	:	
			3		• —	:	
			3		• —	:	
					• —	:	
			3		• —	:	
			3		• —	:	
			3		• —	:	
			3		• —	:	
			3		• —	:	
			3		• —	:	
			3		• —	:	
			3		• —	:	
			3		• —	:	

RECEIVED
KANSAS CORPORATION COMMISSIO

JUL 17 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Black Diamond Oil, Inc.			License Number: 7076		
Operator Address: P.O. Box 641 H	ays, KS 6760	01			
Contact Person: Kenneth Vehige			Phone Number: ( 785 ) 625 - 5891		
Lease Name & Well No.: George #5			Pit Location (QQQQ): Appx		
Type of Pit:	Pit is:		C <u>E/2SWSE</u>		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 31 Twp. 10 R. 16 ☐ East ✓ West		
Settling Pit	If Existing, date co	onstructed:	710 Feet from ☐ North / ✓ South Line of Section	n	
Workover Pit Haul-Off Pit	Pit capacity:		1710 Feet from 🗸 East / Nest Line of Section	- 1	
(If WP Supply API No. or Year Drilled)	1000	(bbis)	District Control of the Control of t	-	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	Chloride concentration:mg/l		
	<del>                                     </del>		(For Emergency Pits and Settling Pits only)	4	
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	☐ Yes 🗸	No	Native Soil	_[	
Pit dimensions (all but working pits):	65 Length (fe	eet) <u>65</u>	Width (feet) N/A: Steel Pits		
Depth f	rom ground level to de	eepest point: 3	(feet)		
			KANSAS CORPORATION CO	-	
			JUL 1 7 200 CONSERVATION DIVIS WICHITALKS	18	
Distance to nearest water well within one-mil	e of pit	Depth to shalk	JUL 1 7 200  CONSERVATION DIVI WICHITA, KS  owest fresh water 20 feet.	18	
Distance to nearest water well within one-mil  N/A 2952  N/A feet Depth of water well	·	Source of info	JUL 1 7 200  CONSERVATION DIVI WICHITA, KS  owest fresh water 20 feet.	18	
36 <b>5</b> 0	40 feet	Source of info	UL 1 7 200  CONSERVATION DIVI WICHITA KS  Divest fresh water	18 sio / S/	
N/A 2952 feet Depth of water well	<u>40</u> feet	Source of info measo Drilling, Work	CONSERVATION DIVI	98 SIO	
N/A 2952 feet Depth of water well _  Emergency, Settling and Burn Pits ONLY	40 feet	Source of info mease  Drilling, Work Type of materi Number of wo	CONSERVATION DIVI	18 sio / S/	
N/A 2952  Depth of water well _  Emergency, Settling and Burn Pits ONLY  Producing Formation:	40_feet	Source of info mease  Drilling, Work Type of materi Number of wo	CONSERVATION DIVINGUIGHTALKS  Towest fresh water	18 sio / S/	
N/A 2952  Emergency, Settling and Burn Pits ONLY  Producing Formation:  Number of producing wells on lease:	40 feet	Source of info mease  Drilling, Work Type of materi Number of wo Abandonment	CONSERVATION DIVI	18 sio / S/	
N/A 2952  Emergency, Settling and Burn Pits ONLY  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow allowed to the slope from the tank battery allow allowed to the slope from the tank battery allow allowed to the slope from the tank battery allow allowed to the slope from the tank battery allow allowed to the slope from the tank battery allow allowed to the slope from the tank battery allowed to the slope from the slo	feet	Source of info mease  Drilling, Work Type of materi Number of wo Abandonment  Drill pits must	CONSERVATION DIVINGUICHITA, KS  owest fresh water	18 sio / S/	
N/A 2952 feet Depth of water well  Emergency, Settling and Burn Pits ONLY  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow at flow into the pit?  Yes No	feet	Source of info mease  Drilling, Work Type of materi Number of wo Abandonment  Drill pits must  correct to the bes	CONSERVATION DIVINGUICHITA, KS  owest fresh water	18 sio / S/	
N/A 2952 feet Depth of water well  Emergency, Settling and Burn Pits ONLY  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow at flow into the pit?  Yes No	Lyo feet	Source of info mease  Drilling, Work Type of materi Number of wo Abandonment  Drill pits must  correct to the bes	CONSERVATION DIVINGUISTANCE SET OF THE PROPERTY OF THE PROPERT	18 sio / S/	