For KCC Use: Effective Date:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five ((5) days prior to commencing well	
Expected Spud Date: 7/17/08 month day year OPERATOR: License# 6236 Name: MTM Petroleum, Inc. Address 1: PO BOX 391 Address 2: City: Kingman State: KS Zip: 67068 + 0391 Contact Person: Marvin A. Miller Phone: 620-532-3794 or 620-546-3035 (cell) CONTRACTOR: License# 33902 Name: Hardt Drilling, LLC Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Mud Rotary	Spot Description: NW NW SE Sec. 6 Twp. 31 S. R. 7 E Sec. 6 Twp. 31 Sec. 7 E Sec. 6 Twp. 31 Sec. 8 E Sec. 8 E Sec. 6 Twp. 31 Sec. 8 E Sec. 8 E Sec. 8 E Sec. 6 Twp. 31 Sec. 8 E Sec	on on do
Disposal Wildcat Cable Seismic; # of Holes Other Other: If OWWO: old well information as follows: Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore?	Public water supply well within one mile: Depth to bottom of fresh water: 120 Depth to bottom of usable water: 180 Surface Pipe by Alternate: I III Length of Surface Pipe Planned to be set: 205' Length of Conductor Pipe (if any): Projected Total Depth: 4770 Formation at Total Depth: Simpson Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: 100 (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: RECEIN KANSAS CORPORATIO	No
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the district office will be a minimum of 20 feet into the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers.	CONSERVATION drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. Bict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	2008
I hereby certify that the statements made herein are true and correct to the bed Date: 07/09/2008 Signature of Operator or Agent:		_
For KCC Use ONLY API # 15	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date: Signature of Operator or Agent:	6 31 7 □ EXW

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 077 - 21633 - 0000 Operator: MTM Petroleum, Inc.	Location of Well: County: Harper	
Lease: Maloney M	2,310 feet from N / X S Line of Section	
Well Number: 1	2,210 feet from X E / W Line of Section	
Field: Washbon	Sec. 6 Twp. 31 S. R. 7 E W	
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: MTM Petroleum, Inc.		License Number: 6236	
Operator Address: PO BOX 391			Kingman KS 6706
Contact Person: Marvin A. Miller		Phone Number: 620-532-3794 or 620-546-3035 (cel	
Lease Name & Well No.: Maloney M	1		Pit Location (QQQQ):
Type of Pit:	Pit is:		NW _ NW _ SE
Emergency Pit Burn Pit	Proposed	Existing	Sec. 6 Twp. 31 R. 7 East West
Settling Pit	If Existing, date constructed:		2,310 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		2,210 Feet from X East / West Line of Section
(If WP Supply API No. or Year Drilled)	2,000	(bbls)	Harper Count
Is the pit located in a Sensitive Ground Water A	\rea? Yes	No	Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Clay Bottom, Bentonite
Pit dimensions (all but working pits):	D Length (fe	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to de	epest point:	4 (feet) No Pit
material, thickness and installation procedure.		uner integrity, ii	ncluding any special monitoring.
Source of infor		west fresh water	
1833 feet Depth of water well	102 feet	measu	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:
Producing Formation:			al utilized in drilling/workover: Freshwater king pits to be utilized:2
Number of producing wells on lease:			king pits to be utilized.
Barrels of fluid produced daily:		Abandonment	procedure: Haul Offsite, jet to reserve, backfill when dry
Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to		procedure: Haul Offsite, jet to reserve, backfill when dry RECEIV be closed within 365 days of spud date. KANSAS CORPORATION
Does the slope from the tank battery allow all		Drill pits must t	backfill when dry RECEI be closed within 365 days of spud date. KANSAS CORPORATION
Does the slope from the tank battery allow all flow into the pit? Yes No I hereby certify that the above states		Drill pits must be correct to the best	backfill when dry RECEIV be closed within 365 days of spud date. KANSAS CORPORATION t of my knowledge and belief. JUL 10 CONSERVATION WICHITA,
Does the slope from the tank battery allow all flow into the pit? Yes No I hereby certify that the above states		Drill pits must be correct to the best	backfill when dry RECEIV De closed within 365 days of spud date. It of my knowledge and belief. CONSERVATION WICHITA, ignature of Applicant or Agent
Does the slope from the tank battery allow all flow into the pit? Yes No I hereby certify that the above states	ments are true and c	Drill pits must be correct to the best	backfill when dry RECEIV De closed within 365 days of spud date. It of my knowledge and belief. CONSERVATION WICHITA, ignature of Applicant or Agent



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

July 17, 2008

Mr. Marvin A. Miller MTM Petroleum, Inc. PO Box 391 Kingman, KS 67068-0391

Re: Drilling Pit Application

Maloney M Lease Well No. 1 SE/4 Sec. 06-31S-07W Harper County, Kansas

Dear Mr. Miller:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and all pits must be lined with bentonite. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File