# For KCC Use: 7-27-08 Effective Date: 7-27-08 District # Yes V No

## Kansas Corporation Commission

### OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

| Expected Spud Date: July 31 2008  | Spot Description:  |
|---|--|
| month day year  | SW _ SW _ NW Sec. 9 Twp. 10 S. R. 29 TE W  |
| 31900 🗸   | (Q/Q/Q/Q) 2.550 feet from N / S Line of Section  |
| OPERATOR: License#  | feet from E / W Line of Section  |
| Address 1: 20014 283 Hwy.   | Is SECTION: Regular Irregular?   |
|   | <del>-</del>   |
| Address 2:  City: Wakeeney. State: KS. Zip: 67672 + 2722  | - (Note: Locate well on the Section Plat on reverse side)  |
| Contact Person: Patrick G. Wanker, SecTreas.,   | COUNTY.  |
| Phone: (785) 743-2769   | Lease Name: Bixenman-Stewart Well #: 1   |
| •   | Field Name: WCC Southwest Extension  |
| CONTRACTOR: License#33237 V Name: Anderson Drilling   | <ul> <li>Is this a Prorated / Spaced Field?</li> <li>Target Formation(s): Lansing-Kansas City</li> </ul>   |
|   | Nearest Lease or unit boundary line (in footage):  |
| Well Drilled For: Well Class: Type Equipment:   | Ground Surface Elevation: 2,869feet MSL  |
| Oil Enh Rec Infield Mud Rotary  | Water well within one-quarter mile:  |
| Gas Storage Pool Ext. Air Rotary  |  |
| Disposal XWildcat Cable   |  |
| Seismic ; # of Holes Other  | Depth to bottom of fresh water: 190'   |
| Other:  | Depth to bottom of usable water: 1,570   |
|   | Surface Pipe by Alternate: III XIII  |
| If OWWO: old well information as follows:   | Length of Surface Pipe Planned to be set: 240'   |
| Operator:   | Length of Conductor Pipe (if any): N/A   |
| Well Name:  | Projected Total Depth: 4,200'  |
| Original Completion Date: Original Total Depth:   | Formation at Total Depth: Base of the Kansas City  |
| Original Completion Date.   | Water Source for Drilling Operations:  |
| Directional, Deviated or Horizontal wellbore?   | Well Farm Pond Other:  |
| If Yes, true vertical depth:  |  |
| Bottom Hole Location:   | DWR Permit #:  |
| KCC DKT #:  |  |
|   | <del>-</del> -   |
|   | If Yes, proposed zone:   |
|   | <i>I</i>   |
| ):1 + bas Leases W/ Pooling clauses submitted   | RECEIVED   |
|   | KANSAS CURTORISTON COMPANION   |
| The undersigned hereby affirms that the drilling, completion and eventual   | KANSAS CORPORATION COMMISSIONS   |
|   | plugging of this well will comply with K.S.A. 55 et. seq.  |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:   | KANSAS CORPORATION COMMISSIONS   |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2608  ach drilling rig:   |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2608  ach drilling rig:   |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2008  ach drilling rig;  conservation division  et by circulating cement to the top; in all cases surface pipe shall places.  |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into   | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2008  ach drilling rig;  conservation pivision  et by circulating cement to the top; in all cases surface pipe shall parks  |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl   | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2608  ach drilling rig;  conservation division  ach drilling rig;  the by circulating cement to the top; in all cases surface pipe shall printing to the underlying formation.  district office on plug length and placement is necessary prior to plugging;  ugged or production casing is cemented in;  |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2608  ach drilling rig;  cet by circulating cement to the top; in all cases surface pipe shall plugging; the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; and placement in the underlying formation with the underlying prior to plugging; ugged or production casing is cemented in; and placement in the underlying formation.  |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order  | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2608  ach drilling rig;  cet by circulating cement to the top; in all cases surface pipe shall cases the underlying formation.  district office on plug length and placement is necessary prior to plugging;  ugged or production casing is cemented in;  nted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the control of the state of the surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall the surface of the | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2608  ach drilling rig;  conservation division  ach drilling rig;  conservation division  the underlying formation.  district office on plug length and placement is necessary prior to plugging;  agged or production casing is cemented in;  attended from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either pl  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  Or pursuant to Appendix "B" - Eastern Kansas surface casing order  | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2608  ach drilling rig;  conservation division  ach drilling rig;  conservation division  the underlying formation.  district office on plug length and placement is necessary prior to plugging;  agged or production casing is cemented in;  attended from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the construction of the surface of th | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2608  ach drilling rig;  CONSERVATION DIVISION  the underlying formation.  district office on plug length and placement is necessary prior to plugging;  ugged or production casing is cemented in;  nted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  e best of my Knowledge and belief.  |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the control of the state of the surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall the surface of the | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2608  ach drilling rig;  conservation division  ach drilling rig;  conservation division  the underlying formation.  district office on plug length and placement is necessary prior to plugging;  agged or production casing is cemented in;  attended from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the construction of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the surface of the | JUL 2 2 2608  ach drilling rig;  cet by circulating cement to the top; in all cases surface pipe share the underlying formation.  district office on plug length and placement is necessary prior to plugging;  ugged or production casing is cemented in;  nted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  e best of my knowledge and belief.  SecTreas.,   |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the construction of the surface of th | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2608  ach drilling rig;  conservation division  the underlying formation.  district office on plug length and placement is necessary prior to plugging;  ugged or production casing is cemented in;  nted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  e best of my Knowledge and belief.  SecTreas.,  Title:  |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the foliation of the surface pipe and the surface will be notified before well is either plus of an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the contract of the cont | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2608  ach drilling rig;  conservation division bet by circulating cement to the top; in all cases surface pipe shareping, ks the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  SecTreas.,  File Drill Pit Application (form CDP-1) with Intent to Drill;  |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the Date:    July 21, 2008  | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2608  ach drilling rig;  conservation division  ach drilling rig;  conservation division  cet by circulating cement to the top; in all cases surface pipe share the conservation.  district office on plug length and placement is necessary prior to plugging;  ugged or production casing is cemented in;  nted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  e best of my Knowledge and belief.  SecTreas.,  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;   |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the foliation of the surface pipe and the surface will be notified before well is either plus of an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the contract of the cont | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2008  ach drilling rig;  conservation division plusion to the top; in all cases surface pipe share first, ks the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  SecTreas.,  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the following the street of the surface will be notified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the Date:    July 21, 2008  | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2008  ach drilling rig;  conservation division  ach drilling rig;  conservation division  conservation  conservation division  conservation  conservatio |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the foliation of the surface pipe and the period of the surface of the surface pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the Date:    July 21, 2008   | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2608  ach drilling rig;  conservation division  ach drilling rig;  conservation division  ach drilling rig;  conservation division  conservation division  ach drilling rig;  conservation division  conservation  cons |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the state of the state of the surface will be notified before well is either pled. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the state of Operator or Agent:    July 21, 2008  | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2608  ach drilling rig;  conservation division  the underlying formation.  district office on plug length and placement is necessary prior to plugging;  agged or production casing is cemented in;  alternate from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  e best of my knowledge and belief.  SecTreas.,  Title:  Remember to:  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water.   |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the found of the state of the state of the spudding of the spuddate or the well shall hereby certify that the statements made herein are true and correct to the spudding of the spudding of the spuddate or the well shall hereby certify that the statements made herein are true and correct to the spudding of the well shall hereby certify that the statements made herein are true and correct to the spudding of the sp | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2608  ach drilling rig;  conservation division  ach drilling rig;  conservation division  ach drilling rig;  conservation division  conservation division  ach drilling rig;  conservation division  conservation  cons |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the state of the surface pipe as specified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the Date:    July 21, 2008   | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2608  ach drilling rig;  cet by circulating cement to the top; in all cases surface pipe shifteness the underlying formation.  district office on plug length and placement is necessary prior to plugging;  ugged or production casing is cemented in;  nted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  SecTreas.,  Title:  Remember to:  Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.   |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the found of the state of the surface of the specified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the surface of the state of the spud date or the well shall hereby certify that the statements made herein are true and correct to the spud state of the spud date or the well shall hereby certify that the statements made herein are true and correct to the spud state of the spud  | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2608  ach drilling rig;  conservation division  conservation  conservation  conservation division  conservation  conservatio |
| The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the foundation of the state of the surface will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the surface casing order of the plus of the spud date or the well shall hereby certify that the statements made herein are true and correct to the surface of the surface of the surface of the plus of the spud date or the well shall hereby certify that the statements made herein are true and correct to the surface of the surface of the surface of the surface of the plus of the spud date or the well shall hereby certify that the statements made herein are true and correct to the surface of the  | plugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 2 2608  ach drilling rig;  conservation division  conservation  conservation  conservation division  conservation  conservatio |


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 179-21205-0000  |  |
|--|--|
| Operator: Nor-West Kansas Oil, L.L.C.                              | Location of Well: County: Sheridan   |
| Lease: Bixenman-Stewart  | 2,550 feet from N / S Line of Section  |
| Well Number: 1   | 495 feet from E / X W Line of Section  |
| Field: WCC Southwest Extension                                     | Sec. 9 Twp. 10 S. R. 29 E 🔀 W  |
| Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: | Is Section: Regular or Irregular   |
|  | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name: Nor-West Kansas Oil, L.L.C.  |                      | License Number: 31900                       |  |
|---|----------------------|---|--|
| Operator Address: 20014 283 Hwy.  |                      |   | WaKeeney, KS. 67672  |
| Contact Person: Patrick G. Wanker, SecTreas.,   |                      | Phone Number: (785) 743-2769                |  |
| Lease Name & Well No.: Bixenman-Stewart 1   |                      | Pit Location (QQQQ):                        |  |
| Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A  Is the bottom below ground level?  Yes No  Pit dimensions (all but working pits): | Pit is:    Proposed  | No No et) 100 eepest point:                 | SW SW NW  Sec. 9 Twp. 10 R 29 East West  2,550 Feet from North / South Line of Section  495 Feet from East / West Line of Section  Sheridan County  Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?  N/A  Width (feet) N/A: Steel Pits |
| Distance to nearest water well within one-mile of pit  2,600 feet Depth of water well 175 feet  Depth to shallo Source of infor   |                      |   |  |
|   |                      | over and Haul-Off Pits ONLY:                |  |
|   |                      | al utilized in drilling/workover: Bentonite |  |
|   |                      | rking pits to be utilized:4                 |  |
| Barrels of fluid produced daily:  |                      | Abandonment                                 | procedure: Pits allowed to evaporate until dry; backfill when conditions allow.  |
| Does the slope from the tank battery allow all flow into the pit? Yes No  | spilled fluids to    | Drill pits must                             | be closed within 365 days of spud date. RECEIVED   |
| I hereby certify that the above states  July 21, 2008  Date   | ments are true and c | al.   | t of my knowledge and belief.  JUL 2 2 2008  CONSERVATION DIVISION WICHITA, KS   |
| Date Received: $\frac{7}{92}/c\delta$ Permit Number   |                      | OFFICE USE O                                | NLY Steel Pit RFAC RFAS  iit Date: 7/22/08 Lease Inspection: Yes No  |