# 

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

District # Yes No	Must i		ITENT TO DRILL  2 (5) days prior to commencing well	Form must be Signed All blanks must be Filled			
Formation Count Date:	July 30	2008	Spot Description: NE NW NE 18-323-3E				
Expected Spud Date:	month day	year	_ NE _ NW _ NE Sec. 19 Twp. 32	S. R. <sup>3</sup> XE W			
30	0037 V		(Q/Q/O/O) 330 feet from X				
OPERATOR: License# Name: Green Enterprises			1,650 feet from				
Address 1: 1007, 152nd Rd.			ls SECTION: Regular Irregular?	<u>.                                    </u>			
Address 2:			(Note: Locate well on the Section Plat of	on reverse side)			
City: Oxford		67119 +	County: Cowley				
Contact Person: Wayne Green Phone: 620-455-3525			Lease Name: Carson	Weil #: <sup>2</sup>			
31	2854 OE		Field Name: Slick-Carson				
CONTRACTOR: License# 2/ Name: Gulick Drilling Co., Inc.	<i>,</i> <b>≈</b> ○••		Is this a Prorated / Spaced Field?  Target Formation(s): Bartlesville	Yes No			
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage): 33				
XOil Enh Rec	Infield	Mud Rotary	Ground Surface Elevation: 1142	feet MSL  Yes No			
Gas Storage	Pool Ext.	Air Rotary	Water well within one-quarter mile: Public water supply well within one mile:	Yes X No Yes X No			
Disposal # of Mo	Wildcat Other	Cable	Depth to bottom of fresh water: 180				
Seismic; # of Ho Other:	nies Lionner		Depth to bottom of usable water: 280				
			Surface Pipe by Alternate: XI III	_			
lf OWWO: old well infor	rmation as follows:		Length of Surface Pipe Planned to be set: 300				
Operator:			Length of Conductor Pipe (if any): None				
Well Name:	0111	Carl Brook	Projected Total Depth: 3200  Formation at Total Depth: Mississippi				
Original Completion Date:	Original i	otal Depth:	Water Source for Drilling Operations:				
Directional, Deviated or Horizon If Yes, true vertical depth:	ntal wellbore?	Yes No	Well Farm Pond Other:				
Bottom Hole Location:			(Note: Apply for Permit with DV				
KCC DKT #:			Will Cores be taken?	Yes No			
			If Yes, proposed zone:				
			FIDAVIT	RECEIVED KANSAS CORPORATION COMMISSION			
			igging of this well will comply with K.S.A. 55 et. seq.	II II 2 2 2000			
It is agreed that the following	·			JUL 2 2 <b>2008</b>			
<ol> <li>Notify the appropriate of the approved</li> </ol>		•	drilling rig:	CONSERVATION DIVISION			
3. The minimum amount of	of surface pipe as spec		by circulating cement to the top; in all cases surface p				
<ol><li>If the well is dry hole, a</li></ol>	in agreement between	the operator and the dist	rict office on plu <b>g length an</b> d placement is necessary ,	prior to plugging;			
			jed or production casing is cemented in; d from below any usable water to surface within <i>120 E</i>	PAYS of soud date.			
Or pursuant to Append	lix "B" - Eastern Kansa	s surface casing order #1	33,891-C, which applies to the KCC District 3 area, all plugged. <i>In all cases, NOTIFY district office</i> prior to	ternate II cementing			
I hereby certify that the stater	ments made herein are	e true and correct to the b	est of my knowledge and belief.				
7-21-08 Date:	Signature of Operate	or or Agent: Va	Title: Opera	ator			
			Remember to:	<b>19</b>			
For KCC Use ONLY	4300-000	)	- File Drill Pit Application (form CDP-1) with Intent to - File Completion Form ACO-1 within 120 days of specific completion.				
			File acreage attribution plat according to field profit				
Conductor pipe required	None. 300	feet	- Notify appropriate district office 48 hours prior to w	vorkover or re-entry;			
Minimum surface pipe requir		feet per ALT.	<ul> <li>Submit plugging report (CP-4) after plugging is co</li> <li>Obtain written approval before disposing or injectir</li> </ul>	<b>.</b>			
Approved by: Purg 7-2	7-24-09		If this permit has expired (See: authorized expiration)	=			
This authorization expires: (This authorization void if drillii	•	onths of approval date.)	check the box below and return to the address bel				
( a dimi			Well Not Drilled - Permit Expired Date:	<u>(C.S)</u> 			
Spud date:	Agent:		Signature of Operator or Agent:	الح			

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 035-24300-0	2222						
Operator: Green Enterprises			Location of	Well: County: Cov	vley		
Lease: Carson			330		feet from	N / 🔲 S	Line of Section
Well Number: 2			1,650		feet from		Line of Section
Field: Slick-Carson			Sec. 19	Twp. 32	S. R. 3	<b>⊠</b> ∈	☐ w
Number of Acres attributable to well: 10 QTR/QTR/QTR/QTR of acreage:		_ NE	Is Section:	Regular or	Irregular		
			If Section is Section corr	s Irregular, locate ner used: NE			boundary.

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the pearest lease or unit boundary line.)

		(Direct footage	330			
	:		0-	-		1650
••••	 :			:		RECEIVED
	 :		:	:		JUL 2 <b>2 2008</b>
	 	· · · · · · · · · · · · · · · · · · ·	: :	·	: :	CONSERVATION DIVISION RECEITA, KS
	;	19	:			EXAMPLE
	 					0 1980
14414	 					3390'
	 .,					
			:			SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Address: 1007, 152nd Rd.				·	
Phone Number: 620-455-3525	Operator Name: Green Enterprises			License Number: 30037	
Lease Name & Well No.: CAISON   2	Operator Address: 1007, 152nd Ro	1.		Oxford ks 671	19
Prit is:	Contact Person: Wayne Green			Phone Number: 620-455-3525	
Emergency Pit   Burn Pit   Existing   If E	Lease Name & Well No.: Carson	2		Pit Location (QQQQ):	
Settling Pit   Drilling Pit   If Existing, date constructed:   330   Feet from   North   South Line of Section   1,650   Feet from   1,650	Type of Pit:	Pit is:	4.7947	NE _ NW _ NE	
South   Haul-Off Pit   Haul-Off Pit   Fit capacity:   South   Haul-Off Pit   Supply API No or Year Drilled!   Pit capacity:   South   Haul-Off Pit   Haul-Off Pit   South   Haul-Off Pit   How is the pit lined if a plastic liner is not used?   Coated with Bentonite   Coated with Bentonite   How is the pit lined if a plastic liner is not used?   Coated with Bentonite   Coated with Bentonite   How is the pit lined if a plastic liner is not used?   Coated with Bentonite   How is the pit lined if a plastic liner is not used?   Coated with Bentonite   How is the pit lined if a plastic liner is not used?   Coated with Bentonite   How is the pit lined if a plastic liner is not used?   Coated with Bentonite   How is the pit lined if a plastic liner is not used?   Coated with Bentonite   How is the pit lined if a plastic liner is not used?   Coated with Bentonite   How is the pit lined if a plastic liner is not used?   Coated with Bentonite   How is the pit lined if a plastic liner is not used?   Coated with Bentonite   How is the pit lined if a plastic liner is not used?   Coated with Bentonite   How is the pit lined if a plastic liner is not used?   Coated with Bentonite   How is the pit lined if a plastic liner is not used?   Rective lined if a plastic liner is not used?   Coated with so the pit lined if a plastic liner is not used?   Rective lined if a plastic liner is not used?   Rective lined if a plastic liner is not used?   Rective lined if a plastic liner is not used?   Rective lined if a plastic liner is not used?   Rective lined if a plastic liner is not used?   Rective lined if a plastic liner is not used?   Rective lined if a plastic liner is not used?   Rective lined if a plastic liner is not	Emergency Pit Burn Pit	Proposed [	Existing	Sec. 19 Twp. 32 R. 3 East West	
Pit capacity: 500    Source   Feet from     East /   west Line of Section   Source	Settling Pit Drilling Pit	If Existing, date co	nstructed:	330 Feet from North / South Line of Section	ion
Source of information:   Source of informati	<del></del>	Pit capacity:		1,650 Feet from East / West Line of Sect	ion
Co Emergency Pits and Setting Pits only	(If WP Supply API No. or Year Drilled)	1 ' '	(bbls)	Cowley	nty
Artificial Liner?  Artificial Liner?  No  Coated with Bentonite  Fit dimensions (all but working pits):  Depth from ground level to deepest point:  Depth from ground level to deepest point:  Depth from ground level to deepest point:  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures fresh water  Describe price fresh water  Describe price fresh water  Describe price fresh water	Is the pit located in a Sensitive Ground Water	Area? XYes	No	Chloride concentration: mg	y/l
Yes   No   Yes   No   Coated with Bentonite	L. A	T Amissial Linear	-		
Depth from ground level to deepest point:    Depth from ground level to deepest point:   S			No	•	
Depth from ground level to deepest point:  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Depth to shallowest fresh water 12 feet.  Source of information:  Depth to shallowest fresh water 12 feet.  Source of information:  Producing Formation:  Depth to shallowest fresh water 12 feet.  Source of information:  Depth to shallowest fresh water 12 feet.  Source of information:  Depth to shallowest fresh water 12 feet.  Source of information:  Depth to shallowest fresh water 12 feet.  Source of information:  Depth to shallowest fresh water 12 feet.  Source of information:  Depth to shallowest fresh water 12 feet.  Source of information:  Depth to shallowest fresh water 12 feet.  Source of information:  Depth to shallowest fresh water 12 feet.  Source of information:  Depth to shallowest fresh water 12 feet.  Source of information:  Depth to shallowest fresh water 12 feet.  Source of information:  Depth to shallowest fresh water 12 feet.  Source of information:  Producing Formation:  Depth to shallowest fresh water 12 feet.  Source of information:  Producing Formation in the pit 12 feet.  Source of information:  Depth to shallowest fresh water 12 feet.  Source of information:  Depth to shallowest fresh water 12 feet.  Source of information:  Depth to shallowest fresh water 12 feet.  Source of information:  Depth to shallowest fresh water 12 feet.  Source of information:  Depth to shallowest fresh water 12 feet.  Source of information:  Producing for shall deft feet.  Supplied for shall deft feet.  Supplied feet.  Depth to shallowest fresh water 12 feet.  Source of information:  Depth to shallowest fresh water 12 feet.  Supplied feet.  Depth to shallowest fresh water 12 feet.  Supplied feet.  Supplied feet.  Depth to				Coates with Boritonia	
Depth for ground level to deepest point:  If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Depth to shallowest fresh water 12 feet.  Source of information:    Depth to shallowest fresh water   12 feet.	Pit dimensions (all but working pits):	Length (fee	et)		
Distance to nearest water well within one-mile of pit    1550   feet   Depth of water well   60   feet   Source of information:   well owner   electric log   KDWR	Depth fr	om ground level to de-	epest point:	5 (feet) No Pit	
Distance to nearest water well within one-mile of pit    1550			•		
Source of information:   Source of information:   Well owner   electric log   KDWR	material, broadess and metallical processing	<i>"</i>	mior magnity, a		
Source of information:   Source of information:   Source of information:   Well owner   Selection   Well owner   Source of information:   Well owner   Selection   Well owner   Selection   Well owner   Source of information:   Well owner   Selection   Well owner   Source of information:   Well owner   Selection   Well owner   Source of information:   Well owner   Selection   Selection   Well owner   Selection   Selection   Well owner   Selection   Selection   Well owner   Selection   Selection   Selection   Well owner   Selection   Selection   Well owner   Selection   Selec		}			
Source of information:   Source of information:   Well owner   electric log   KDWR					
Source of information:   Source of information:   Well owner   electric log   X KDWR					
Second Content of the latter well   60   feet	Distance to nearest water well within one-mile of pit Depth to shall			west fresh water 12 feet.	
Type of material utilized in drilling/workover: Chemical Mud  Number of producing wells on lease:  Number of producing wells on lease:  Number of working pits to be utilized:  Abandonment procedure: Let dry on backfill  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  7-21-08  Date  KCC OFFICE USE ONLY  Steel Pit RFAC RFAS  RECEIVE  KANSAS CORPORATION D  WICHITA, K  RECEIVE  KANSAS CORPORATION D  WICHITA, K  RFAC RFAS  RFAS  RFAC RFAS	1550	60		<del>,,,,,,,</del>	
Producing Formation:    Type of material utilized in drilling/workover: Chemical Mud	teet Depth of water well				
Number of producing wells on lease:    Number of working pits to be utilized: 4					
Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No  Drill pits must be closed within 365 days of spud date.  RECEIVE (ANSAS CORPORATION)  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  JUL 2 2 2  7-21-08  Date  KCC OFFICE USE ONLY  Steel Pit RFAC RFAS  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  Abandonment procedure: Let dry on backfill  RECEIVE  RECEIVE  RECEIVE  ANSAS CORPORATION D  WICHITA, K  RECEIVE	-			<b>A</b>	_
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.    RECEIVE   RECEIV	· -				
Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  Thereby certified the above statements are true and correct to the best of my knowledge and belief.  Thereby certified the above statements are true and correct to the best of my knowledge and belief.  Thereby certified the above statements are true and correct to the best of my knowledge and belief.  Thereby certified the above statements are true and correct to the best of my k		Lepillod fluide to			_
Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  JUL 2 2 2  7-21-08 Date    Conservation Discrete to the best of my knowledge and belief.   Conservation Discrete to the best of my knowledge and belie	<b>—</b> —	spilled hulos to	Drill pits must l	e closed within 365 days of spud date.  RECE  KANSAS CORPORAT	IVE NON
7-21-08 Date  Signature of Applicant or Agent  KCC OFFICE USE ONLY  Steel Pit RFAC RFAS  Bent. 36//	I hereby certify that the above state	ements are true and c	orrect to the bes	of my knowledge and helief	-
Signature of Applicant or Agent  KCC OFFICE USE ONLY  Steel Pit RFAC RFAS  Bent. 36//			,1	1/20	
NCC OFFICE USE ONLY  Signature of Applicant or Agent  KCC OFFICE USE ONLY  Steel Pit □ RFAC ☒ RFAS □  Bent 36#	7-21-08		Was	WICH!	
Bent 3611	Date		s	gnature of Applicant or Agent	41 , 4
		KCC (	OFFICE USE O	NLY Steel Pit RFAC RFAS	<del></del>
Date Received: 7/22/05 Permit Number: Permit Date: 2/23/05 Lease Inspection: X Yes No	<b>-</b> / /				4
1/35/06	Date Received: 7/22/05 Permit Num	ıber:	Perm	t Date: 7/23/08 Lease Inspection: 🔀 Yes 🔲 No	



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

July 23, 2008

Mr. Wayne Green Green Enterprises 1007 152<sup>nd</sup> Rd. Oxford, KS 67119

Re: Drilling Pit Application

Carson Lease Well No. 2 NE/4 Sec. 19-32S-03E Cowley County, Kansas

Dear Mr. Green:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and **no deeper than 36**". The pit must also be **lined with bentonite**. The fluids are to be removed from the reserve pit within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: district