For KCC Use:	-7-29-DP
Effective Date: _	7 0 7 90
District #	l
SGA? Yes	₃ <mark>☑</mark> No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing wei

Expected Spud Date: AUGUST 9 2008	Spot Description:
month day year	NW SE - SE Sec. 15 Twp. 16 S. R. 16 DE W
OPERATOR: License#	(Q/Q/Q/Q) 930 feet from N / X S Line of Section
Name: SAMUEL GARY JR & ASSOCIATES, INC.	1,120 Feet from E / W Line of Section
Address 1: 1560 BROADWAY	Is SECTION: Regular Irregular?
Address 2: SUITE 2100	(Note: Locate well on the Section Plat on reverse side)
City: DENVER State: CO Zip: 80202 +	County: RUSH
Contact Person: CLAYTON CAMOZZI	Lease Name: SCHEUERMAN Well #: 1-15
Phone: _303 - 831 - 4673	Field Name: WILDCAT
CONTRACTOR: License#33905	Is this a Prorated / Spaced Field?
Name: _ROYAL DRILLING	Target Formation(s): ARBUCKLE
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 930'
/ /	Ground Surface Elevation: EST 1900 feet MS
Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water: 300
	Surface Pine by Alternate: XI III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1000'
Operator:	Length of Conductor Pipe (if any): NONE
Well Name:	Projected Total Depth: 3650'
Original Completion Date: Original Total Depth:	Formation at Total Depth: ARBUCKLE
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond X Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	RECEIVED
	RECEIVED KANSAS CORPORATION COMMI
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	RECEIVED BAVIT Comply with K.S.A. 55 et. seg.
	RECEIVED KANSAS CORPORATION COMMI
The undersigned hereby affirms that the drilling, completion and eventual plug	DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUL 2 4 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	PAVIT Ging of this well will comply with K.S.A. 55 et. seq. JUL 2 4 2008 CONSERVATION DIVISION WIGHTA RE
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	PAVIT ging of this well will comply with K.S.A. 55 et. seq. JUL 2 4 2008 Arilling rig; Vicinculating cement to the top; in all cases surface pipe shall be set. RECEIVED KANSAS CORPORATION COMMENT CONSERVATION DIVISION WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	PAVIT ging of this well will comply with K.S.A. 55 et. seq. JUL 2 4 2008 drilling rig; v circulating cement to the top; in all cases surface pipe shall be set RECEIVED KANSAS CORPORATION COMMIT CONSERVATION DIVISION WICHITA, KS underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district	DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUL 2 4 2008 Arilling rig; v circulating cement to the top; in all cases surface pipe shall be set office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUL 2 4 2008 drilling rig; circulating cement to the top; in all cases surface pipe shall be set underlying formation. et office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13.	PAVIT ging of this well will comply with K.S.A. 55 et. seq. JUL 2 4 2008 Arilling rig; CONSERVATION DIVISION WICHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	CONSERVATION DIVISION WICHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13.	CONSERVATION DIVISION WICHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the stat	CONSERVATION DIVISION WICHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing belogged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. RECEIVED KANSAS CORPORATION COMMENT WICHITA, KS Underlying formation. St office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing with the comment of the
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	CONSERVATION DIVISION WICHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; do r production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. GEOLOGIST Title:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intention of the intenti	CONSERVATION DIVISION WICHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; do r production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. GEOLOGIST Title:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	CONSERVATION DIVISION WICHITA, KS viciculating cement to the top; in all cases surface pipe shall be set underlying formation. et office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intention of the intenti	CONSERVATION DIVISION drilling rig; circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. Et of my knowledge and belief. GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the intended and the approved notice of intent to drill <i>shall be</i> posted on each of the state of the stat	CONSERVATION DIVISION Arilling rig; Conservation Division Conservation Conservation Division Conservation Div
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the district of the approved and unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by th	CONSERVATION DIVISION Withing rig; Voirculating cement to the top; in all cases surface pipe shall be set Underlying formation. It office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge appropriate. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	CONSERVATION DIVISION Arilling rig; Conservation Division Wightta, KS Arilling rig; Wightta, KS Arilling rig; Wightta, KS Arilling rig; Wightta, KS Arilling rig; Wightta, KS Arilling rig; Wightta, KS Wightta, KS Arilling rig; Wightta, KS Wightta, KS Arilling rig; Wightta, KS Wightt
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved and the approved and the district of the intention	CONSERVATION DIVISION Withing rig; Vicirculating cement to the top; in all cases surface pipe shall be set Underlying formation. Stroffice on plug length and placement is necessary prior to plugging; di or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved and the district of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the destrict of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and correct to the set of the statements of the provided statements. For KCC Use ONLY API # 15 - 105 - 218 31 - 000 Conductor pipe required	CONSERVATION DIVISION Withing rig; Vicinulating cement to the top; in all cases surface pipe shall be set Underlying formation. Stoffice on plug length and placement is necessary prior to plugging; di or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Stof my knowledge application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the set. I hereby certify that the statements made herein are true and correct to the set. Bully 23, 2008 Signature of Operator or Agent: For KCC Use ONLY API #15 - 105 - 21831 - 000 Conductor pipe required feet Minimum surface pipe required feet per ALT III III Approved by: 11 - 24-09	CONSERVATION DIVISION WICHITA, KS underlying formation. condition or plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the destrict of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the statements made herein are true and correct to the set of the spud date or the well shall be put the statements of the spud date or the well shall be put the statements of the spud date or the well shall be put the statements of the spud date or the well shall be put to state the statements of the spud date or the well shall be put the statements of the spud date or the well shall be put the statements of the spud date or the well shall be put to state the spud date or the well shall be put to shall be	CONSERVATION DIVISION Trilling rig; Conservation to the top; in all cases surface pipe shall be set Underlying formation. It office on plug length and placement is necessary prior to plugging; do r production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. GEOLOGIST Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved and the district of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the destrict of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and correct to the set of the statements of the provided statements. For KCC Use ONLY API # 15 - 105 - 218 31 - 000 Conductor pipe required	CONSERVATION DIVISION WICHITA, KS underlying formation. condition or plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 165-21831-0000	
Operator: SAMUEL GARY JR & ASSOCIATES, INC. Lease: SCHEUERMAN	Location of Well: County: RUSH 930 feet from N / S Line of Section
Well Number: 1-15 Field: WILDCAT	1,120 feet from X E / W Line of Section Sec. 15 Twp. 16 S. R. 16 E X W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: - NW - SE - SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: SAMUEL GARY JR & ASSOCIATES, INC.		License Number: 3882		
Operator Address: 1560 BROADWAY SUI		TE 2100 DENVER CO 8020		
Contact Person: CLAYTON CAMOZZI		Phone Number: 303 - 831 - 4673		
Lease Name & Well No.: SCHEUERMAN 1-15		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NW </u>	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 15 Twp. 16 R. 16 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		930 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1,120 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	4,000	(bbls)	RUSH	
Is the pit located in a Sensitive Ground Water	Area? Yes No		Chloride concentration: mg/l	
		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used? NATIVE MUD AND CLAY	
	<u> </u>	75		
Pit dimensions (all but working pits) Lengtri (leet) what is teet pits				
· ·	om ground level to de	<u> </u>	(feet) No Pit	
		edures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh waterfeet.		
/.		measu		
Emergency, Settling and Burn Pits ONLY: Drilling, World		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation: Type of materia		al utilized in drilling/workover: FRESH MUD		
Number of producing wells on lease: Number of wor		king pits to be utilized: 3		
Barrels of fluid produced daily: Abandonment		procedure: ALLOW TO DRY, THEN BACKFILL		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		pe closed within 365 days of spud date. RECEIVED KANSAS CORPORATION CO		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief				
	/.	W / .	JUL 2 4 2008	
JULY 23, 2008	la	WE I	CONSERVATION DIVIS	
Date		<i>//</i> s	ignature of Applicant or Agent	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 7/24/08 Permit Num	ber:	Perm	it Date: 7/24/08 Lease Inspection: Yes No	