For KCC Use: 8-2-08 Effective Date: 9-2-08 District # 9-2-08

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: AUGUST 17 2008	Spot Description: CENTER	
month day year	<u>SE - SE - NW</u> Sec. 3 Twp. 19 S. R. 11 DE	וא
3882	(a/a/a/a) 2,310 feet from N / S Line of Se	
OPERAJOH: License#	2,310 feet from E / X W Line of Se	
Name: SAMUEL GARY JR & ASSOCIATES, INC.	reet non De / M Line or se	Clion
Address 1: 1560 BROADWAY	ls SECTION: X Regular Irregular?	
Address 2: SUITE 2100	(Note: Locate well on the Section Plat on reverse side)	
City: DENVER State: CO Zip: 80202 +	County: BARTON	
Contact Person: TOM FERTAL	Lease Name: BIRZER Well #: 1-3	
Phone: 303 - 831 - 4673	Field Name: WILDCAT	
CONTRACTOR: Linguist 30141		1
CONTRACTOR, Literise#	Is this a Prorated / Spaced Field?	No
Name: _SUMMIT_DRILLING	Target Formation(s): LANSING, ARBUCKLE	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330'	
	Ground Surface Elevation: EST 1790 feet	MSL
Oil Enh Rec Infield Mud Rotary		No
Gas Storage Pool Ext. Air Rotary		₩.
Disposal XWildcat Cable		I NO
Seismic ; # of Holes Other	Depth to bottom of fresh water:	
Other:	Depth to bottom of usable water: 235	
——————————————————————————————————————	Surface Pipe by Alternate: XI III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Onesisten	Length of Conductor Pipe (if any); NONE	
Operator:	Projected Total Depth: 3500'	
Well Name:	Formation at Total Depth: ARBUCKLE	
Original Completion Date: Original Total Depth:		
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	WellFarm Pond XOther:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
	(
KCC DKT #:		No
KCC DKT #:	Will Cores be taken?	No
KCC DKT #:	Will Cores be taken? If Yes, proposed zone:] No
	Will Cores be taken? If Yes, proposed zone: RECEIVED	-
AFF	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM	-
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq.	 M4 S SIC
AFF	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq.	 M4 S SIC
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM	 M4 S SIC
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM Iging of this well will comply with K.S.A. 55 et. seq. JUL 2 8 2008	 *******************************
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION CON ging of this well will comply with K.S.A. 55 et. seq. JUL 2 8 2008 drilling rig; CONSERVATION DIVISION	 *******************************
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq. JUL 2 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall mental, KS underlying formation.	 *******************************
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq. JUL 2 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall mental, KS underlying formation.	 *******************************
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq. JUL 2 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall the interval, KS underlying formation. ct office on plug length and placement is necessary prior to plugging;	 *******************************
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq. JUL 2 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall hereta, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	 *******************************
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM Iging of this well will comply with K.S.A. 55 et. seq. JUL 2 8 2008 drilling rig; CONSERVATION DIVISION The comply of the comply in all cases surface pipe shall here. Conservation division of the comply in all cases surface pipe shall here. The complete complete in the complete co	 *******************************
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq. JUL 2 8 2008 drilling rig; CONSERVATION DIVISI Yes Y circulating cement to the top; in all cases surface pipe shall here. Conservation Division of the control of the	 *******************************
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either pluggers. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED KANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq. JUL 2 8 2008 drilling rig; CONSERVATION DIVISION Yes Conservation Conservation Conservation Conservation Division Conservation Division Yes Conservation Conservation Conservation Conservation Division In Conservation Division Conservation Division Yes Conservation Conservation Conservation Conservation Conservation Conservation Division Conservatio	 *******************************
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the state 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED KANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq. JUL 2 8 2008 drilling rig; CONSERVATION DIVISI Y circulating cement to the top; in all cases surface pipe shall where A, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; et or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.	 *******************************
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best of the statements.	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED KANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq. JUL 2 8 2008 drilling rig; CONSERVATION DIVISION Yes Conservation Conservation Conservation Conservation Division Conservation Division Yes Conservation Conservation Conservation Conservation Division In Conservation Division Conservation Division Yes Conservation Conservation Conservation Conservation Conservation Conservation Division Conservatio	 *******************************
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the state of the state o	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq. JUL 2 8 2008 drilling rig; CONSERVATION DIVISION Yes TRANSAS CORPORATION CON CONSERVATION DIVISION YES TO SERVATION DIVISION YES TO SERV	HON
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the better the statement of the complete of the spud date or Agent: Date: JULY 25, 2008 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED KANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq. JUL 2 8 2008 drilling rig; CONSERVATION DIVISI Y circulating cement to the top; in all cases surface pipe shall where A, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; et or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.	 *******************************
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the beautiful to the complete statements. Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq. JUL 2 8 2008 drilling rig; CONSERVATION DIVISION Yes TRANSAS CORPORATION CON CONSERVATION DIVISION YES TO SERVATION DIVISION YES TO SERV	HON
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the better the statement of the complete of the spud date or Agent: Date: JULY 25, 2008 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq. JUL 2 8 2008 drilling rig; CONSERVATION DIVISI Y circulating cement to the top; in all cases surface pipe shall mental, KS underlying formation. In or office on plug length and placement is necessary prior to plugging; In or production casing is cemented in; If or mobelow any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: SR. GEOLOGIST Title:	HON SON
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or Agent: Date: JULY 25, 2008	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED RANSAS CORPORATION CON Inging of this well will comply with K.S.A. 55 et. seq. JUL 2 8 2008 Idrilling rig; CONSERVATION DIVISION In circulating cement to the top; in all cases surface pipe shall/fire first, KS Inderlying formation. In office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing. In the case of the KCC District office prior to any cementing. It is seen that the prior to any cementing. SR. GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	HON
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or Agent: Date: JULY 25, 2008	Will Cores be taken? If Yes, proposed zone: RECEIVED CONSERVATION CON DIUL 2 8 2008 drilling rig; CONSERVATION DIVISI Yes circulating cement to the top; in all cases surface pipe shall received, KS underlying formation. Ct office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	HON SON
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or face to the between the completed within 30 days of the spud date or the well shall be 3 Date: Date: JULY 25, 2008	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED RANSAS CORPORATION CON Inging of this well will comply with K.S.A. 55 et. seq. JUL 2 8 2008 Idrilling rig; CONSERVATION DIVISION In circulating cement to the top; in all cases surface pipe shall/fire first, KS Inderlying formation. In office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing. In the case of the KCC District office prior to any cementing. It is seen that the prior to any cementing. SR. GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	3 19
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or face to the between the completed within 30 days of the spud date or the well shall be 3 Date: Date: JULY 25, 2008	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED RANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq. JUL 28 2008 drilling rig; CONSERVATION DIVISION If you circulating cement to the top; in all cases surface pipe shall the Intra. KS Underlying formation. It office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. If yes, proposed zone: RECEIVED RECEI	3 19
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete and the statements of the operator of Agent: Date: JULY 25, 2008	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED RANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq. JUL 28 2008 drilling rig; CONSERVATION DIVISION If you circulating cement to the top; in all cases surface pipe shall where the confidence of the plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. If you have been any usable water to surface within 120 DAYS of spud date. If you have been any usable water to surface within 120 DAYS of spud date. If yes IX RECEIVED RECEIVE	3 19 1
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statement are true and correct to the between the complete statement are true and correct to the between the complet	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq. JUL 28 2008 drilling rig; CONSERVATION DIVISION Yes circulating cement to the top; in all cases surface pipe shall/height, KS underlying formation. It office on plug length and placement is necessary prior to plugging; If you production casing is cemented in; If you production casing is cemented in; If you production applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If yes, proposed zone: RECEIVED	3 19 1
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete and the statements of the operator of Agent: Date: JULY 25, 2008	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq. JUL 28 2008 drilling rig; CONSERVATION DIVISION Yes circulating cement to the top; in all cases surface pipe shall where the content of the production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: SR. GEOLOGIST Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	3 19 11 III
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the statements of Operator or Agent: Date: JULY 25, 2008	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq. JUL 28 2008 drilling rig; CONSERVATION DIVISION Yes circulating cement to the top; in all cases surface pipe shall/file formation. It office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is primit plugging report (CP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	3 19 1
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statements are true and correct to the between the complete statement are true and correct to the between the complete statement are true and correct to the between the complet	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION CON Iging of this well will comply with K.S.A. 55 et. seq. JUL 2 8 2008 drilling rig; CONSERVATION DIVISION If y circulating cement to the top; in all cases surface pipe shall where the content of the top; in all cases surface pipe shall where the content of the content of the prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. If you have been any usable water to surface within 120 DAYS of spud date. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	3 19 11 III

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 009-25245-0000							
Operator: SAMUEL GARY JR & ASSOCIATES, INC.	Location of Well: County: BARTON						
Lease: BIRZER	2,310 feet from N / S Line of Section						
Well Number: 1-3	2,310 feet from E / W Line of Section						
Field: WILDCAT	Sec. 3 Twp. 19 S. R. 11 E W						
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular						
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW						

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

								3	30 lon	from	n /our	o neared dary
		23	10'						/ Kina	~ /0	,	0
<u> </u>	-23	10'—	00° 330°	3				T [19]	EXAMPL	E		
	· • • • • • • • • • • • • • • • • • • •				•••••	,		S		1		1980
········ ;	:	· · · · · · · · · · · · · · · · · · ·	: 		: ••••••• !	: :	: :				3390'	
			·									
:								Ł	SEWARD	CO.	•	RECEIVE

In plotting the proposed location of the well, you must show:

JUL 28 2008

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections CONSERVATION DIVISION 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: SAMUEL GARY JR	License Number: 3882							
Operator Address: 1560 BROADWAY SUIT			TE 2100	DENVER	СО	80202		
Contact Person: TOM FERTAL			Phone Number: 303 - 831 - 4673					
Lease Name & Well No.: BIRZER 1-3			Pit Location (QQQQ):					
Type of Pit: Pit is:			<u>SESENW</u>					
Emergency Pit Burn Pit	Proposed	Existing	li e	_{/p.} 19 _{R.} 11 [
Settling Pit Drilling Pit	If Existing, date c	onstructed:	2,310 Feet from North / South Line of Section					
Workover Pit Haul-Off Pit	Pit capacity:		2,310 Feet from East / West Line of Section					
(If WP Supply API No. or Year Drilled)	2,000	(bbls)	PARTON					
Is the pit located in a Sensitive Ground Water	Chloride concentration: mg/l							
Is the bottom below ground level?	Artificial Liner?			for Emergency Pits and Settl lined if a plastic liner is no				
Yes No	Yes X	No	, , , , , , , , , , , , , , , , , , ,					
Pit dimensions (all but working pits):7	5 Length (fe	eet)50	Width (feet)		N/A: Steel	Pits		
Depth fro	2		No Pit					
If the pit is lined give a brief description of the material, thickness and installation procedure	· ·	edures for periodi noluding any spec	ic maintenance and dete	rmining				
material, unovitess and instantation procedure	•	inter integrity, it	icidoling arry spec	siar monitoring.				
Distance to nearest water well within one-mile	Depth to shallowest fresh waterfeet. Source of information:							
2/80			measured well owner electric log KDWR					
Emergency, Settling and Burn Pits ONLY: Drilling, Works			over and Haul-Off Pits ONLY:					
Producing Formation: Type of materia			al utilized in drilling/workover: FRESH MUD(STEEL TANKS)					
· · · · · · · · · · · · · · · · · · ·			rking pits to be utilized:0					
Barrels of fluid produced daily: Abandonment			procedure: ALL	OW TO DRY, TH	EN BACI	KFILL_		
Does the slope from the tank battery allow all flow into the pit? Yes No	Drill pits must be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMI							
I hereby certify that the above state	ments are true and	correct to the best	of my knowledge					
		11	01/1	1	JUL 2	ð 2008		
JULY 25, 2008 Date		s	ignature of Applic	NAY ant or Agent	CONSERVATION WICHING	ON DIVISION T A, KS		
	NLY S	Steel Pit RFAC	∷∐ RFAS					
Date Received: 7/28/08 Permit Numl	ber:	Permi	t Date: 2/28	Lease Inspectio	n: Yes [₭ No		