For KCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

OPERATOR Liberards 9386 OPERATOR OPERATOR 10086 OPERATOR 10086 OPERATOR OPERATOR 10086 OPERATOR OPERATOR 10086 OPERA	Expected Spud Date: August 01 2008 month day year	Spot Description: NW NW - SW Sec. 34 Twp.	31 S. R. 12 XE W
Address 2 Contact Person. Gus Jones Contact Person. Gus Jones Contact Person. Gus Jones Med Dates Well Dates Well Dates Well Dates Verson Gus Jones Well Dates Verson Gus Jones Well Dates Verson Gus Jones Verson Jones Verson Gus Jones Verson Jo	OPERATOH: License#	2,610 feet from feet from	
Country END Contact Person. Gour Jonnes. Phone Software Final Soft	Address 2:	(Note: Locate well on the Section P	lat on reverse side)
Contact Person. Solution Brown Must be liceased by KCC Name Adviss of Acco- Contraction Liceases Unknown Must be liceased by KCC Contraction Liceases			
Field Name. Hade Ingole Field	Contact Person: Gus Jones	Lease Name: N. Vestal	Well #: 13
Target Format cinity, Layton Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footage): 1034 Feet MSL Managest Lease or unit boundary line (in footagest MSL Managest Lease or unit boundary line (in footagest MSL Managest Lease or unit boundary line (in footagest MSL Managest Leasest Leasest Leasest Leasest Leasest Leasest Plan Managest Leasest Lea		Field Name: Hale - Inge	
Nearest Lease or unit boundary ine (in footage): 1034 Set MSL	CONTRACTOR: License# Unknown ///Ust be licensed by KCC Name: Advise on Aco-1		Yes No
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shallful plant in through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface easing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all acases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the test of my landwledge and belief. Date: O7/16/08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 049 - 225 19 - 000 Approved by: Minimum surface pipe required Approved by: Minimum surface pip	Oil	Ground Surface Elevation: 930 Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: 60 Depth to bottom of usable water: 100 Ength of Surface Pipe Planned to be set: 100 Length of Conductor Pipe (if any): 100 Formation at Total Depth: 100 Water Source for Drilling Operations: 100 Well Farm Pond 100 Other: 100 (Note: Apply for Permit with	feet MSL Yes No Yes No No Wes No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be like for through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix B* - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the lifest of my provided and belief. Date: For KCC Use ONLY API # 15 - 049 - 225 19 - 0000 Conductor pipe required feet production feet per ALT [1] [1] [2] [2] [2] [2] [2] [2] [2] [2] [2] [2		If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of welt; 2. A copy of the appropriate district office prior to spudding of welt; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall self before through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the test of my infowledge and belief. Date: Or/116/08 Signature of Operator or Agent: For KCC Use ONLY API #15	AFFI	DAVIT	RECEIVED NSAS CORPORATION COMMISSION
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be like in through</i> all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases</i> , <i>NOTIFY district office</i> prior to any cementing. I hereby certify that the statements made herein are true and correct to the tiest of my moveledge and belief. Or/16/08 Signature of Operator or Agent: For KCC Use ONLY API # 15		ging of this well will comply with K.S.A. 55 et. seq	
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the lifest of my knowledge and belief. OWNET Title: OWNET For KCC Use ONLY API # 15 - 049 - 225 19 - 000 Approved by: WHT 7-28 08 This authorization expires: 7 29-09 (This authorization expires: 7 29-09 (This authorization void if drilling not started within 12 months of approval date.) The provided of the provided expiration date please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Well Not Drilled - Permit Expired Signature of Operator or Agent: Well Not Drilled - Permit Expired Signature of Operator or Agent: Well Not Drilled - Permit Expired Signature of Operator or Agent:	It is agreed that the following minimum requirements will be met:		JUL 2 0 2000
Date: Signature of Operator or Agent: Signature Title: Title:	 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be greatern. 	y circulating cement to the top; in all cases surfact underlying formation. ct office on plug length and placement is necessand of or production casing is cemented in; from below any usable water to surface within 12 (3,891-C, which applies to the KCC District 3 area plugged. In all cases, NOTIFY district office print	e pipe shall be^rset^{KS} try prior to plugging; 10 DAYS of spud date. I, alternate II cementing
Signature of Operator or Agent: Sign	cl .		<i>i</i> ner
File Drill Pit Application (form CDP-1) with Intent to Drill; API # 15 - 049 - 225 19 - 0000 Conductor pipe required	Date: 07/16/08 Signature of Operator or Agent:	Signis Title:	
File Drill Pit Application (form CDP-1) with Intent to Drill; API # 15 - 049 - 225 19 - 0000 Conductor pipe required		Remember to:	ယူ
Spud date: Agent: Signature of Operator or Agent:	API # 15 - 049 - 22.5 19 - 0000 Conductor pipe required None feet Minimum surface pipe required 40 feet per ALT. I VIII Approved by: 1447-28-08 This authorization expires: 7-28-09	 File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field possible. Notify appropriate district office 48 hours prior Submit plugging report (CP-4) after plugging is Obtain written approval before disposing or injectify this permit has expired (See: authorized expirate the box below and return to the address Well Not Drilled - Permit Expired Date: 	nt to Drill; of spud date; ororation orders; to workover or re-entry; completed (within 60 days); ecting salt water. iration date) please below.
	Spud date: Agent:	Signature of Operator or Agent:	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 049-22519-0000		
Operator: Gus Jones Cable Tool Service LLC	Location of Well: County: Elk	
Lease: N. Vestal	2,610 feet from N / X S Line of Section	
Well Number: 13	1,034 feet from X E / W Line of Section	
Field: Hale - Inge	2,610 feet from 1,034 N / X S Line of Section Feet from X E / W Line of Section Y E / W Line of Section X E / W L	
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NW - NW - NW - SW	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:


- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells;

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Gus Jones Cable Tool Service LLC		License Number: 9386	
Operator Address: 149 Rd 25, Elk City, KS 67344			
Contact Person: Gus Jones		Phone Number: 620-642-6315	
Lease Name & Well No.: N. Vestal #1	3		Pit Location (QQQQ):
Type of Pit:	Pit is:		NW NE SW
Emergency Pit Burn Pit	Proposed	Existing	Sec. 34 Twp. 31 R. 12 East West
Settling Pit Drilling Pit	If Existing, date co	onstructed:	2,610 Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		1,034 Feet from East / West Line of Section
		(bbis)	County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner? Yes No		How is the pit lined if a plastic liner is not used? Clay
Pit dimensions (all but working pits): 60 Length (feet) 10 Width (feet) N/A: Steel Pits			
	rom ground level to de	epest point:	6 (feet) No Pit
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determiningECEIVEU liner integrity, including any special monitoring. KANSAS CORPORATION CORM. JUL 2 8 2008 CONSERVATION DIVIS WICHITA, KS			
Distance to nearest water well within one-mile of pit 3 (3 3			
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation: Type of material utilized in drilling/workover: Water			
Number of producing wells on lease: Number of working pits to be utilized:1			
Barrels of fluid produced daily: Abandonment procedure: Pit is to be filled in just as soon an possible.			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			
07/16/08 Signature of Applicant or Agent			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 7/28/08 Permit Number: Permit Date: 7/28/08 Lease Inspection: Yes KNo			





NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.