

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 5120
 Name: Range Oil Company, Inc.
 Address: 125 N. Market, Suite 1120
 City/State/Zip: Wichita, KS 67202
 Purchaser: _____
 Operator Contact Person: John Washburn
 Phone: (316) 265-6231
 Contractor: Name: Summit Drilling Company
 License: 30141
 Wellsite Geologist: Roger Martin
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr/SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>9-12-05</u>	<u>9-20-05</u>	<u>10-31-05</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

RECEIVED
JAN 30 2006
KCC WICHITA


API No. 15 - 115-21,336-00-00
 County: Marion
 Approx. NW NW Sec. 10 Twp. 19 S. R. 1 East West
600 feet from S (N) (circle one) Line of Section
750 feet from E (W) (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE (NW) SW
 Lease Name: Becker E Well #: 3
 Field Name: Schlehuber
 Producing Formation: _____
 Elevation: Ground: 1531 Kelly Bushing: 1541
 Total Depth: 2863 Plug Back Total Depth: _____
 Amount of Surface Pipe Set and Cemented at 283 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from _____
 feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan
 (Data must be collected from the Reserve Pit) *Ali I p 54*
 Chloride content 1200 ppm Fluid volume 250 bbls
 Dewatering method used evaporation
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: John M. Washburn
 Title: Vice President Date: 1-27-06
 Subscribed and sworn to before me this 27th day of January
20 06
 Notary Public: Peggy L. Sailor
 Date Commission Expires: _____



KCC Office Use ONLY

Letter of Confidentiality Received
 If Denied, Yes Date: 2-1-06 *sd*
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: Range Oil Company, Inc. Lease Name: Becker E Well #: 3
 Sec. 10 Twp. 19 S. R. 1 East West County: Marion

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: <u>Dual Porosity, Dual Induction</u> DST (1) 2785' to 2852' 30-30-60-60 Ga: 2.4 mcfpd Rec: 115' GCM + 125' SOWCM (1% oil, 20% water) + 525' MCW (75% water) IFP 67-237 ISIP 496 FFP 233-357 FSIP 526	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td><input checked="" type="checkbox"/> Log</td> <td>Formation (Top), Depth and Datum</td> <td><input type="checkbox"/> Sample</td> </tr> <tr> <td>Name</td> <td>Top</td> <td>Datum</td> </tr> <tr> <td>Heebner</td> <td>1998'</td> <td>-457</td> </tr> <tr> <td>Lansing</td> <td>2235'</td> <td>-694</td> </tr> <tr> <td>BKC</td> <td>2600'</td> <td>-1059</td> </tr> <tr> <td>Mississippian</td> <td>2828'</td> <td>-1287</td> </tr> <tr> <td>LTD</td> <td>2862'</td> <td>-1321</td> </tr> </table>	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample	Name	Top	Datum	Heebner	1998'	-457	Lansing	2235'	-694	BKC	2600'	-1059	Mississippian	2828'	-1287	LTD	2862'	-1321
<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample																				
Name	Top	Datum																				
Heebner	1998'	-457																				
Lansing	2235'	-694																				
BKC	2600'	-1059																				
Mississippian	2828'	-1287																				
LTD	2862'	-1321																				

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	24	283'	common	160	3% CaCl
Production	7 7/8	4 1/2	10.5	2862'	Thick-Set	185	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

RECEIVED
 JAN 30 2006
 KCC WICHITA

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	2835' to 2840'	200 gallons (15% MCA)	2835' to
		500 gallons (15% FE)	2840'
		Frac 45 sx 20/40 sand & 210 bbls gel water	

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. none			Producing Method			
Estimated Production Per 24 Hours			Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____



CONSOLIDATED
OIL WELL
SERVICES, INC.
AN INFINITY COMPANY

REMIT TO
Consolidated Oil Well Services, Inc.
Dept. 1228
Denver, CO 80256

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
FAX 620/431-0012

INVOICE Invoice # 199688

Invoice Date: 09/19/2005 Terms: Page 1

RANGE OIL CO. INC.
125 N. MARKET, SUITE 1120
WICHITA KS 67202
() -

BECKER E #3
5324
09-13-05

Part Number	Description	Qty	Unit Price	Total
1104	CLASS "A" CEMENT	160.00	9.7500	1560.00
1102	CALCIUM CHLORIDE (50#)	9.60	30.5000	292.80
1118A	S-5 GEL/ BENTONITE (50#)	6.00	6.6300	39.78
1107	FLO-SEAL (25#)	2.00	42.7500	85.50
4132	CENTRALIZER 8 5/8"	2.00	43.0000	86.00
4432	8 5/8" WOODEN PLUG	1.00	54.0000	54.00
Description		Hours	Unit Price	Total
441	TON MILEAGE DELIVERY	1.00	413.60	413.60
463	CEMENT PUMP (SURFACE)	1.00	590.00	590.00
463	EQUIPMENT MILEAGE (ONE WAY)	55.00	3.00	165.00

SEP 21 2005

RECEIVED
JAN 30 2006
KCC WICHITA

Parts:	2118.08	Freight:	.00	Tax:	133.45	AR	3420.13
Labor:	.00	Misc:	.00	Total:	3420.13		
Sublt:	.00	Supplies:	.00	Change:	.00		

Signed _____ Date _____

BARTLESVILLE, OK P.O. Box 1453 74005 918/338-0808	EUREKA, Ks 820 E. 7th 67045 620/583-7664	OTTAWA, Ks 2631 So. Eisenhower Ave. 66067 785/242-4044	GILLETTE, WY 300 Enterprise Avenue 82716 307/686-4914	THAYER, Ks 8655 Dorn Road 66776 620/839-5269
---	--	--	---	--



CONSOLIDATED
OIL WELL
SERVICES, INC.
AN INFINITY COMPANY

REMIT TO
Consolidated Oil Well Services, Inc.
Dept. 1228
Denver, CO 80256

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
FAX 620/431-0012

INVOICE

Invoice # 199781

Invoice Date: 09/22/2005 Terms:

Page 1

RANGE OIL CO. INC.
125 N. MARKET, SUITE 1120
WICHITA KS 67202
() -

BECKER E 3
5382
09-20-05

Part Number	Description	Qty	Unit Price	Total
1131	60/40 POZ MIX	110.00	8.0000	880.00
1118A	S-5 GEL/ BENTONITE (50#)	8.00	6.6300	53.04
1102	CALCIUM CHLORIDE (50#)	2.00	30.5000	61.00
1110A	KOL SEAL (50# BAG)	9.00	16.9000	152.10
1126A	THICK SET CEMENT	75.00	13.0000	975.00
1110A	KOL SEAL (50# BAG)	6.00	16.9000	101.40
1123	CITY WATER	3000.00	.0122	36.60
4404	4 1/2" RUBBER PLUG	1.00	38.0000	38.00
4226	INSERT FLOAT VALVE W/ AF	1.00	117.0000	117.00
4129	CENTRALIZER 4 1/2"	4.00	28.0000	112.00
4310	MISC. EQUIPMENT	6.00	42.0000	252.00

Description	Hours	Unit Price	Total
434 80 BBL VACUUM TRUCK (CEMENT)	6.00	87.00	522.00
439 TON MILEAGE DELIVERY	243.38	1.00	243.38
442 TON MILEAGE DELIVERY	243.37	1.00	243.37
445 CEMENT PUMP	1.00	765.00	765.00
445 EQUIPMENT MILEAGE (ONE WAY)	55.00	3.00	165.00

SEP 26 2005

RECEIVED
JAN 30 2006
KCC WICHITA

Parts:	2778.14	Freight:	.00	Tax:	175.03	AR	4891.92
Labor:	.00	Misc:	.00	Total:	4891.92		
Sublt:	.00	Supplies:	.00	Change:	.00		

Signed _____ Date _____

BARTLESVILLE, OK
P.O. Box 1453 74005
918/338-0808

EUREKA, KS
820 E. 7th 67045
620/583-7664

OTTAWA, KS
2631 So. Eisenhower Ave. 66067
785/242-4044

GILLETTE, WY
300 Enterprise Avenue 82716
307/686-4914

THAYER, KS
8655 Dorn Road 66776
620/839-5269