


WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
211 No. Broadway  
Wichita, Kansas

NORTH



Locate well correctly on above  
Section Plat

Graham County. Sec. 9 Twp. 8s Rge. (E)25 (W)  
Location as "NE/CNW&SW&" or footage from lines SE SE SE  
Lease Owner Champlin Refining Company  
Lease Name McFadden Well No. 1  
Office Address P. O. Dr. #552, Enid, Oklahoma  
Character of Well (completed as Oil, Gas or Dry Hole) Oil  
Date well completed 10-30 19 54  
Application for plugging filed 12-15 19 56  
Application for plugging approved 12-15 (Verbal) 19 56  
Plugging commenced 12-15 19 56  
Plugging completed 12-21 19 56  
Reason for abandonment of well or producing formation Non commercial  
production  
If a producing well is abandoned, date of last production 11-25 19 56  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Mr. Eldon Petty  
Producing formation Lansing-K.C. Depth to top \_\_\_\_\_ Bottom \_\_\_\_\_ Total Depth of Well 3975 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8 5/8"	193'	
				5 1/2"	3974'	1500'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Pushed plug to 3800' and dumped one sack of cement and one sack of Cal Seal on plug. Filling hole to 3784', filled hole with mud from 3784' to bottom of surface casing and pumped in 40 sacks of mud, 60 sacks of cement, filling surface casing to bottom of cellar. Used Halliburton to pump cement.


(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Ace Pipe Pulling Company  
Address Great Bend, Kansas

STATE OF Kansas, COUNTY OF Barton, ss. J. W. Meyers (employee of owner) or (~~owner~~) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) [Signature]  
P.O. Box 167, Ellinwood, Kansas (Address)

SUBSCRIBED AND SWORN to before me this 21st day of December 19 56.  
My commission expires Sept. 10, 1959  
[Signature] Notary Public.



STATE CORPORATION COMMISSION

PLUGGING  
FILE SEC 9 T 8 R 25W  
BOOK PAGE 126 LI 4

DEC 22 1956  
CONSERVATION DIVISION  
Wichita, Kansas  
12-22-56

CHAMPLIN REFINING COMPANY  
MCFADDEN #1  
Sec. 9 T8S R25W  
Graham County, Kansas

0 -	15	Top Soil and Clay
15 -	40	Sand
40 -	194	Clay and Shale
194 -	550	Gray Shale
550 -	650	Soft White Rock
650 -	830	Shale
830 -	1075	Shale
1075 -	1290	Sand
1290 -	1355	Sandy Shale & Lime Streaks
1355 -	1400	Shale
1400 -	1430	Sand - Shale
1430 -	1520	Sandy Lime - Shale
1520 -	1660	Shale & Thin layers of Lime
1660 -	1700	Shale and Lime Shells
1700 -	1780	Sandy Shale
1780 -	1910	Sand
1910 -	1980	Shale and Lime Shells
1980 -	2080	Red Shale
2080 -	2130	Red Bed
2130 -	2165	Anhydrite
2165 -	2250	Shale
2250 -	2590	Shale and Lime Shells
2590 -	2645	Shale and Shells
2645 -	2770	Shale and Lime
2770 -	2820	Lime and layers of Shale
2820 -	2900	Lime and Shale
2900 -	2990	Shale Lime
2990 -	3030	Shale and Lime
3030 -	3135	Lime and Shale Breaks
3135 -	3198	Shale and Shells
3198 -	3230	Lime and Shale Breaks
3230 -	3330	Sandy Lime and Shale Breaks
3330 -	3401	Shale
3401 -	3430	Shale and Shells
3430 -	3515	Shale and Lime Streaks
3515 -	3530	Topeka Lime
3530 -	3580	Lime
3580 -	3604	Shale & Lime
3604 -	3690	Lime
3690 -	3700	Shale Black
3700 -	3765	Lime
3765 -	3775	Chert and Lime
3775 -	3790	Chert and Hard Lime
3790 -	3849	Lime and Chert
3849 -	3954	Lime
3954 -	3975	Sand Lime
	3975	Total Depth

STATE CORPORATION CO.  
DEC 19 1955  
CONSERVATION  
12-19-56

PLUGGING  
FILE SEC. 9 T. 8 R. 25W  
BOOK PAGE 126 LINE 41