

Vincent Ionne dba

Operator Name: VJI NATURAL RESOURCES, INC Lease Name: HOLLEY Well #: 6-H
 Sec. 31 Twp. 8 S. R. 24 East West County: GRAHAM

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
(Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
(Submit Copy)

List All E. Logs Run:
 Radiation Guard Log
 Dual Receiver Cement Bond Log

Log Formation (Top), Depth and Datum Sample

Name		Datum
Anhy	2160-2194	
Heebner	3776	-1295
Toronto	3800	-1319
LKC	3813	-1332
BKC	4035	-1554
RTD	4059	-1578

AV-303

CASING RECORD New Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12 1/4	8 5/8	20	218	60/40 POZ	150	3% CC 2% Gel
PRODUCTION	7 7/8	5 1/2	15	4060	ALHD	450	

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth - Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4 shots per/ft.	3970-3974	500MCA 2000 20% FENE	

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2 3/8	3930		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enhr.	Producing Method
	<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
N/A	N/A				

Disposition of Gas **METHOD OF COMPLETION** Production Interval

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
(If vented, Sumit ACO-18.) Other (Specify)

ALLIED CEMENTING CO., INC. 12221

15-065-22904-00-00

Federal Tax I.D.# XXXXXXXXXX

ORIGINAL
SERVICE POINT
OAKLEY

TO P.O. BOX 31
RUSSELL, KANSAS 67665

DATE <u>4-26-03</u>	SEC. <u>31</u>	TWP. <u>8S</u>	RANGE <u>24W</u>	CALLED OUT	ON LOCATION <u>6:00 PM</u>	JOB START <u>7:45 PM</u>	JOB FINISH <u>8:15 PM</u>
LEASE <u>HOLLEY</u>	WELL # <u>6-11</u>	LOCATION <u>MORLAND 3 1/2 S-3E-1N</u>			COUNTY <u>GRAHAM</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR AVA DRLLG.

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4" T.D. 222'

CASING SIZE 8 7/8" DEPTH 223'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 15'

PERFS. _____

DISPLACEMENT 13 1/4 BBL

OWNER SAME

CEMENT

AMOUNT ORDERED 150SKS 6040 P02 38CC2864

COMMON	<u>90SKS</u>	@ <u>7 85</u>	<u>706 50</u>
POZMIX	<u>60SKS</u>	@ <u>3 55</u>	<u>213 80</u>
GEL	<u>3SKS</u>	@ <u>10 00</u>	<u>30 00</u>
CHLORIDE	<u>5SKS</u>	@ <u>30 00</u>	<u>150 00</u>
		@	
		@	
		@	
		@	
		@	
		@	
HANDLING	<u>158SKS</u>	@ <u>1 10</u>	<u>173 80</u>
MILEAGE	<u>044 PER SK/MILE</u>		<u>390 80 410.80</u>

EQUIPMENT

PUMP TRUCK CEMENTER TERRY

300 HELPER WAYNE

BULK TRUCK

212 DRIVER FUZZY

BULK TRUCK

_____ DRIVER _____

RECEIVED
JUN 02 2003

TOTAL 1667 50
1684.10

REMARKS:

KCC WICHITA

SERVICE

CEMENT AID CIRC. ✓

DEPTH OF JOB 223'

PUMP TRUCK CHARGE 520 00

EXTRA FOOTAGE @ _____

MILEAGE 65 MI @ 3 00 195 00

PLUG 8 7/8 SURFACE @ _____ 45 00

@ _____

@ _____

TOTAL 760 00

CHARGE TO: U. J. I. NATURAL RESOURCES

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____

TOTAL _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Dan Anderson

PRINTED NAME

15-065-22904-00-00 ALLIED CEMENTING CO., INC. 14762

Federal Tax I.D.# XXXXXXXXXX

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: 2

DATE <u>5-5-03</u>	SEC <u>31</u>	TWP. <u>8</u>	RANGE <u>24</u>	CALLED OUT	ON LOCATION <u>10:45 AM</u>	JOB START	JOB FINISH <u>12:15 AM</u>
LEASE <u>HOLLEY</u>		WELL # <u>6-H</u>		LOCATION <u>MIDORELAND 35</u>		COUNTY <u>GRAHAM</u>	STATE <u>KS</u>
<input checked="" type="radio"/> OLD OR NEW (Circle one)							

CONTRACTOR AEA

TYPE OF JOB PRODUCTION STRING

HOLE SIZE 7 7/8 T.D. 4060

CASING SIZE 5 1/2 DEPTH 4059

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT 21.00

CEMENT LEFT IN CSG. 21

PERFS.

DISPLACEMENT 96' BBL

OWNER Same

CEMENT

AMOUNT ORDERED 450 ALHD

COMMON _____ @ _____

POZMIX _____ @ _____

GEL _____ @ _____

CHLORIDE _____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

HANDLING _____ @ _____

MILEAGE _____ @ _____

TOTAL _____

EQUIPMENT

WICT

PUMP TRUCK CEMENTER MARK

345 HELPER DAVE

BULK TRUCK

213 DRIVER BILL

BULK TRUCK

282 DRIVER SCOTT

REMARKS:

SERVICE

15 SILS C RTH.

MIXED 300 SILS @ 11.4 PPL

MIXED 150 SILS @ 15.2 PPL

CIRC 25 SILS IN PIT

FLOAT HELD

WITNESSED BY RICH WILLIAMS KCC

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE _____ @ _____

MILEAGE _____ @ _____

PLUG 5 1/2 TRP _____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

CHARGE TO: VIT

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

5 1/2

1 SHOE _____ @ _____

INSERT _____ @ _____

5-CENT _____ @ _____

2-BASKETS _____ @ _____

_____ @ _____

To Allied Cementing Co., Inc. _____

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

RECEIVED

TOTAL CHARGE _____

DISCOUNT JUN 02 2003 IF PAID IN 30 DAYS

KCC WICHITA

SIGNATURE [Signature]

PRINTED NAME

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Allied" shall mean Allied Cementing Co., Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

—**TERMS:** Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "ALLIED" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "ALLIED," refunded directly to "CUSTOMER." For purposes of this paragraph, ALLIED and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

—**ATTORNEY FEES:** In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.

—**PRICES AND TAXES:** All merchandise listed in "ALLIED'S" current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.

—**TOWING CHARGES:** ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.

—**PREPARATION CHARGES:** If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.

—**DEADHAUL, CHARGES:** Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

—**SERVICE CONDITIONS AND LIABILITIES:** 1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:

(A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:

(B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.

2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.

3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES: 1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the wilful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.

(C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

15-065-22904-00-00

STATE CORPORATION COMMISSION OF KANSAS, CONSERVATION DIVISION

PRODUCTIVITY TEST
BARREL TEST

OPERATOR V.J.I. Natural Resources Inc. #30420 LOCATION OF WELL SW-NW-SW
LEASE Holley OF SEC. 31 T 8s R 24w
WELL NO. 6-H COUNTY Graham
FIELD Holley PRODUCING FORMATION Lansing KC

Date Taken _____ Date Effective _____

Well Depth 4060 Top Prod. Form Lans 3813 -1332 Perfs 3970-3974
Casing: Size 5 1/2" Wt. 15 Depth 4060 Acid _____
Tubing: Size 2 3/8" Depth of Perfs _____ Gravity 36°
Pump: Type Tubing Bore 2" Purchaser STG
Well Status Pumping

Pumping, flowing, etc.

TEST DATA

Permanent _____ Field _____ Special _____
Flowing _____ Swabbing _____ Pumping X

STATUS BEFORE TEST:

PRODUCED 24 HOURS
SHUT IN _____ HOURS
DURATION OF TEST _____ HOURS 2 MINUTES 10 SECONDS 5gal.

GAUGES: WATER _____ INCHES _____ PERCENTAGE
OIL _____ INCHES _____ PERCENTAGE

GROSS FLUID PRODUCTION RATE (BARRELS PER DAY) 79.04
WATER PRODUCTION RATE (BARREL PER DAY) 75.09
OIL PRODUCTION RATE (BARRELS PER DAY) 3.95 PRODUCTIVITY
STROKES PER MINUTE 6
LENTH OF STROKE 54" INCHES
REGULAR PRODUCING SCHEDULE 24-7 HOURS PER DAY.

RECEIVED

FEB 12 2004

KCC WICHITA

COMMENTS _____

WITNESSES:

Richard Williams FOR STATE, Logan Keith FOR OPERATOR, _____ FOR OFFSET