** The person who can be reached by phone regarding any questions concerning this information.

MY COMMISSION EXPIRES

RECEIVED STATE CORPORATION COMMISSION

(NOTARY

Deborah A. Lopez

11.79 14.19

3905 & 3929

3950

3949

Gravity

%

Perforations

MCF

3817 & 3855

<u>1000 Gal. 15% MCA</u>

1000 Gal. 15% MCA

sposition of gas (vented, used on lease or sold)

Pate of first production None

Estimated Production -I.P.

250 Gal. 15% MCA, sqzd 150 sx 300 Gal. 15% Ne

LEASE Johnson A (OWWO) SEC. 32 TWP. 85 RGE. 25

FILL IN WELL INFORMATION AS REQUIRED:

WELL NO. SHOW GEOLOGICAL MARKERS, LOGS RUN,

Show all important as	nes of porosity en	OR OTHER DESCRIPTIVE INFORMATION.					
cluding depth interval testod, cushion used, time tool epen, flowing and a FORMATION DESCRIPTION, CONTENTS, ETC.			TOP BOTTOM		HAME	DEPTH	
Check 1f	no Drill S washdo washdo	own	s Run. So	0', 1845'	1845 4018		
				4018'	R.T.D.		
	•		* .				y vy
			e e e e e e e e e e e e e e e e e e e				
•							
• 4			The second secon	1.50			San Page
		•	• •				
	As	; ;		and the second	(O) 10 (34)		en vet Na
i i i i i i i i i i i i i i i i i i i	engan engan Pagan engan	The state of the s	see a see	1. 1. 13.75 cm	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
additional				7		72) 222 (1122.1	
Report of all string	Size hole drilled			c. CASING	Type cement	w) or (Used	Type and percent edditives
Purpose of string				227		200	-
urface	12-3/4		20#		com		10%1+
oduction	7 7/8"	43"	9.5	4001.47	50-50 posm	ic 150	18% salt
	1						
	LINER RECO	RD			PERF	ORATION RECOR	D
n.	Bottom, ft. Sacks cement			Shets per ft. Size One		Size & type	3905 & 3929 ···
TUBING RECORD Setting depth Packer set at			one one	•		3817 & 3855 3950 3949 - 52	
		ACID, FRACT	URE, SHOT,	CEMENT SQ	JEEZE RECORD		1.1747 - 11/
	Amo	unt and kind of	material used			Dep	oth interval treated

Producing method (flowing, pumping, gas lift, etc.)