## STATE OF KANSAS STATE CORPORATION COMMISSION

15-179-30007-00-00 Form CP-4

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway
Wichita, Kansas

## WELL PLUGGING RECORD

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods us fintroducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, ½ sx of hulls, 20 sx cement.  Mud to 40', set plug, ½ sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  AUG 27 1905  CONSERVATION DUSSION.	Lease Owner_DONALD C. SLAWSON Lease Name	211 No. Broadway Wichita, Kansas	Sherid		County.				
Lease Name Pratt 'B' Well No. 1  Office Address. 408 One Twenty Building Character of Well (completed as Oil, Gas or Dry Hole)  Date well completed.  Application for plugging filed.  Application for plugging approved.  Application for plugging approved.  B-18+9.65  Plugging completed.  B-18+9.65  B-18+9.65  B-18+9.65  Plugging completed.  B-18+9.65  Plugging completed.  B-18+9.65  Plugging completed.  B-18+9.65  Plugging completed.  B-18+9.65	Lease Name — Pratt 'B' Well No. 1  Office Address 408 One Twenty Building Character of Well (completed as Oil, Gas or Dry Hole) Date well completed. Application for plugging filed. Application for plugging filed. Application for plugging approved. Ba-18-19.65 Plugging commenced B-18-19.65 Plugging commenced B-18-19.65 Plugging commenced B-18-19.65 Reason for abandonment of well or producing formation.  Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods un introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet for each plug set.  Mud to 250', set plug, is sx of hulls, 20 sx cement.  Mud to 40', set plug, is sx of hulls, 10 sx cement.  Mud to 40', set plug, is sx of hulls, 10 sx cement.  Mud to 40', set plug, is sx of hulls, 10 sx cement.  Mud to 40', set plug, is sx of hulls, 10 sx cement.  Mud to 40', set plug, is sx of hulls, 10 sx cement.  Mud to 40', set plug, is sx of hulls, 10 sx cement.  Mud to 40', set plug, is sx of hulls, 10 sx cement.  Mud to 40', set plug, is sx of hulls, 10 sx cement.  Mud to 40', set plug, is sx of hulls, 10 sx cement.  Mud to 40', set plug, is sx of hulls, 10 sx cement.  Mud to 40', set plug, is sx of hulls, 10 sx cement.  Mud to 40', set plug, is sx of hulls, 10 sx cement.  Mud to 40', set plug, is sx of hulls, 10 sx cement.  Mud to 40', set plug, is sx of hulls, 10 sx cement.	NORTH	Location as "N	E/CNWKSWK"	or footage from l	lines C	N/2 SE S	Ε	
Office Address. 408 One Twenty Building Character of Well (completed Sol, Cas or Dry Hole) Date well completed Related	Office Address. 408 One Twenty Building Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole Date well completed Application for plugging filed B18-19.65 Application for plugging approved B18-19.65 Application for plugging approved B18-19.65 Plugging commenced B-18-19.65 Plugging commenced B-18-19.65 Plugging commenced B-18-19.65 Reason for abandonment of well or producing formation Division or its agents before plugging was comenced Yell M. Nichols - Morland, Kansas mere of Conservation Agent who supervised plugging of this well W. L. Nichols - Morland, Kansas OIL, CAS OR WATER RECORDS  CONTENT FROM TO SIZE PUT IN PLUGGO UT  Much to 550', set plug, as x of hulls, 20 sx cement.  Much to 550', set plug, as x of hulls, 20 sx cement.  Much to 40', set plug, as x of hulls, 20 sx cement.  Much to 40', set plug, as x of hulls, 10 sx cement.  2 sx of cement in the rat hole  ONNERWATION DIVISION Wichitz, Kansas  AUG 27 1965  CONSERVATION DIVISION Wichitz, Kansas  (II additional description is necessary, us BACK of this sheet)  FORMATION STANDARD COMPANY, Inc.  (III additional description is necessary, us BACK of this sheet)  FORMATION DIVISION Wichitz, Kansas							XXZ-II NI-	<u> </u>
Character of Well (completed as Oil, Cas or Dry Hole)  Date well completed Application for plugging filed Application for plugging approved Application for plugging approved B-18-19.65 Plugging commenced B-18-19.65 Plugging commenced B-18-19.65 Plugging commenced B-18-19.65 Plugging commenced B-18-19.65 Plugging completed B-18-19.65 P	Character of Well (completed as Oil, Cas or Dry Hole)  Date well completed Application for plugging filed Application for plugging filed Application for plugging filed Application for plugging approved B-18-19.6: Plugging commenced B-18-19.6: Plugging commenced B-18-19.6: Reason for abandonment of well or producing formation D & A  He a producing well is abandoned, date of last production Was permission obtained from the Conservation Division or its agents before plugging was comerced? YES  In a producing well is abandoned, date of last production Was permission obtained from the Conservation Division or its agents before plugging was comerced? YES  In a producing well was plugged that well W. L. Nichols - Morland, Kansas  Other of Conservation Agent who supervised plugging of this well W. L. Nichols - Morland, Kansas  Other of Conservation Agent who supervised plugging of this well W. L. Nichols - Morland, Kansas  Other of Conservation Agent who supervised plugging of this well W. L. Nichols - Morland, Kansas  CASING RECORD  CONTENT FROM TO SIZE PUT IN PULLED DUT  Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods urforduring it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet for each plug set.  Mud to 550', set plug, 1 sx of hulls, 20 sx cement.  Mud to 40', set plug, 2 sx of hulls, 20 sx cement.  Mud to 40', set plug, 3 sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  ONNSERVATION DIVISION Withits, Kansas  AUG 27 1905  ONNSERVATION DIVISION Withits, Kansas  (Il additional description is necessary, use RACK of this sheet)  Fig. 2 - J.							Well No	
Date well completed Application for plugging filed Application for plugging approved B-18-19.55 Plugging commenced B-18-19.55 Plugging commenced B-18-19.55 B-18-19.55 Reason for abandonment of well or producing formation D & A  If a producing well is abandoned, date of last production I9 Was permission obtained from the Conservation Division or its agents before plugging was conservation Agent who supervised plugging of this well. W. L. Nichols - Morland, Kansas Debth to top Bottom Total Depth of Well 3688 Fe ow depth and thickness of all water, oil and gas formations.  OIL, GAS OR WATER RECORDS  CASING RECORD  TORNATION  Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods us introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 250', set plug, % sx of hulls, 20 sx cement.  Mud to 40', set plug, % sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  CONSERVATION DUES.	Date well competed.  Application for plagging filed.  Application for plagging approved.  Application for plagging approved.  B-18.49.65  Plugging completed.  B-18.49.65  B-18.49.65  Plugging completed.  B-18.49.65  B-18.49.6		•					le	
Application for plugging approved  Reson for abandonment of well or producing formation  Dear Reason for abandonment of well or producing formation  If a producing well is abandoned, date of last production  Was permission obtained from the Conservation Division or its agents before plugging was conservation Agent who supervised plugging of this well. W. L. Nichols - Morland, Kansas of owderpth and thickness of all water, oil and gas formations.  Depth to top  Bottom  Total Depth of Well 3688 Ferow depth and thickness of all water, oil and gas formations.  OIL, CAS OR WATER RECORDS  CASINC RECORD  TOTAL DEPTH IN PULLED BUT  POESCRIBO Internation of the plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, a sx of hulls, 20 sx cement.  Mud to 40', set plug, a sx of hulls, 10 sx cement.  Aug 27 1955  CONSERVATION DESCRIPTION DESC	Application for plugging approved.  Application for plugging approved.  B-18-19.6. Plugging completed:  8-18-19.6. Plugging completed:  8-18-19.6. S-18-19.6. Plugging completed:  8-18-19.6. S-18-19.6. S-18-19.		Date well com	pleted				8-18	
Plugging completed 8-18-19.65 Reason for abandonment of well or producing formation D & A  If a producing well is abandoned, date of last production 19. Was permission obtained from the Conservation Division or its agents before plugging was convened? Yes une of Conservation Agent who supervised plugging of this well W. L. Nichols - Morland, Kansas educing formation Depth to top Bottom Total Depth of Well 3688 For ow depth and thickness of all water, oil and gas formations.  OIL, CAS OR WATER RECORDS  CASING RECORD  PORMATION CONTENT FROM TO SIZE PUT IN PULLED OUT  Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods us fintroducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, 1/4 sx of hulls, 20 sx cement.  Mud to 250', set plug, 1/4 sx of hulls, 10 sx cement.  Mud to 40', set plug, 1/4 sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  CONSERVATION DURSEN.	Plugging commenced.    S-18-9.65   S-18-9.		Application for	plugging filed_				8-18	<del>1</del> 965
Plugging completed Reason for abandonment of well or producing formation  D & A  If a producing well is abandoned, date of last production  Was permission obtained from the Conservation Division or its agents before plugging was come of Conservation Agent who supervised plugging of this well. W. L. Nichols - Morland, Kansas  oducing formation  Depth to top  Bottom  Total Depth of Well 3688 Formations  OIL, CAS OR WATER RECORDS  CASING RECORD  PORMATION  CONTENT  FROM  TO  SIZE  PUT IN  PULLED OUT  POSCIPLE for each plug set.  Mud to 550', set plug, % sx of hulls, 20 sx cement.  Mud to 250', set plug, % sx of hulls, 10 sx cement.  Mud to 40', set plug, % sx of hulls, 10 sx cement.  Mud to 40', set plug, % sx of hulls, 10 sx cement.  Mud to 40', set plug, % sx of hulls, 10 sx cement.  Mud to 40', set plug, % sx of hulls, 10 sx cement.  Mud to 40', set plug, % sx of hulls, 10 sx cement.  Mud to 27 1905  CONSERVATION DUESS.	Plugging completed								
Reason for abandonment of well or producing formation	Reason for abandonment of well or producing formation  If a producing well is abandoned, date of last production  If a producing well is abandoned, date of last production  If a producing well is abandoned, date of last production  If a producing well is abandoned, date of last production  If a producing well is abandoned, date of last production  If a producing well is abandoned, date of last production  If a producing well is abandoned, date of last production  If a producing well is abandoned, date of last production  If a producing well is abandoned, date of last production  If a producing well is abandoned, date of last production  If a producing well is abandoned, date of last production or its agents before plugging was complete when the second of the plugging of this well W. I. Nichols - Morland, Kansas  CASING RECORD  CASING RECORD  CASING RECORD  CASING RECORD  FORMATION  FORMATION  CONTENT  FROM  TO  SIZE  PUT IN  PULLED BUT  POULED BUT  Pouled but  Producing were used, state the character of same and depth placed, from feet for each plug set.  Mud to 550', set plug, a sx of hulls, 20 sx cement.  Mud to 40', set plug, a sx of hulls, 20 sx cement.  Mud to 40', set plug, a sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  CONSERVATION DIVISION  Wichits, Kansas  AUG 27 1965  CONSERVATION DIVISION  Wichits, Kansas  Aunce of Plugging Contractor Slawson Drilling Company, Inc.		Plugging comm	ienced					
If a producing well is abandoned, date of last production 19— Was permission obtained from the Conservation Division or its agents before plugging was consended.  Was permission obtained from the Conservation Division or its agents before plugging was consended.  Was permission obtained from the Conservation Division or its agents before plugging was consended.  Was permission obtained from the Conservation Division or its agents before plugging was consended.  Was permission obtained from the Conservation Division or its agents before plugging was consended.  Note that the conservation Agent who supervised plugging of this well W. L. Nichols - Morland, Kansas  Depth to top Bottom Total Depth of Well 3688 Feather and the first own of the plug set of the consending of the cons	The producing well is abandoned, date of last production.  Was permission obtained from the Conservation Division or its agents before plugging was comenced?  YES  Immedia Fig.  Was permission obtained from the Conservation Division or its agents before plugging was comenced?  YES  Immedia Fig.  Was permission obtained from the Conservation Division or its agents before plugging was comenced?  YES  Immedia Fig.  Was permission obtained from the Conservation Division or its agents before plugging was comenced?  YES  Immedia Fig.  Was permission obtained from the Conservation Division or its agents before plugging was comenced.  YES  Immedia Fig.  Was permission obtained from the Conservation Division or its agents before plugging was comenced.  Total Depth of Well 3688 F.  CASING RECORD  CASING RECORD  CASING RECORD  FORMATION  FORMATION  FORMATION  FORMATION  FORMATION  FORMATION  CONTENT  FROM  TO  SIZE  PUT IN  PULLED OUT  Feet for each plug set.  Mud to 550', set plug, % sx of hulls, 20 sx cement.  Mud to 40', set plug, % sx of hulls, 20 sx cement.  Mud to 40', set plug, % sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  CONSERVATION DIVISION  Wichits, Kansas  AUG 27 1965  CONSERVATION DIVISION  Wichits, Kansas  Aunce of Plugging Contractor. Slawson Drilling Company, Inc.		Plugging comp	leted	<del></del>				<u> 1965</u>
Locate well correctly on above Section Plats  Was permission obtained from the Conservation Division or its agents before plugging was consume of Conservation Agent who supervised plugging of this well. W. L. Nichols - Morland, Kansas oducing formation.  Depth to top Bottom Total Depth of Well 3688 Few owder than thickness of all water, oil and gas formations.  OIL, GAS OR WATER RECORDS  CONTENT FROM TO SIZE PUT IN PULLED BUT  Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods us introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, as sof hulls, 20 sx cement.  Mud to 250', set plug, as sof hulls, 10 sx cement.  2 sx of cement in the rat hole  CONSERVATION DURSON.	Was permission obtained from the Conservation Division or its agents before plugging was comenced? Yes menced? Yes		Reason for abar	ndonment of we	ll or producing fo	ormation	D & A		
Locate well correctly on above Section Plats  Was permission obtained from the Conservation Division or its agents before plugging was consume of Conservation Agent who supervised plugging of this well. W. L. Nichols - Morland, Kansas oducing formation.  Depth to top Bottom Total Depth of Well 3688 Few owder than thickness of all water, oil and gas formations.  OIL, GAS OR WATER RECORDS  CONTENT FROM TO SIZE PUT IN PULLED BUT  Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods us introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, as sof hulls, 20 sx cement.  Mud to 250', set plug, as sof hulls, 10 sx cement.  2 sx of cement in the rat hole  CONSERVATION DURSON.	Was permission obtained from the Conservation Division or its agents before plugging was comenced? Yes menced? Yes					• .			
Losate well correctly on above sections Fish menced? Yes sume of Conservation Agent who supervised plugging of this well W. L. Nichols - Morland, Kansas oducing formation.  Depth to top Bottom Total Depth of Well 3688 Fe ow depth and thickness of all water, oil and gas formations.  OIL, CAS OR WATER RECORDS  CASINC RECORD  FORMATION  CONTENT FROM TO SIZE PUT IN PULLED BUT  Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods us introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, as so f hulls, 20 sx cement.  Mud to 40', set plug, as sx of hulls, 10 sx cement.  Aud to 40', set plug, as sx of hulls, 10 sx cement.  Aud to 40', set plug, as sx of hulls, 10 sx cement.  Aud to 40', set plug, as sx of hulls, 10 sx cement.	Leaste well correctly, on above menced? Yes menced? Yes men of Conservation Agent who supervised plugging of this well W. L. Nichols - Morland, Kansas and ducing formation. Depth to top Bottom. Total Depth of Well 3688 p. now depth and thickness of all water, oil and gas formations.  OIL, GAS OR WATER RECORDS  CASING RECORD  TOMATION  CONTENT FROM TO SIZE PUT IN PULLED OUT  Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods us fintroducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, a sx of hulls, 20 sx cement.  Mud to 250', set plug, a sx of hulls, 20 sx cement.  Mud to 40', set plug, a sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  CONSERVATION DIVISION  Wiching, Kansas  Auge 27 1805  CONSERVATION DIVISION  Wiching, Kansas								
Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods us introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 250', set plug, as sof hulls, 20 sx cement.  Mud to 40', set plug, as sof hulls, 10 sx cement.  Mud to 40', set plug, as sof hulls, 10 sx cement.  Aug 27 1965  CONSERVATION DUACO.	Ame of Conservation Agent who supervised plugging of this well W. L. Nichols - Morland, Kansas oducing formation.  Depth to top Bottom Total Depth of Well 3688 p. 100 p.	Locate well correctly on above			the Conservation	on Division	or its agents be	fore plugging	was cor
Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods us fintroducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, ½ sx of hulls, 20 sx cement.  Mud to 40', set plug, ½ sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  AUG 27 1905  CONSERVATION DUSSION.	Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods us introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet for each plug set.  Mud to 550', set plug, as of hulls, 20 sx cement.  Mud to 250', set plug, as of hulls, 20 sx cement.  Mud to 40', set plug, as of hulls, 10 sx cement.  Mud to 40', set plug, as of hulls, 10 sx cement.  2 sx of cement in the rat hole  CONSERVATION DIVISION  Wichita, Kansas  (If additional description is necessary, use BACK of this sheet)  Amen of Plugging Contractor. Slawson Drilling Company, Inc.  FROM TO SIZE PUT IN PULLED DUT  TO SIZE PUT IN PULLED DUT  PULLED DUT IN PULLED DUT  PULLED DUT IN PULLED DUT  ASSING RECORD  CASING RECORD  ASSING RECORD  FORMATION PULLED DUT  FROM TO SIZE PUT IN PULLED DUT  FORMATION DIVISION  Wichita, Kansas  (If additional description is necessary, use BACK of this sheet)  S-27-Co	section First	supervised plugging of th	is well W. L	Nichols	- Mor	land, Kar	nsas	
CASING RECORD  CASING RECORD  CONTENT  FROM  TO  SIZE  PUT IN  PULLED BUT  Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods us fintroducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, as sof hulls, 20 sx cement.  Mud to 250', set plug, as sx of hulls, 10 sx cement.  Mud to 40', set plug, as sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  AUG 27 1905  CONSERVATION DUES.	OIL, GAS OR WATER RECORDS  CASING RECORD  FORMATION  CONTENT  FROM  TO  SIZE  PUT IN  PULLED OUT  Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods us introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from  feet for each plug set.  Mud to 550', set plug, 4 sx of hulls, 20 sx cement.  Mud to 250', set plug, 3 sx of hulls, 20 sx cement.  Mud to 40', set plug, 3 sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  CONSERVATION DIVISION  Wichita, Kansas  (If additional description is necessary, use BACK of this sheet)  FORMATION  (If additional description is necessary, use BACK of this sheet)  FORMATION  (If additional description is necessary, use BACK of this sheet)  FORMATION  (If additional description is necessary, use BACK of this sheet)  FORMATION  (If additional description is necessary, use BACK of this sheet)  FORMATION  (If additional description is necessary, use BACK of this sheet)  FORMATION  (If additional description is necessary, use BACK of this sheet)  FORMATION  (If additional description is necessary, use BACK of this sheet)  FORMATION  (If additional description is necessary, use BACK of this sheet)  FORMATION  (If additional description is necessary, use BACK of this sheet)	oducing formation	I	Depth to top	Bottom		Total Depth o	2.50	8 Fe
OIL, CAS OR WATER RECORDS  FORMATION  CONTENT  FROM  TO  SIZE  PUT IN  PULLED OUT  PULLED	OIL, CAS OR WATER RECORDS  CASING RECORD  FORMATION  CONTENT  FROM  TO  SIZE  PUT IN  PULLED OUT  Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods us introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, sx of hulls, 20 sx cement.  Mud to 250', set plug, sx of hulls, 20 sx cement.  Mud to 40', set plug, sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  CONSERVATION DIVISION  Wiching, Kansas  (If additional description is necessary, use BACK of this sheet)  S-27-Conservation Division  Without Managery Company, 1nc.	_					200200	- *************************************	
Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods us introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from	Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods us introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from	_							2022
Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods us introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, ½ sx of hulls, 20 sx cement.  Mud to 250', set plug, ½ sx of hulls, 20 sx cement.  Mud to 40', set plug, ½ sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  AUG 27 1905  CONSERVATION PURSUA	Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods us introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, \$\frac{1}{2}\$ sx of hulls, 20 sx cement.  Mud to 250', set plug, \$\frac{1}{2}\$ sx of hulls, 20 sx cement.  Mud to 40', set plug, \$\frac{1}{2}\$ sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  AUG 27 1965  CONSERVATION DIVISION  Witchita, Kansas  (If additional description is necessary, use BACK of this sheet)  Fig. 27-6.	OIL, GAS OR WATER REC	OKDS	-				CASING RE	CORD
introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from	Introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, \$\frac{1}{2}\$ sx of hulls, 20 sx cement.  Mud to 250', set plug, \$\frac{1}{2}\$ sx of hulls, 20 sx cement.  Mud to 40', set plug, \$\frac{1}{2}\$ sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  CONSERVATION DIVISION Witching, Kansas  (If additional description is necessary, use BACK of this sheet)  S-27-6  anne of Plugging Contractor Slawson Drilling Company, Inc.	FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED	DUT
introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from	Introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, \$\frac{1}{2}\$ sx of hulls, 20 sx cement.  Mud to 250', set plug, \$\frac{1}{2}\$ sx of hulls, 20 sx cement.  Mud to 40', set plug, \$\frac{1}{2}\$ sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  CONSERVATION DIVISION Witching, Kansas  (If additional description is necessary, use BACK of this sheet)  S-27-6  anne of Plugging Contractor Slawson Drilling Company, Inc.								
introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from	Introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, \$\frac{1}{2}\$ sx of hulls, 20 sx cement.  Mud to 250', set plug, \$\frac{1}{2}\$ sx of hulls, 20 sx cement.  Mud to 40', set plug, \$\frac{1}{2}\$ sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  CONSERVATION DIVISION Witchita, Kansas  (If additional description is necessary, use EACK of this sheet)  S-27-6  Warne of Plugging Contractor Slawson Drilling Company, Inc.			<u> </u>	<u> </u>				
introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from	Introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, \$\frac{1}{2}\$ sx of hulls, 20 sx cement.  Mud to 250', set plug, \$\frac{1}{2}\$ sx of hulls, 20 sx cement.  Mud to 40', set plug, \$\frac{1}{2}\$ sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  CONSERVATION DIVISION Witchita, Kansas  (If additional description is necessary, use EACK of this sheet)  S-27-6  Warne of Plugging Contractor Slawson Drilling Company, Inc.						<u> </u>		
introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from	Introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, ½ sx of hulls, 20 sx cement.  Mud to 250', set plug, ½ sx of hulls, 20 sx cement.  Mud to 40', set plug, ½ sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  CONSERVATION DIVISION Witchita, Kansas  (If additional description is necessary, use EACK of this sheet)  S-27-6  Ware of Plugging Contractor Slawson Drilling Company, Inc.				-				
introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from	Introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, \$\frac{1}{2}\$ sx of hulls, 20 sx cement.  Mud to 250', set plug, \$\frac{1}{2}\$ sx of hulls, 20 sx cement.  Mud to 40', set plug, \$\frac{1}{2}\$ sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  CONSERVATION DIVISION Witchita, Kansas  (If additional description is necessary, use EACK of this sheet)  S-27-6  Warne of Plugging Contractor Slawson Drilling Company, Inc.				+				
introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from	Introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, \$\frac{1}{2}\$ sx of hulls, 20 sx cement.  Mud to 250', set plug, \$\frac{1}{2}\$ sx of hulls, 20 sx cement.  Mud to 40', set plug, \$\frac{1}{2}\$ sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  CONSERVATION DIVISION Witchita, Kansas  (If additional description is necessary, use BACK of this sheet)  S-27-6  Company, Inc.						<del> </del>	<del></del>	
introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from	Introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet feet for each plug set.  Mud to 550', set plug, ½ sx of hulls, 20 sx cement.  Mud to 250', set plug, ½ sx of hulls, 20 sx cement.  Mud to 40', set plug, ½ sx of hulls, 10 sx cement.  2 sx of cement in the rat hole  CONSERVATION DIVISION Witchita, Kansas  (If additional description is necessary, use EACK of this sheet)  S-27-6  Ware of Plugging Contractor Slawson Drilling Company, Inc.			· · · · · · · · · · · · · · · · · · ·	<del></del>				
2 sx of cement in the rat hole  STATE CURPORATION COMMISSION  AUG 27 1905  CONSERVATION DUMBERS	2 sx of cement in the rat hole  STATE CUKPORATION COMMISSION  AUG 27 1965  CONSERVATION DIVISION  Wichita, Kansas  (If additional description is necessary, use BACK of this sheet)  S-27-64								
STATE CORPORATION COMMISSION  AUG 27 1905  CONSERVATION DUMBER	STATE CURPORATION COMMISSION  AUG 27 1965  CONSERVATION DIVISION  Witchita, Kansas  (If additional description is necessary, use BACK of this sheet)  S-27-6						s, IU sx	cement	•
CONSERVATION DUMBIL	CONSERVATION DIVISION  Wichita, Kansas  (If additional description is necessary, use BACK of this sheet)  S-27-69  ame of Plugging Contractor Slawson Drilling Company, Inc.		2 sx of ce	ment in t	the rat ho	ole			
CONSERVATION DUMBIL	CONSERVATION DIVISION  Wichita, Kansas  (If additional description is necessary, use BACK of this sheet)  Same of Plugging Contractor Slawson Drilling Company, Inc.	1				S#/	RECE HE CURPORATION	IVED	O.
CONSERVATION DUMBIL	CONSERVATION DIVISION  Wichita, Kansas  (If additional description is necessary, use BACK of this sheet)  Same of Plugging Contractor Slawson Drilling Company, Inc.						AUG 27	1005	
Wichita, Kansas	ame of Plugging Contractor Slawson Drilling Company, Inc.  (If additional description is necessary, use BACK of this sheet)  S-27-6					00			
vicinia, Kansas	(If additional description is necessary, use BACK of this sheet)  S-27-6  [ame of Plugging Contractor Slawson Drilling Company, Inc.						WINTER	DIVISION	
	ame of Plugging Contractor Slawson Drilling Company, Inc.						wichina, Ka	ansas	
	ame of Plugging Contractor Slawson Drilling Company, Inc.								
		Jame of Plugging Contractor_S	(If additiona lawson Drilli	l description is nece ng Compar	essury, use BACK of 1y, Inc.	this sheet)		8-27	J- 60
Classes Deilling Company Tra	Address 408 One Twenty Building - Wichita, Kansas	ddress4	08 One Twenty	Building	<u> - Wichit</u>	ta, Kar	sas		
CONSERVATION DUMO	CONSERVATION DIVISION  Wichita, Kansas  (If additional description is necessary, use BACK of this sheet)  Name of Plugging Contractor Slawson Drilling Company, Inc.		Mud to 250	', set pl	lug, ¼ sx	of hul	ls, 20 s	x cemen	t
CONSERVATION DIME	CONSERVATION DIVISION  Wichita, Kansas  (If additional description is necessary, use BACK of this sheet)  S-27-6  ame of Plugging Contractor_Slawson Drilling Company, Inc.						CORPURATION	ON COMMISSI	Oh
CONSERVATION DIVISION Wichita, Kansas	(If additional description is necessary, use BACK of this sheet)  S-27-6  [ame of Plugging Contractor Slawson Drilling Company, Inc.						AUG 27	1965	
Wichita, Kansas	(If additional description is necessary, use BACK of this sheet)  S-27-6  ame of Plugging Contractor Slawson Drilling Company, Inc.					C@	NSERVATION		
wichna, Kansas	(If additional description is necessary, use BACK of this sheet)  S-27-6  ame of Plugging Contractor Slawson Drilling Company, Inc.						MICHALION	DIVISION	
	ame of Plugging Contractor Slawson Drilling Company, Inc.						Tricina, Ka	ansas	
		ame of Plugging Contractor_S	(If additiona Lawson Drilli)	1 description is nece ng Compar	essury, use BACK of 1y, Inc.	this sheet)		8-27	-6
Classes Deilling Company Tra	ddress 408 One Twenty Building - Wichita, Kansas		08 One Twenty	Building	y - Wichit	ta, Kan	sas		
ame of Plugging Contractor Slawson Drilling Company, Inc.									
ame of Plugging Contractor Slawson Drilling Company, Inc.					SEDGWICK		, SS.		
ame of Plugging Contractor Slawson Drilling Company, Inc.  408 One Twenty Building - Wichita, Kansas  FATE OF KANSAS, COUNTY OF SEDGWICK, ss.	, SS. , SS.			(	employee of own	ner) or (ow	ner or operator	<u>) of the above</u>	-describ
Ame of Plugging Contractor Slawson Drilling Company, Inc.  408 One Twenty Building - Wichita, Kansas  FATE OF KANSAS, COUNTY OF SEDGWICK, ss.  DONALD C. SLAWSON (employee of owner) or (owner or operator) of the above-describ	DONALD C. SLAWSON (employee of owner) or (owner or operator) of the above-described and the control of the specific control of	ell heing first duly sworn on o				s, and matte	ers herein conta	ined and the	log of t
Ame of Plugging Contractor Slawson Drilling Company, Inc.  408 One Twenty Building - Wichita, Kansas  TATE OF KANSAS, COUNTY OF SEDGWICK, ss.  DONALD C. SLAWSON (employee of owner) or (owner or operator) of the above-describell, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the statements.	DONALD C. SLAWSON (employee of owner) or (owner or operator) of the above-describell, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of			nd correct. So	help me God.	و			_
Ame of Plugging Contractor Slawson Drilling Company, Inc.  408 One Twenty Building - Wichita, Kansas  TATE OF KANSAS, COUNTY OF SEDGWICK, ss.  DONALD C. SLAWSON (employee of owner) or (owner or operator) of the above-describell, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the statements.	DONALD C. SLAWSON (employee of owner) or (owner or operator) of the above-describell, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of		that the same are true as		_				
Ame of Plugging Contractor Slawson Drilling Company, Inc.  408 One Twenty Building - Wichita, Kansas  TATE OF KANSAS, COUNTY OF SEDGWICK, ss.  DONALD C. SLAWSON (employee of owner) or (owner or operator) of the above-described, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the cove-described well as filed and that the same are true and correct. So help me God.	DONALD C. SLAWSON (employee of owner) or (owner or operator) of the above-described, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of bove-described well as filed and that the same are true and correct. So help me God.		that the same are true a		>~~				
TATE OF KANSAS COUNTY OF SEDGWICK SLAWSON (employee of owner) or (owner or operator) of the above-described well as filed and that the same are true and correct. So help me God.  (Signature)	DONALD C. SLAWSON (employee of owner) or (owner or operator) of the above-described, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of bove-described well as filed and that the same are true and correct. So help me God.  (Signature)		that the same are true as	(Signature)				TAT 2 - 3 - 4 - 1	
Ame of Plugging Contractor Slawson Drilling Company, Inc.  408 One Twenty Building - Wichita, Kansas  FATE OF KANSAS COUNTY OF SEDGWICK SE	DONALD C. SLAWSON (employee of owner) or (owner or operator) of the above-described, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of bove-described well as filed and that the same are true and correct. So help me God.  (Signature)  408 One Twenty Building - Wichita,		that the same are true a	(Signature)	108 One Ty			- Wichit	
Ame of Plugging Contractor Slawson Drilling Company, Inc.  408 One Twenty Building - Wichita, Kansas  CATE OF KANSAS COUNTY OF SEDGWICK SEDGWICK SEDGWICK SEDGWICK (employee of owner) or (owner or operator) of the above-described well as filed and that the same are true and correct. So help me God.  (Signature)  408 One Twenty Building - Wichita, 1 (Address)	DONALD C. SLAWSON  (employee of owner) or (owner or operator) of the above-described, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of bove-described well as filed and that the same are true and correct. So help me God.  (Signature)  408 One Twenty Building - Wichita, (Address)	bove-described well as filed and		(Signature)			(Address)		
Ame of Plugging Contractor Slawson Drilling Company, Inc.  408 One Twenty Building - Wichita, Kansas  CATE OF KANSAS COUNTY OF SEDGWICK SEDGWICK SEDGWICK SEDGWICK (employee of owner) or (owner or operator) of the above-described well as filed and that the same are true and correct. So help me God.  (Signature)  408 One Twenty Building - Wichita, 1 (Address)	DONALD C. SLAWSON  (employee of owner) or (owner or operator) of the above-described, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of bove-described well as filed and that the same are true and correct. So help me God.  (Signature)  408 One Twenty Building - Wichita, (Address)	bove-described well as filed and		(Signature)			(Address)		
Ame of Plugging Contractor Slawson Drilling Company, Inc.  408 One Twenty Building - Wichita, Kansas  CATE OF KANSAS COUNTY OF SEDGWICK SEDGWICK SEDGWICK SEDGWICK (employee of owner) or (owner or operator) of the above-described well as filed and that the same are true and correct. So help me God.  (Signature)  408 One Twenty Building - Wichita, 1 (Address)	DONALD C. SLAWSON  (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of bove-described well as filed and that the same are true and correct. So help me God.  (Signature)  408 One Twenty Building - Wichita, (Address)	bove-described well as filed and		(Signature)			(Address)		
Ame of Plugging Contractor Slawson Drilling Company, Inc.  408 One Twenty Building - Wichita, Kansas  CATE OF KANSAS COUNTY OF SEDGWICK SEDGWICK SEDGWICK SEDGWICK (employee of owner) or (owner or operator) of the above-described well as filed and that the same are true and correct. So help me God.  (Signature)  408 One Twenty Building - Wichita, 1 (Address)	DONALD C. SLAWSON  (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of bove-described well as filed and that the same are true and correct. So help me God.  (Signature)  408 One Twenty Building - Wichita,  (Address)  August,  1965	bove-described well as filed and	before me this 23:	(Signature) 4	Augu	a T	(Address)	65	ta, I

15-179-30007-00-00

## WELL LOG

Company:

DONALD C. SLAWSON

408 One Twenty Building

Wichita, Kansas

Farm:

Pratt 'B' #1

C W/2 SE SE of Section 14-8S-26W

Sheridan County, Kansas

Total Depth:

3688

Elevation 2390 K.B.

Commenced: Completed:

August 12, 1965 August 18, 1965

Contractor:

Slawson Drilling Company, Inc.

Casing:

8-5/8"

@ 251' with approx.

200 sx cement

0-40	Sand & Gravel
40-1033	Shale
1033-2033	Shale & Shell
2033-2073	Anhydrite
2073-2447	Shale & Lime
2447-2950	Lime & Shale
2950-3080	Lime
3080-3482	Lime & Shale
3482-3562	Shale & Lime
3562-3605	Heebner
3605-3688	K. C. Lime
3688	Total Depth

RECEIVED
STATE CORPORATION COMMISSION

AUG 27 1965

CONSERVATION DIVISION Wichita, Kansas

STATE OF KANSAS

ss:

COUNTY OF SEDGWICK

I, Donald C. Slawson, of the Slawson Drilling Company, Inc., upon oath state that the above and foregoing is a true and correct copy of the log of the Pratt 'B' #1 well.

DONALD C. SLAWSON

Subscribed and sworn to before me this 23rd day of August, 1965.

Calla Griess

Ella Priess, Notary Public

My Commission Expires: August 25, 1968