

WELL LOG - LYGRISS #1

Company: John P. Gaty Location: NE SE SE, Section 12, Twp. 26S
 C/o Beech Aircraft Corp. Range 2 East, Sedgwick County,
 Wichita, Kansas Kansas

Contractor: Morrison Drilling Co., Inc. Production: _____
 Drawer 712
 El Dorado, Kansas

Farm: Lygriss Well No. 1

Date Commenced: April 21, 1949
 Date Completed: April 28, 1949

Total Depth: 2827 Feet

<u>From</u>	<u>To</u>	<u>Formation</u>
0	30	Rat Hole
30	395	Lime and Shale
395	530	Lime
530	1050	Shale and Shells
1050	1150	Shale
1150	1175	Lime
1175	1355	Shale and Shells
1355	1380	Lime and Shale breaks
1380	1515	Shale and Shells
1515	1600	Shale and Lime
1600	1810	Lime
1810	2000	Shale and Shells
2000	2355	Lime
2355	2361	Lime - broken
2361	2425	Lime
2425	2445	Lime - sandy
2445	2470	Lime
2470	2540	Lime - Shale breaks
2540	2605	Lime
2605	2765	Shale and Shells
2765	2805	Shale and Lime
2805	2827	Lime
2827		Total Depth.

I hereby certify that the above is a true and correct copy of the Well Log for John P. Gaty's Well #1 Lygriss, completed April 28, 1949.

C. W. Wilson

C. W. Wilson
 Secretary-Treasurer

RECEIVED

Conservation Div

JUL 12 1949

STATE CORPORATION
 COMMISSION

STATE OF KANSAS)
) ss.
 COUNTY OF BUTLER)

SUBSCRIBED AND SWORN TO, Before the undersigned, a Notary Public in and for the County and State aforesaid this 29th day of April, 1949.

Am. Hills
 Notary Public

My Commission expires January 10, 1951



ADDENDUM TO WELL LOG
on Lygrisse #1, NE, SE, SE, Section 12,
Township 26S, Range 2E, Sedgwick County,
Kansas

- 2805 Shale and Lime - top of Mississippi
2827 Lime (Total Rotary Depth)
2928 Chert and Lime (Total Cable Tool Depth)

HFV at 2852 in porous tripolitic chert section. Treated with plastic and squeezed with 250 sacks of cement to shut off water - partially successful. Show of gas and free oil at 2870-75. More water at 2880. HFV - no further shows to TD.

RECEIVED
Corporation Div.
JUL 12 1949
STATE CORPORATION
COMMISSION
KANSAS

PLUGGING
WELL SEC 12 T 26 R 2E
BOOK PAGE 102 LINE 1