For KCC Use: Effective Date:

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:080308		
month day year	Spot Description:	
	NE - NW - SE - NE Sec. 31 Twp. 16 S. R. 21	w
OPERATOR: License#	(a/a/a/a) 3,840 feet from N / X S Line of Se	
Name: VICKERS FARMS OIL VENTURE	910 feet from E E / W Line of Se	ction
Address 1: BOX 7	Is SECTION: Regular X Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: WELLSVILLE State: KS Zip: 66092 +	County: FRANKLIN	
Contact Person: JERRY VICKERS Phone: 785-242-5950	Lease Name: BRAUN Well #: 1-3	
THORE.	Field Name: PAOLA-RANTOUL	
CONTRACTOR: License#5682	Is this a Prorated / Spaced Field?	l _{No}
Name: HUGHES DRILLING CO	Target Formation(s): SQUIRREL	.
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1200	
	Ground Surface Elevation: N/A feet	MSL
☐ Change ☐ Infield ☐ Mud Rotary ☐ Air Page 1	Water well within one-quarter mile:	H6 /
Gas Storage X Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic; # of Holes Other	Depth to bottom of fresh water: 100	
Other:	Depth to bottom of usable water: 200	
	Surface Pipe by Alternate: I XII	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 21	
Operator:	Length of Conductor Pipe (if any): NONE	
Well Name:	Projected Total Depth: 725	
Original Completion Date: Original Total Depth:	Formation at Total Depth: SQUIRREL	
/	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes No	Well X Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR 1	
KCC DKT #:	Will Cores be taken?	No
	If Yes, proposed zone:	
	RECEIVI	
	DAVIT KANSAS CORPORATION	LOOMMISSI
	ging of this well will comply with K.S.A. 55 et. seg	008
It is agreed that the following minimum requirements will be met:		800
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2 conservation of this well will comply with K.S.A. 55 et. seq.	NVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2 conservation of this well will comply with K.S.A. 55 et. seq.	NVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2 drilling rig; y circulating cement to the top; in all cases surface pipe shall be septima, Kunderlying formation.	NVISION
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the example. If the well is dry hole, an agreement between the operator and the district 	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION D circulating cement to the top; in all cases surface pipe shall be septima, K underlying formation. ct office on plug length and placement is necessary prior to plugging;	NVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the st	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION D critilling rig; y circulating cement to the top; in all cases surface pipe shall be septima, K underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;	NVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION Description of the control o	NVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION Description of the control o	NVISION
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the earth of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented. 	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION D drilling rig; y circulating cement to the top; in all cases surface pipe shall be septiment, K underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	NVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the statements made herein are true and correct to the best part of the statements made herein are true and correct to the best purpose.	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION D drilling rig; y circulating cement to the top; in all cases surface pipe shall be septiment, K underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	NVISION
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the earth of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented. 	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION D drilling rig; y circulating cement to the top; in all cases surface pipe shall be septiment, K underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	NVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the statements made herein are true and correct to the best part of the statements made herein are true and correct to the best purpose.	conservation of conservation casing is comented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II comenting olugged. In all cases, NOTIFY district office prior to any comenting.	DIVISION S
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the statements made herein are true and correct to the best Date: 2 2 5 Signature of Operator or Agent: For KCC Use ONLY	conservation of circulating cement to the top; in all cases surface pipe shall be septima, Knunderlying formation. In office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is of my knowledge and belief. Title: Remember to:	NVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted. I hereby certify that the statements made herein are true and correct to the best Date: 2-2-3-5 Signature of Operator or Agent: For KCC Use ONLY	conservation of conservation of conservation of this well will comply with K.S.A. 55 et. seq. Conservation of	DIVISION S
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be particularly that the statements made herein are true and correct to the best Date: 2-2-3-5 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9-25373-ODDO	conservation of circulating cement to the top; in all cases surface pipe shall be septima, Knunderlying formation. In office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is of my knowledge and belief. Title: Remember to:	DIVISION:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the posted of the approved notice of intent to drill <i>shall be</i> posted on each of the district of the main man of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be properly that the statements made herein are true and correct to the best of the post of the spud date or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - 25373-ODO Conductor pipe required	drilling rig; conservation of conservation of conservation conservation of co	DIVISION S
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong and the district office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best placed. 6. If an ALTERNATE II COMPLETION, production pipe shall be completed within 30 days of the spud date or the well shall be placed. 7. 2. 66. 6. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - 25373-OOO Conductor pipe required feet Minimum surface pipe required feet per ALT. II	drilling rig; conservation of circulating cement to the top; in all cases surface pipe shall be septima, knumberlying formation. drilling rig; conservation of circulating cement to the top; in all cases surface pipe shall be septima, knumberlying formation. drilling rig;	31 16 2
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the well is district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements of the product of the placed by the statement of the product of the p	drilling rig; conservation of circulating cement to the top; in all cases surface pipe shall be septima, knumberlying formation. drilling rig; conservation of circulating cement to the top; in all cases surface pipe shall be septima, knumberlying formation. drilling rig;	DIVISION:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong and the district office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best placed. 6. If an ALTERNATE II COMPLETION, production pipe shall be completed within 30 days of the spud date or the well shall be placed. 7. 2. 66. 6. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - 25373-OOO Conductor pipe required feet Minimum surface pipe required feet per ALT. II	drilling rig; conservation of circulating cement to the top; in all cases surface pipe shall be septima, knowledge and belief. circulating cement to the top; in all cases surface pipe shall be septima, knowledge and belief. circulating cement to the top; in all cases surface pipe shall be septima, knowledge and belief. circulating cement to the top; in all cases surface pipe shall be septima, knowledge and belief. circulating cement to the top; in all cases surface pipe shall be septima, knowledge and belief. circulating cement to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	31 16 2
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shail be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best Date: 2-2-5-5-5 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - 25373-OOO Conductor pipe required	drilling rig; conservation of circulating cement to the top; in all cases surface pipe shall be septima, knowledge and belief. Conservation of complete to the top; in all cases surface pipe shall be septima, knowledge and belief. Conservation of complete to the top; in all cases surface pipe shall be septima, knowledge and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Conservation of spud date.	31 16 2
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shail be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best Date: 2-2-3-5 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - 25373-000 Conductor pipe required	conservation of conservation of conservation form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. Well Not Drilled - Permit Expired CONSERVATION CONS	31 16 2
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shail be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best part of Operator or Agent: Post Course Only	drilling rig; conservation of circulating cement to the top; in all cases surface pipe shall be septima, knowledge and belief. Conservation of complete to the top; in all cases surface pipe shall be septima, knowledge and belief. Conservation of complete to the top; in all cases surface pipe shall be septima, knowledge and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Conservation of spud date.	31 16 2

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25373000			
Operator: VICKERS FARMS OIL VENTURE	Location of Well: County: FRANKLIN		
Lease: BRAUN	3,840 feet from N / X S Line of Section		
Well Number: I-3	910 feet from E /		
Field: PAOLA-RANTOUL			
1 1010.	0. 1t. <u></u> V		
Number of Acres attributable to well:	Is Section: Regular or IX Irregular		
QTR/QTR/QTR/QTR of acreage: NENWSENE	io obtaining in in in in in it is a second in its in		
PI	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW LAT Putable accepted for presided or encount wells.)		
	outable acreage for prorated or spaced wells.) st lease or unit boundary line.) KANSAS CORPORATION COMMISS		
: : : :	JUL 3 0 2008		
	CONSERVATION DIVISION		
	WICHITA, KS		
	franklin Co		
	Frank 119 co		
، ا رجی ا	EXAMPLE : :		
!!!!!!!!!			
	1980		
	3390'		

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: VICKERS FARMS OIL VENTURE		License Number: 8047		
Operator Address: BOX 7		WELLSVILLE KS 66092		
Contact Person: JERRY L VICKERS		Phone Number: 785-242-5950		
Lease Name & Well No.: BRAUN I-3		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE NW SE NE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 31 Twp. 16 R. 21 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		3,840 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		910 East / West Line of Section	
(If WP Supply API No. or Year Drilled)		(bbis)	FRANKLIN County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l	
is the bottom below ground level?	Artificial Liner?	_	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Yes No	Yes X	No	BENTONITE	
Pit dimensions (all but working pits):	2 Length (fe	net) 12	Width (feet) N/A: Steel Pits	
Depth from ground level to deepest point: 8 (feet) No Pit				
If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining				
, , ,		ncluding any special monitoring.		
			2	
Distance to percent water well within one mile of sit		west fresh water		
Source of infor		mation:		
<u> </u>			electric log KDWR	
		1	al utilized in drilling/workover: FRESH WATER	
l i		king pits to be utilized:1		
		procedure: FLUID TO NEXT WELL, BACKFILL,		
Does the slope from the tank battery allow all spilled fluids to		LEVEL & SEED		
		be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSIC				
		1	JUL 3 0 2008	
7 - 2 6 - 0 \$ Date		Jen	ignature of Applicant or Agent CONSERVATION DIVISION	
WICHITA, KŞ				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 7/30/08 Permit Number: Permit Date: 7/30/08 Lease Inspection: Yes No				