For KCC Use:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	
Expected Spud Date:	Spot Description:
month day year	SW - NE - NW - SW Sec. 31 Twp. 16 S. R. 21 XE W
6298	(2/0/0/0) 2,200 feet from N / X S Line of Section
OPERATOR: License# Name: JERRY L VICKERS	875 feet from E / W Line of Section
	Is SECTION: Regular X Irregular?
Address 1: BOX 7	
Address 2: KS Zip: 66092 + 66092 + - <td>(Note: Locate well on the Section Plat on reverse side)</td>	(Note: Locate well on the Section Plat on reverse side)
Contact Person: JERRY L VICKERS	County: FRANKLIN
Phone: 785-242-5950	Lease Name: VICKERS Well #: V-2
	Field Name: PAOLA-RANTOUL
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name: HUGHES DRILLING CO	Target Formation(s): SQUIRREL
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 440
	Ground Surface Elevation: N/A feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic ;# of Holes Other	Depth to bottom of usable water: 200
Other:	
If OWWO: old well information as follows:	Surface Pipe by Alternate: I XIII
	Length of Surface Pipe Planned to be set: 21
Operator:	Length of Conductor Pipe (if any): NONE
Well Name:	Projected Total Depth: 725
Original Completion Date: Original Total Depth:	Formation at Total Depth: SQUIRREL
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
NOC DNT #:	Will Cores be taken? Yes No
NOC DNT #:	If Yes, proposed zone:
	If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.
AFFI	If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION PROPERTY OF THE PROPERTY OF T
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the prior and the second of the se	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall beautiffa, KS underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard and the standard and the set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall benegative, KS underlying formation. ct office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall benefit a, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the provided below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall benedita, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall beneditta, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the standard of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceeded.	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall benegative, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall benegative, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall bendenta, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in: from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the standard of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceeded.	DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall benefit a, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall bendenta, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in: from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the standard	DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall benefit a, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the standard	DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall blackfill, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the posted on each of the standard	DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall blackfill, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the standard plug as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the stan	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSIDE ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall bindenta, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the posted on each of the state	DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall bindenta, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set be set to the set will be well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the poer the set of the specific placed by the statements of the specific placed by the specific placed by the statements of the specific placed by the specific placed by the statements of the specific placed by the speci	DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall blackfill, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the posted on each of the state	DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall bhillothia, KS underlying formation. et office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard and unconsolidated materials plus a minimum of 20 feet into the standard and the stan	DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall beneditta, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the posted on each of the state	DAVIT CANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall blackfill, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the posted on each of the state	DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUL 3 0 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall beneditta, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-253740000	
Operator: JERRY L VICKERS	Location of Well: County: FRANKLIN
Lease: VICKERS	2,200 feet from N / X S Line of Section
Well Number: V-2	2,200 feet from N / X S Line of Section 875 feet from E / X W Line of Section
Field: PAOLA-RANTOUL	Sec. 31 Twp. 16 S. R. 21 🔀 E 🔲 W
Number of Acres attributable to well: QTR/QTR/QTR of acreage:SWNENWSW	Is Section: Flegular or X Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

		RECEIVED KANSAS CORPORATION COMMISSION JUL 3 0 2008
	3/	CONSERVATION DIVISION WICHITA, KS
(d 25) • (196)		10 1980
2200		SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: JERRY L VICKERS		License Number: 6298		
Operator Address: BOX 7			WELLSVILLE KS 66092	
Contact Person: JERRY L VICKERS		Phone Number: 785-242-5950		
Lease Name & Well No.: VICKERS V-2		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW NE NW SW	
Emergency Pit Burn Pit	Proposed Existing		Sec. 31 Twp. 16 R. 21 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		2,200 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		875 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)		(bbls)	FRANKLIN County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l	
		-	(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used? BENTONITE	
Pit dimensions (all but working pits):	2Length (fe	eet) 12	Width (feet) N/A: Steel Pits	
	om ground level to de		8 (feet) No Pit	
1 ' The state of t		edures for periodic maintenance and determining ncluding any special monitoring.		
Distance to the second state of the second sta		west fresh water1 9 feet.		
Distance to nearest water well within one-mile	Source of infor		mation:	
		ured well owner electric log KDWR		
		over and Haul-Off Pits ONLY:		
		king pits to be utilized: 1		
· • •		procedure: FLUID TO NEXT WELL,		
Does the slope from the tank battery allow all			BACKFILL, LEVEL & SEED	
flow into the pit? Yes No	•	Drill pits must i	be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMIS				
			JUL 3 0 2008	
7 - 26 - 0 F Date		Juny.	ignature of Applicant or Agent WICHITA, KS	
		1	Winnia, NS	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 7/30/08 Permit Num	ber:	Perm	it Date: 7/30/08 Lease Inspection: Yes No	