# For KCC Use: Effective Date: District # SGA? Yes V No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	Cast Consciptions
Expected Spud Date:	Spot Description:
6142	SE - NE - NW - SW Sec. 3 Twp. 16 S. R. 21 XE W
OPERATOR: License#	(2000) 2050 feet from N / X S Line of Section
Name: Town Oil Company, Inc.	
Address 1: 16205 West 287th St.	ls SECTION: XRegular Imegular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Paola State: KS Zip: 66071 +	County: Franklin
Contact Person: <u>Lester Town</u> Phone: 913-294-2125	Lease Name: Coughenour Well #: 28
	Field Name: Paola-Rantoul
CONTRACTOR: License# 6142	Is this a Prorated / Spaced Field?
Name: Town Oil Company, Inc.	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1200
X Oil Enh Rec X Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Carriage 10tal Deptit.
Original Completion Date: Original Total Depth:	Politiation at light beptin.
Division of Division of State of the State o	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?  Yes X No	WellFarm Pond X_Other:
If Yes, true vertical depth:  Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR ])
KCC DKT #:	Will Cores be taken?
	if Yes, proposed zone:
	ii ies, proposau zorie.
ΔFF	RECEIVED
	IDAVIT KANSAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	IDAVIT  KANSAS CORPORATION COMMISSION  Iging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	IDAVIT  KANSAS CORPORATION COMMISSION  Iging of this well will comply with K.S.A. 55 et. seq.  AUG 0 4 2008
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	IDAVIT  KANSAS CORPORATION COMMISSION  Iging of this well will comply with K.S.A. 55 et. seq.  AUG 0 4 2008  drilling rig;  CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	IDAVIT  KANSAS CORPORATION COMMISSION  Iging of this well will comply with K.S.A. 55 et. seq.  AUG 0 4 2008  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe significant and complete significant an
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	ransas corporation commission and of this well will comply with K.S.A. 55 et. seq.  AUG 0 4 2008  drilling rig;  y circulating cement to the top; in all cases surface pipe significant processing comparison.
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugger.	RANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq.  AUG 0 4 2008  drilling rig;  y circulating cement to the top; in all cases surface pipe share at sunderlying formation.  ict office on plug length and placement is necessary prior to plugging: ad or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig;  y circulating cement to the top; in all cases surface pipe show the rest underlying formation.  ict office on plug length and placement is necessary prior to plugging: ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	AUG 0 4 2008  drilling rig;  y circulating cement to the top; in all cases surface pipe shakehares underlying formation.  ict office on plug length and placement is necessary prior to plugging: ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate it cementing
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	AUG 0 4 2008  drilling rig;  y circulating cement to the top; in all cases surface pipe short paragraphs and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate it cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distriction of the distriction of the production pipe shall be completed. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the be	AUG 0 4 2008  drilling rig;  y circulating cement to the top; in all cases surface pipe shakeharests  underlying formation.  ict office on plug length and placement is necessary prior to plugging: ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements.	RANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq.  AUG 0 4 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe should be a considered or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distriction of the distriction of the production pipe shall be completed. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the be	AUG 0 4 2008  drilling rig;  y circulating cement to the top; in all cases surface pipe shape page at or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Eact of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be because the statements made herein are true and correct to the because the statements and the production of the set of the statements are true and correct to the because the statements are true and correct to the because the statements are true and correct to the because the statements are true and correct to the because the statements are true and correct to the because the statements are true and correct to the because the statements are true and correct to the because the statements are true and correct to the because the statements are true and correct to the because the statements are true and correct to the because the statements are true and correct to the statements are true and correct to the statements.	AUG 0 4 2008  drilling rig;  y circulating cement to the top; in all cases surface pipe shape page or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing est of my knowledge and belief.  Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distriction of the production pipe shall be completed. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of Operator or Agent:    Signature of Operator or Agent:   Signature of Operator or	AUG 0 4 2008  drilling rig;  y circulating cement to the top; in all cases surface pipe shape parts  underlying formation.  ict office on plug length and placement is necessary prior to plugging: and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the statements of Operator or Agent:    Signature of Operator or Agent:   Signature of Operator o	AUG 0 4 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe short paging; underlying formation.  In the original section of the control
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the statements of the operator of Agent:    Post	RANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq.  AUG 0 4 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe short press underlying formation.  In office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate it cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the statements of the operator of Agent:    Body	AUG 0 4 2008  drilling rig;  y circulating cement to the top; in all cases surface pipe shorter and surface or pipe shorter and surface pipe shorter and sunderlying formation.  ict office on plug length and placement is necessary prior to plugging: and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  ast of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the statements of the operator of Agent:    Body	RANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq.  AUG 0 4 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe should represent to the top; in all cases surface pipe should represent to the top; in all cases surface pipe should represent to the top; in all cases surface pipe should represent to the top; in all cases surface pipe should represent to the top; in all cases are prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  Basel - C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Title:  Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the statement of the statement of the statement of the st	AUG 0 4 2008  drilling rig;  y circulating cement to the top; in all cases surface pipe showing refs underlying formation.  ict office on plug length and placement is necessary prior to plugging: ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing.  ast of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the statements of the operator of Agent:    Body	AUG 0 4 2008  drilling rig;  y circulating cement to the top; in all cases surface pipe shape price of pip
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the statements of Operator or Agent:    Signature of Operator or Agent:   Signature of Operator o	AUG 0 4 2008  drilling rig;  y circulating cement to the top; in all cases surface pipe share hards  underlying formation.  Ict office on plug length and placement is necessary prior to plugging;  of or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  38,891-C, which applies to the KCC District 3 area, atternate it cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Date:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 2 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 3 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 3 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 5 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 5 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 5 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 5 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 5 hereby certified before well is either plugger.	AUG 0 4 2008  drilling rig;  y circulating cement to the top; in all cases surface pipe shape page of the complex of the compl

### IN ALL CASES PLOTTHE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


if the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25377-0000	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🔲 E 🔲 W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

<del>-</del>	Odbiini iii Dupiica	
Operator Name: Town Oil Company	, Inc.	License Number: 6142
Operator Address: 16205 W. 287th S	t. Paola, Kansas	
Contact Person: Lester Town		Phone Number: ( 913 ) 294-2125
Lease Name & Well No.: Coughenour #28		Pit Location (QQQQ):
Type of Pit: Pit	is:	_SENENWSW
Emergency Pit Workover Pit	X Proposed Existing	Sec. 3 Twp. 16 R. 21 X East West
Settling Pit X Drilling Pit If E	existing, date constructed:	2050 Feet from North / X South Line of Section
Burn Pit Haul-Off Pit -		4000
(If WP Supply API No. or Year Drilled)	capacity:	Feet from X East / West Line of Section Franklin
	(50.0)	County
Is the pit located in a Sensitive Ground Water Area?	Yes X No	Chloride consentration:mg/l  (For Emergency Pits and Settling Pits only)
	ificial Liner?	How is the pit lined if a plastic liner is not used?
XX Yes No	Yes X No	Pit is lined with native clay
Pit dimensions (all but working pits): 8	Length (feet) 1.2	
	ound level to deepest point:	
material, thickness and installation procedure.	liner integrity,	including any special monitoring.
Distance to nearest water well within one-mile of pit		owest fresh water57feet. / V
908 feet Depth of water well	Source of info	ormation: UR -KGS sured well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		kover and Haul-Off Pits ONLY:
Producing Formation:		ial utilizad in drilling/workover: <u>fresh water</u>
Number of producing wells on lease:	, ,	erking pits to be utilized:
Barrels of fluid produced daily:		procedure: Pits filled as soon a well
∮		leted
flow into the pit? Yes No		be closed within 365 days of spud date.
I hereby certify that the above statements	are true and correct to the be	st of my knowledge and belief.  RECEIVED  KANSAS CORPORATION CO
8-1-08		electa Jour AUG 0 4 200
Date	7	Signature of Applicant (Agent)  CONSERVATION DIVIS
	KCC OFFICE USE C	WICHTA KE
Date Received: \$/4/08 Permit Number:_		nit Date: 62/4/08 Lease Inspection: Yes Tho