For KCC Use: 8-10-28 Effective Date: 8-10-28 District

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

| | CC five (5) days prior to commencing well | |
|--|--|--|
| Expected Spud Date: August 10, 2008 | Spot Description: 93' West and 27' North | |
| month day year | - SE - SW - SE Sec. 14 Twp. 16 S. R. 18 | Te XIw |
| 34142 V | (0-0/0/0) 357 feet from N / X S Lir | |
| OPERATOR: License# | 1,743 feet from E / W Lir | |
| 10000 | Is SECTION: Regular Irregular? | |
| 7.dd(000 11 | 13 020 11011. Mail mrogular: | |
| Address 2: Suite 210 City: Dallas State: TX Zip: 75205 + | (Note: Locate well on the Section Plat on reverse side) | |
| Contact Person: Wheeler M. Sears | Courry. | |
| Phone: 214.696.6700 | Lease Name: Legleiter Estate Welt #: 1 | |
| THORE. | Field Name: Liebenthal East Extension | |
| CONTRACTOR: License# | Is this a Prorated / Spaced Field? | Yes X No |
| Name: Anderson Drilling | Target Formation(s): Arbuckle | |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): 357 feet | |
| <u></u> | Ground Surface Elevation: 2056 Estimated | feet MSL |
| Oil Enh Rec Infield Mud Rotary | | Yes No |
| Gas Storage Pool Ext. Air Rotary | · · · · · · · · · · · · · · · · · · · | Yes X No |
| Disposal Wildcat Cable | | 192 140 |
| Seismic ; # of Holes Other | Depth to bottom of fresh water: 150' | |
| Other: | Depth to bottom of usable water: 480' | |
| MC CHARACO, and wall information on following | Surface Pipe by Alternate: III | |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: Alt. I. 500 min. | |
| Operator: | Length of Conductor Pipe (if any): None | |
| Well Name: | Projected Total Depth: 3600 | ., |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: Arbuckle | |
| <u> </u> | — Water Source for Drilling ⊕perations: — Water Source for Drilling ⊕ Decrations: | |
| Directional, Deviated or Horizontal wellbore? | No Well X Farm Pond Other: | |
| If Yes, true vertical depth: | DWR Permit #: | |
| Bottom Hole Location: | | |
| KCC DKT #: | | Yes X No |
| | If Yes, proposed zone: | (|
| | | RECEIVED |
| | AFFIDAVIT KANSAS CO | ORPORATION COMMISSI |
| The undersigned hereby affirms that the drilling, completion and even | itual plugging of this well will comply with K.S.A. 55 et. seg | |
| | A | UG 0 5 2008 |
| It is agreed that the following minimum requirements will be met: | ••• | |
| Notify the appropriate district office prior to spudding of well; | CON: | |
| 2. A copy of the approved notice of intent to drill shall be posted of | | SERVATION DIVISION |
| 2. A copy of the approved house of the tribing of the | on each drilling rig; | SERVATION DIVISION WICHITA, KS |
| 3. The minimum amount of surface pipe as specified below shall | be set by circulating cement to the top; in all cases surface pipe shall be set | |
| The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet | be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. | WICHITA, KS |
| The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet If the well is dry hole, an agreement between the operator and | be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to pluggling. | WICHITA, KS |
| The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet If the well is dry hole, an agreement between the operator and the superprivate district office will be notified before well is either | be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to pluggling plugged or production casing is cemented in; | , wichita, ks |
| The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet If the well is dry hole, an agreement between the operator and the appropriate district office will be notified before well is either. If an ALTERNATE II COMPLETION, production pipe shall be one | be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to pluggliner plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud da | , WICHITA, KS ng; te. |
| The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet If the well is dry hole, an agreement between the operator and the street of the appropriate district office will be notified before well is either. If an ALTERNATE II COMPLETION, production pipe shall be conformation or pursuant to Appendix "B" - Eastern Kansas surface casing of | be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to pluggling plugged or production casing is cemented in; | , WICHITA, KS ng; te. nting |
| The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet If the well is dry hole, an agreement between the operator and the superprivate district office will be notified before well is either. If an ALTERNATE II COMPLETION, production pipe shall be on the complete of the surface casing of the superprivate of the superprivate within 30 days of the spud date or the well seen. | be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugglier plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud dayder #133,891-C, which applies to the KCC District 3 area, alternate II cements all be plugged. In all cases, NOTIFY district office prior to any cementing | , WICHITA, KS ng; te. nting |
| 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the street of the appropriate district office will be notified before well is either than all ternated in a number of the street o | be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to pluggling plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud dayorder #133,891-C, which applies to the KCC District 3 area, alternate II cements to the plugged. In all cases, NOTIFY district office prior to any cementing to the best of my knowledge and belief. | , WICHITA, KS ng; te. nting |
| 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the street of the appropriate district office will be notified before well is either that an ALTERNATE II COMPLETION, production pipe shall be of the organization of pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well see the street of the st | be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugglier plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud dayder #133,891-C, which applies to the KCC District 3 area, alternate II cements all be plugged. In all cases, NOTIFY district office prior to any cementing | , WICHITA, KS ng; te. nting |
| 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and to 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be of the or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well is 1 hereby certify that the statements made herein are true and correct the August 4, 2008. | be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud dayorder #133,891-C, which applies to the KCC District 3 area, alternate II cements that the plugged. In all cases, NOTIFY district office prior to any cementing to the best of my knowledge and belief. Vice-President | , WICHITA, KS ng; te. nting |
| 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and to 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be on the computation of the spursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well is a hereby certify that the statements made herein are true and correct to a hugust 4, 2008 Signature of Operator of Agents. | be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud dayorder #133,891-C, which applies to the KCC District 3 area, alternate II cementshall be plugged. In all cases, NOTIFY district office prior to any cementing to the best of my knowledge and belief. Title: **Vice-President** **Remember to:** | , WICHITA, KS ng; te. nting |
| 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and to the appropriate district office will be notified before well is either for the appropriate district office will be notified before well is either for the analyse of the surface casing of the surface casing of must be completed within 30 days of the spud date or the well is thereby certify that the statements made herein are true and correct to the surface casing of the sur | be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud dayorder #133,891-C, which applies to the KCC District 3 area, alternate II cementshall be plugged. In all cases, NOTIFY district office prior to any cementing to the best of my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; | WICHITA, KS |
| 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and to the specified district office will be notified before well is either that the statements of the spud date or the well of the spud date or the spud date or the well of the spud date or the spud date or the spud date or the well of the spud date or | be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to pluggling plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud dayorder #133,891-C, which applies to the KCC District 3 area, alternate II cementshall be plugged. In all cases, NOTIFY district office prior to any cementing to the best of my knowledge and belief. Vice-President Pitte: V | wichita, Ks ng; te. nting |
| 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the state of the specified before well is either than the state of the specified before well is either than the state of the specified before well is either than the state of the specified before well is either than the state of the specified before well is either than the state of the specified before well is either than the state of the specified before well is either than the state of the specified before well is either than the state of the specified before well is either than the state of the specified before well is either than the state of the specified before well is either than the state of the specified before well is either than the state of the specified before well is either than the state of the specified before well is either than the state of the specified before well is either than the state of the specified before well is either than the state of the specified before well is either than the state of the specified before well is either than the state of the specified before well is either than the specified before the | be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to pluggling plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud dayorder #133,891-C, which applies to the KCC District 3 area, alternate II cementshall be plugged. In all cases, NOTIFY district office prior to any cementing to the best of my knowledge and belief. Vice-President Price Vice-President | wichita, Ks ng; te. titing 14 |
| 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and to 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be on the computation of the specific casing of must be completed within 30 days of the spud date or the well is 1 hereby certify that the statements made herein are true and correct to 1 hereby certify that the statements made herein are true and correct to 1 hereby certify that the statements made herein are true and correct to 1 hereby certify that the statements made herein are true and correct to 1 hereby certify that the statements made herein are true and correct to 1 hereby certify that the statements made herein are true and correct to 1 hereby certify that the statements made herein are true and correct to 1 hereby certify that the statements made herein are true and correct to 1 hereby certify that the statements made herein are true and correct to 2 hereby certify that the statements made herein are true and correct to 2 hereby certify that the statements made herein are true and correct to 2 hereby certification. For KCC Use ONLY API # 15 - 1/05 - 2 18 35 - 0000000000000000000000000000000000 | be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to pluggling plugged or production casing is cemented in; semented from below any usable water to surface within 120 DAYS of spud dayorder #133,891-C, which applies to the KCC District 3 area, alternate II cementshall be plugged. In all cases, NOTIFY district office prior to any cementing to the best of my knowledge and belief. Vice-President | te. total description of the stry; |
| 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the street of the specified before well is either that the statements made herein are true and correct the surface conductor pipe shall be considered within 30 days of the spud date or the well is thereby certify that the statements made herein are true and correct the surface conductor pipe required Signature for the statements of the spud date or the well in the statements made herein are true and correct the surface of the spud date or the well in the statements made herein are true and correct the surface of the spud date or the well in the statements made herein are true and correct the surface of the surface o | be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to pluggling plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud dayorder #133,891-C, which applies to the KCC District 3 area, alternate II cementshall be plugged. In all cases, NOTIFY district office prior to any cementing to the best of my knowledge and belief. Vice-President | te. htting try; 0 days); |
| 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the street of the s | be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to pluggling plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud dayorder #133,891-C, which applies to the KCC District 3 area, alternate II cementshall be plugged. In all cases, NOTIFY district office prior to any cementing to the best of my knowledge and belief. Vice-President | te. htting try; diagrams diagrams |
| 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the street of the s | be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to pluggling plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud dayorder #133,891-C, which applies to the KCC District 3 area, alternate II cements shall be plugged. In all cases, NOTIFY district office prior to any cementing to the best of my knowledge and belief. Vice-President | te. htting try; 0 days); |
| 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the state of the specified before well is either that the statements made herein are true and correct the surface as a signature of the specified before well is either that the statements made herein are true and correct the surface casing of the specified before well is either that the statements made herein are true and correct the surface are true and correct that the statements made herein are true and correct that the statements made herein are true and correct that the statements made herein are true and correct that the statements made herein are true and correct that the statements made herein are true and correct that the statements made herein are true and correct that the statements made herein are true and correct that the statements made herein are true and correct that the statements made herein are true and correct that the statements made herein are true and correct that the statements made herein are true and correct that the statements made herein are true and correct that the statements made herein are true and correct that the statements | be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to pluggling plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud dayorder #133,891-C, which applies to the KCC District 3 area, alternate II cementshall be plugged. In all cases, NOTIFY district office prior to any cementing to the best of my knowledge and belief. Vice-President | te. nting 3. Atry; 0 days); |
| 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the street of the s | into the underlying formation. the district office on plug length and placement is necessary prior to pluggling plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud dayorder #133,891-C, which applies to the KCC District 3 area, alternate II cementshall be plugged. In all cases, NOTIFY district office prior to any cementing to the best of my knowledge and belief. Vice-President | te. nting 3. Atry; 0 days); |
| 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the strict office will be notified before well is either that the appropriate district office will be notified before well is either that the statements of the spud date or the well is either that the statements made herein are true and correct that the statement is statement to the statement that t | into the underlying formation. the district office on plug length and placement is necessary prior to pluggling plugged or production casing is cemented in; semented from below any usable water to surface within 120 DAYS of spud dayorder #133,891-C, which applies to the KCC District 3 area, alternate II cements shall be plugged. In all cases, NOTIFY district office prior to any cementing to the best of my knowledge and belief. Vice-President | te. chting try; 0 days); |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 105-21835-0000 Operator: Oklahoma Oil Company | Location of Well: County: Rush |
|---|--|
| Lease: Legleiter Estate | 357 feet from N / N S Line of Section |
| Well Number: 1 | 1,743 feet from X E / W Line of Section |
| Field: Liebenthal East Extension | Sec. <u>14 Twp. 16 S. R. 18</u> E X W |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| QTR/QTR/QTR/QTR of acreage: SE _ SW _ SE | is Section. Megular or Miregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

| i : | | | : | i : | : | • | : 1 |
|-----|---|-----|----|-------|-------|-----------|----------|
| 1 | | • | | | | - | : 1 |
| 1 | | : | | | | : | : 1 |
| | | | | | | _ | |
| : . | | | | | | - | . 1 |
| 1 . | | | | i . | | - | . 1 |
| : | | | | | | _ | . , |
| i . | | | | | | : | - 1 |
| 1 | | | | i | | | Į. |
| | | | | : | | | 1 |
| 1 | | | | | | | |
| 1 | | | | 1 | | | |
| 1 | | | | | | | |
| i . | | | | | | | - 1 |
| | | | | | | | . (|
| 1 | | | | | | - | . : |
| | | | • | | | | |
| | | • | | | | • | · i |
| : . | | | | | | - | - j |
| 1 . | - | | • | | | | - 1 |
| 1 | | | | | | | 3 |
| | | | ., | | | | ., |
| | | | | | | | |
| 1 | | | | | | • | . : |
| 1 | • | | • | | , | • | |
| 1 | - | • | • | : • | • | • | •] |
| 1 | • | | • | | | • | . 1 |
| 1 | • | | | : ' | , | • | . , |
| 1 | • | | • | 1 | | • | : 1 |
| 1 | | | • | | | • | : 1 |
| 1 | • | | • | : . | | • | - 1 |
| 1 | • | • | • | | - | - | · ; |
| I | | | | | | | 1 |
| | | | | | | | |
| i | | | | | | | 1 |
| i . | | _ | | : . | | _ | . ! |
| 1 | | : . | | i | | : | _ 1 |
| 1 | | • | | | | I | . ; |
| 1 | | • | | | | : | - 1 |
| i | | : | | | | | . 1 |
| 1 | | : | | | | - | . 1 |
| i | | : | | | | - | |
| 1 | | | | | , | | . 1 |
| | | | | | | - | .) |
| 1 | | | | | | | ı |
| 1 | | | | | | | |
| 1 : | : | | : | : | | : | : |
| 1 . | | | | | | | . , |
| i . | | | | | | | . (|
| 1 . | | | | | | | · i |
| 1 | | | | | | | . 1 |
| 1 | | | | | | | , ! |
| 1 | | | | | | | - 1 |
| 1 . | | | • | | | | - 1 |
| 1 | | | | ! | | | i |
| 1 | | | | | | | |
| | | | | | | 4-14-1 | |
| 1 | | | | I | | | 1 |
| 1 | • | | • | | | | • 1 |
| 1 . | , | | • | | | | • 1 |
| 1 | | | | | | - | • 1 |
| 1 | • | | • | | | • | • 1 |
| | • | | • | ! | | • | - : |
| 1 . | | | • | | | • | - 1 |
| 1 . | • | • | • | | | • | - 1 |
| 1 | | | • | 1 | | | - 1 |
| 1 | | | | i | | | 1 |
| 1 | | | | | | | |
| 1 | | | | | | | _ 4 |
| 1 | | | | i : | | | : 1 |
| i | | | | ! : | | | . 1 |
| 1 | | | | : | | : | _ 1 |
| 1 | | | | : | | : | . 1 |
| | | | | | | | . 1 |
| 1 | | | | ! | | | . 1 |
| 1 | | | | | | | . 1 |
| i | | | | | | | . 1 |
| 1 | | | | | | | 1 |
| 1 | | | | | | | |
| 1 | | | | | | 7 | , |
| 1 | | | | | | 1 1 1 1 1 | |
| | | | | | | . 14777 | <u>.</u> |
| | | | | | | | •1 |
| | | | | | · () | , | |
| | | | | | | | |
| | | | • | | | | |
| | | | : | | . • | : | : 1 |
| | | | : | 24 3 | _ĭ | | |
| | | | | 357'_ | آر< | | |
| | | | | 357'- | آخ | - | |
| | | | | 357'- | آخ | | |
| | | | | 357' | 7 | | |

RECEIVED KANSAS CORPORATION COMMISSION

AUG 0 5 2008



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Oklahoma Oil Compa | any | <u> </u> | License Number: 34142 | | |
|--|--------------------------------|---|---|---------------------------------|--|
| Operator Name: Oklahoma Oil Company Operator Address: 4809 Cole Ave Suit | | | e 210 Dallas | TX 75205 | |
| · | | Suit | | | |
| Contact Person: Wheeler M. Sears | | | Phone Number: 214.696.67 | 00 | |
| Lease Name & Well No.: Legleiter Es | tate 1 | | Pit Location (QQQQ): | | |
| Type of Pit: | Pit is: | | SESWSE | | |
| Emergency Pit Burn Pit | Proposed | Existing | Sec. 14 Twp. 16 R. 18 | East West | |
| Settling Pit Drilling Pit | If Existing, date constructed: | | Feet from North / South Line of Section | | |
| Workover Pit Haul-Off Pit | Pit capacity: | | 1,743 Feet from East / | West Line of Section | |
| (If WP Supply API No. or Year Drilled) | 2,500 | (bbls) | Rush | County | |
| Is the pit located in a Sensitive Ground Water | Area? Yes | (No | Chloride concentration: | mg/l | |
| | , | | (For Emergency Pits and S | | |
| Is the bottom below ground level? | Artificial Liner? Yes | No | How is the pit lined if a plastic liner is Native Solids | s not used? | |
| | | | | | |
| Pit dimensions (all but working pits): | SO Length (fe | eet)80 | Width (feet) | N/A: Steel Pits | |
| Depth fr | rom ground level to de | eepest point: | 3 (feet) | No Pit | |
| material, thickness and installation procedure. | | · · | edures for periodic maintenance and d neluding any special monitoring. | letermining | |
| | | Visual Inspection | | | |
| | | | | | |
| | | | | \hat{o} | |
| Distance to nearest water well within one-mile | e of pit | Depth to shallo | owest fresh water50fee | et. | |
| | • | Source of information: | | | |
| 900 feet Depth of water well 150 feet | | measu | red well owner elect | ric log X KDWR | |
| Emergency, Settling and Burn Pits ONLY: | | | over and Haul-Off Pits ONLY: | Votor Chamical Mud | |
| Producing Formation: | | | al utilized in drilling/workover: Fresh V | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: 3 | | | |
| | | procedure: Evaporation and B | ackfill [| | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No | | Drill pits must be closed within 365 days of spud date. | | | |
| I hereby certify that the above state | ements are true and | correct to the bes | t of my knowledge and belief. | RECEIVED KANSAS CORPORATION COM | |
| | | , ; | | AUG 0 5 2008 | |
| August 14, 2008 | | 2/1 | | | |
| Date | | S | Signature of Applicant or Agent | CONSERVATION DIVIS | |
| | КСС | OFFICE USE O | NLY Steel Pit RF | AC RFAS | |
| Date Received: 8/5/08 Permit Num | nber: | Perm | it Date: \$/5/08 Lease Inspe | ction: Yes No | |
| | | | | | |