#### RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use:	8-12-08
Effective Date:	8-12-48
District #	_4,
SGA? Tye	s 团No

Spud date:

Agent:

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## AUG 0 6 2008

Form C-1 October 2007 Form must be Typed Form must be Signed

NOTICE OF INTENT TO DRILL CONSERVATION DIVISION Must be approved by KC

Must be approved by KCC five	e (5) days prior to commencing well WICHITA, KS
Expected Spud Date: August 15, 2008	Spot Description:
month day year	<u>NE SE NE - Sec. 31 Twp. 1 S. R. 32  □ E ▼ W</u>
33335	
OPERATOR: License#	- IGGLIION IN / I IS LIIE O SECIIUII
Name: IA Operating, Inc.	feet from E / W Line of Section
Address 1: 9915 W 21st Street N	Is SECTION: Regular Irregular?
Address 2: Suite B	(Material and well on the Contine Plates and a series
City: Wichita State: KS Zip: 67205 +	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Hal Porter	County: Rawlins
Phone: 316-721-0036	Lease Name: Gertie Kastens Well #: 31-1
	Field Name: Wildcat
CONTRACTOR: License# 30606	Is this a Prorated / Spaced Field?
Name: Murfin Drilling Company, Inc.	Target Formation(s). Lansing Kansas City
W #0 # 15	Nearest Lease or unit boundary line (in footage): 420 330
Well Drilled For: Well Class: Type Equipment:	
◯ Oil ☐ Enh Rec ☐ Infield ☑ Mud Rotary ☐	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 250
Other:	Depth to bottom of usable water: 250
	Surface Pipe by Alternate: XI III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 300
	Length of Surface ripe Flamileo to be setNone
Operator:	Length of Conductor Pipe (if any); None
Well Name:	Projected Total Depth: 4000
Original Completion Date: Original Total Depth:	Formation at Total Depth: Unknown Lagsing Karsas City
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:	Water Source for Drilling Operations:  Well Farm Pond Other:  DWR Permit #:  (Note: Apply for Permit with DWR
KCC DKT #: SS	Will Cores be taken?
	If Yes, proposed zone:
	RECEIVED
AES	FIDAVIT KANSAS CORPORATION COMMISSION
	TIDAYTI
The undersigned hereby affirms that the drilling, completion and eventual plus is a second that the following principles are size as a second to a fill out in a second to a f	agging of this well will comply with K.S.A. 55 et. STUL 3 1 2008
It is agreed that the following minimum requirements will be met:	JOE 0 1 2000
	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation. trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in;
I hereby certify that the statements made herein are true and correct to the	
Date: July 29, 2008 Signature of Operator or Agent:	Title: President
,	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API#15-153-20865, -DDDD	- File Completion Form ACO-1 within 120 days of spud date;
Klong	- File acreage attribution plat according to field proration orders;
Considered Tool	Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required feet per ALT I III	- Submit plugging report (CP-4) after plugging is completed (within 60 days);
Approved by: Kut 8-7-98	- Obtain written approval before disposing or injecting salt water.
n 709	- If this permit has expired (See: authorized expiration date) please
, =	check the box below and return to the address below.
(This authorization void if drilling not started within 12 months of approval date.)	Well Not Drilled - Permit Expired Date:

Signature of Operator or Agent:


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 153-20865-0000  Operator: IA Operating, Inc.	
Operator: IA Operating, Inc.	Location of Well: County: Rawlins
Lease: Gertie Kastens	1,760 feet from N / S Line of Section
Well Number: 31-1	330 feet from E / W Line of Section
Field: Wildcat	Sec. 31 Twp. 1 S. R. 32 E X W
Number of Acres attributable to well:  OTR/QTR/QTR/QTR of acreage:  NE _ SE _ NE _	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

**PLAT** (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



WICHITA, KS

### In plotting the proposed location of the well, you must show:

- JUL 3 1 2008 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections CONSERVATION DIVISION
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines,
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

						<b>I</b>
Operator Name: IA Operating, Inc.			License Number: 33	335		
Operator Address: 9915 W 21st Stre	eet N	Suite	e B W	/ichita	KS	67205
Contact Person: Hal Porter		Phone Number: 31	6-721-003	3		
Lease Name & Well No.: Gertie Kastens 31-1		Pit Location (QQQQ):				
Type of Pit: Pit is:			NE SE N	NE		-
Emergency Pit Burn Pit	Proposed	Existing	Sec. 31 Twp. 1	R32 [	East 🔀	West
Settling Pit	If Existing, date con	nstructed:	1,760 Feet fro	om North /	South Line	of Section
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		330 Feet fro	om East /	West Line	of Section
III VII Guppiy Al Tito. Of real Dillings	400	(bbls)	Rawlins			County
s the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration:	gency Pits and Sett		mg/l
Is the bottom below ground level?  Yes No	Artificial Liner?	0	How is the pit lined if a			
Pit dimensions (all but working pits):	20 Length (fee	100	Width (feet)		N/A: Steel	Pits
Pit dimensions (all but working pits)			4		٦ ۵	1
womensions (an est working pilo).	m ground level to dee	epest point:	(feet)		│ No Pit	
womensions (an est working pilo).		Describe proce	edures for periodic maint		ermining	RECEIVE
Depth from		Describe proce	edures for periodic maint		ermining KANSAS (	
Depth from  If the pit is lined give a brief description of the li material, thickness and installation procedure.		Describe proce	edures for periodic maint		ermining KANSAS (	CORPORATION  AUG 0 6 2  NSERVATION C
Depth from	iner	Describe proce liner integrity, in	edures for periodic maint ncluding any special mor	itoring .	ermining KANSAS (	CORPORATION AUG 0 6 2
Depth from Depth is lined give a brief description of the limaterial, thickness and installation procedure.	of pit	Describe proce liner integrity, in Depth to shallo Source of infor	edures for periodic maint ncluding any special mor west fresh water	nitoring.	ermining KANSAS (	NSERVATION WICHITA,
Depth from the pit is lined give a brief description of the limaterial, thickness and installation procedure.  IO m, \( \frac{1}{2} \)  Distance to nearest water well within one-mile of the limit of the pit is lined give a brief description of the limit of the limi	of pit	Describe proce liner integrity, in Depth to shallo Source of informeasu	edures for periodic maint including any special more west fresh water mation:	itoring.	ermining KANSAS (	CORPORATION  AUG 0 6 2  NSERVATION C
Depth from the pit is lined give a brief description of the it material, thickness and installation procedure.    O m,	of pit /65_feet	Describe procelliner integrity, in	west fresh waterwell owner	itoring.  // O feet.  electric  ONLY:	ermining KANSAS (	NSERVATION WICHITA,
Depth from the pit is lined give a brief description of the it material, thickness and installation procedure.	of pit /65_feet	Describe proce liner integrity, in Depth to shallo Source of informeasure.  Drilling, Work Type of materia	edures for periodic maint ncluding any special more west fresh water mation: ured well owner over and Haul-Off Pits at utilized in drilling/worker	electric ONLY: Diver:	ermining KANSAS (	NSERVATION WICHITA,
Depth from the pit is lined give a brief description of the it material, thickness and installation procedure.    O m,	of pit /65_feet	Describe procelliner integrity, in Depth to shallo Source of informeast.  Drilling, Work Type of material	west fresh waterwest fresh waterwest owner well owner over and Haul-Off Pits at utilized in drilling/worker king pits to be utilized:	electric ONLY: Bentonite	co.	NSERVATION WICHITA, X
Depth from the six battery allow all signs a brief description of the six material, thickness and installation procedure.	of pit /65_feet	Describe proceliner integrity, in Depth to shallo Source of informeast Drilling, Work Type of materia Number of wor Abandonment	west fresh water well owner over and Haul-Off Pits at utilized in drilling/worker king pits to be utilized: procedure: Allow to a	electric ONLY: Bentonite 4 dry, backfill	co.	NSERVATION WICHITA, X
Depth from the pit is lined give a brief description of the limaterial, thickness and installation procedure.	of pit /65_feet	Describe proceliner integrity, in Depth to shallo Source of informeast Drilling, Work Type of materia Number of wor Abandonment	west fresh waterwest fresh waterwest owner well owner over and Haul-Off Pits at utilized in drilling/worker king pits to be utilized:	electric ONLY: Bentonite 4 dry, backfill s of spud date.	co.	NSERVATION WICHITA, K
Depth from the six battery allow all signs a brief description of the six material, thickness and installation procedure.	of pit / 65feet	Describe procelliner integrity, in Depth to shallo Source of informeasu.  Drilling, Work Type of materia Number of work Abandonment Drill pits must	west fresh water well owner over and Haul-Off Pits al utilized in drilling/worke king pits to be utilized: procedure: Allow to describe closed within 365 day	electric ONLY: Bentonite 4 dry, backfill s of spud date.	co.	NSERVATION WICHITA, X
Depth from the pit is lined give a brief description of the limaterial, thickness and installation procedure.	of pit / 65feet	Describe procelliner integrity, in Depth to shallo Source of informeasu.  Drilling, Work Type of materia Number of work Abandonment Drill pits must	west fresh water well owner over and Haul-Off Pits al utilized in drilling/worke king pits to be utilized: procedure: Allow to describe closed within 365 day	electric ONLY: Bentonite 4 dry, backfill s of spud date.	ermining KANSAS (  co.  log	NSERVATION WICHITA, K
Depth from the pit is lined give a brief description of the it material, thickness and installation procedure.	of pit / 65feet	Describe proceliner integrity, in Depth to shallo Source of informeasu.  Drilling, Work Type of materia Number of wor Abandonment  Drill pits must	west fresh water well owner over and Haul-Off Pits al utilized in drilling/worke king pits to be utilized: procedure: Allow to describe closed within 365 day	electric ONLY: Bentonite 4 dry, backfill s of spud date.	and leve	NSERVATION WICHITA, KNOWR  WICHITA, KNOWR  LIVED TION COMMIS  1 2008
Depth from the pit is lined give a brief description of the limaterial, thickness and installation procedure.	of pit / LASfeet spilled fluids to	Describe procelliner integrity, in Depth to shallo Source of informeast.  Drilling, Work Type of material Number of work Abandonment Drill pits must	west fresh water well owner mation:  ured well owner over and Haul-Off Pits at utilized in drifling/worke king pits to be utilized: procedure: Allow to declosed within 365 day to f my knowledge and be a figurature of Applicant or Allow to declosed within 365 day	electric ONLY: Bentonite 4 dry, backfill s of spud date. pelief. KAN	ermining KANSAS (  CO.  log	NSERVATION WICHITA, K
Depth from the pit is lined give a brief description of the limaterial, thickness and installation procedure.	of pit / LASfeet spilled fluids to	Describe proceliner integrity, in Depth to shallo Source of informeasu.  Drilling, Work Type of materia Number of wor Abandonment  Drill pits must	west fresh water well owner mation:  west fresh water well owner over and Haul-Off Pits at utilized in drifling/worke king pits to be utilized: procedure: Allow to complete the closed within 365 day to fresh knowledge and be complete to fresh	electric ONLY: Bentonite 4 dry, backfill s of spud date. pelief. KAN	ermining KANSAS (  CO.  log	NSERVATION WICHITA, K