For KCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: August 20, 2008	Spot Description:	
month day year	NE - SE - NE - Sec. 33 Twp. 8 S. R. 26 E	<u></u>
33335	(a/a/a/a) 1,440 feet from N / S Line of Se	
OPERATOR: License#	330 feet from $X = /$ W Line of Se	
Name: IA Operating, Inc. Address 1: 9915 W 21st Street N	Is SECTION: Regular Irregular?	CHOIL
Address 1: 9913 W 21st Subset N Address 2: Suite B	is acorton. Magdial Miledulal:	
City: Wichita State: KS Zip: 67205 +	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Hal Porter	County: Sheridan	
Phone: 316-721-0036	Lease Name: Harry Pratt Well #: 33-2	
20000	Field Name: Unnamed	
CONTRACTOR: License#	Is this a Prorated / Spaced Field?	No
Name: Murfin Drilling Company, Inc.	Target Formation(s): Lansing Kansas City	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330	errore, ner nom ser na
☑Oil ☐ Enh Rec ☐Infield ☑Mud Rotary	Ground Surface Elevation: 2600 approx feet	MSL
Gas Storage X Pool Ext. Air Rotary	Water well within one-quarter mile:	**
Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150	
Other:	Depth to bottom of usable water: 1300	
	Surface Pipe by Alternate: I I II	
if OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200'	
Operator:	Length of Conductor Pipe (if any): 200	
Well Name:	Projected Total Depth: None	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Conglomerate	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR 1	
KCC DKT #:	Will Cores be taken?	/ Nia
	Will Coles be taken?	7140
	If Yes, proposed zone:	
	If Yes, proposed zone:	IVED
	If Yes, proposed zone: RECE FIDAVIT KANSAS CORPORAT	IVED
The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: RECE TIDAVIT KANSAS CORPORAT gging of this well will comply with K.S.A. 55 et. seq.	TON COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECE FIDAVIT KANSAS CORPORAT	TON COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: RECE **IDAVIT* **Gansas Corporat **gging of this well will comply with K.S.A. 55 et. seq. **AUG 0 (IVED TION COMMISSION 3 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: RECE RECE KANSAS CORPORAT gging of this well will comply with K.S.A. 55 et. seq. AUG 0 (drilling rig; CONSERVATIO	IVED TION COMMISSION 3 2008 ON DIVISEUR
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: RECE RECE KANSAS CORPORAT gging of this well will comply with K.S.A. 55 et. seq. AUG 0 (drilling rig; conservation conservation conservation condensity in all cases surface pipe shall be set WICHIT condensity in grant formation.	IVED TION COMMISSION 3 2008 ON DIVISEUR
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr	If Yes, proposed zone: RECE RECE KANSAS CORPORAT gging of this well will comply with K.S.A. 55 et. seq. AUG 0 (drilling rig; conservation conservation conservation condensing cement to the top; in all cases surface pipe shall be setWICHIT condensing formation. cite office on plug length and placement is necessary prior to plugging;	IVED TION COMMISSION 3 2008 ON DIVISEUR
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.	If Yes, proposed zone: RECE RECE KANSAS CORPORAT gging of this well will comply with K.S.A. 55 et. seq. AUG 0 (drilling rig; conservation conservat	IVED TION COMMISSION 3 2008 ON DIVISEUR
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	If Yes, proposed zone: RECE TIDAVIT RANSAS CORPORAT gging of this well will comply with K.S.A. 55 et. seq. AUG 0 (drilling rig; conservation conser	IVED TION COMMISSION 3 2008 ON DIVISEUR
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone: RECE TIDAVIT RANSAS CORPORAT AUG 0 (drilling rig; conservation conservation conservation rict office on plug length and placement is necessary prior to plugging; deform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	IVED TION COMMISSION 3 2008 ON DIVISEUR
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: RECE TIDAVIT Ransas Corporat gging of this well will comply with K.S.A. 55 et. seq. AUG 0 drilling rig; conservation or underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; form below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	IVED TION COMMISSION 3 2008 ON DIVISEUR
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the performance of the statements made herein are true and correct to the performance of the statements made herein are true and correct to the performance of the statements made herein are true and correct to the performance of the statements made herein are true and correct to the performance of the statements made herein are true and correct to the performance of the statements made herein are true and correct to the performance of the statements made herein are true and correct to the performance of the statements made herein are true and correct to the performance of the statements and the statements are true and correct to the performance of the statements are true and correct to the performance of the statements are true and correct to the performance of the statements are true and correct to the performance of the statements are true and correct to the performance of the statements are true and correct to the performance of the statements are true and correct to the performance of the statement are true and correct to the performance of the statement are true and correct to the performance of the statement are true and correct to the	If Yes, proposed zone: RECE RANSAS CORPORAT gging of this well will comply with K.S.A. 55 et. seq. AUG 0 drilling rig; ov circulating cement to the top; in all cases surface pipe shall be setWICHIT a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.	IVED TION COMMISSION 3 2008 ON DIVISEUR
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: RECE TIDAVIT Ransas Corporat gging of this well will comply with K.S.A. 55 et. seq. AUG 0 drilling rig; conservation or underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; form below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	IVED TION COMMISSION 3 2008 ON DIVISEUR
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the least of the statements made herein are true and correct to the least of the statements made herein are true and correct to the least of the statements made herein are true and correct to the least of the statements made herein are true and correct to the least of the statements made herein are true and correct to the least of the statements made herein are true and correct to the least of the statements made herein are true and correct to the least of the statements made herein are true and correct to the least of the statements made herein are true and correct to the least of the statements made herein are true and correct to the least of the statements made herein are true and correct to the least of the statements made herein are true and correct to the least of the statements are true and correct to the least of the statements are true and correct to the least of the statements are true and correct to the least of the statements are true and correct to the least of the statements are true and correct to the least of the statements are true and correct to the least of the statements are true and correct to the least of the statements are true a	If Yes, proposed zone: RECE RANSAS CORPORAT gging of this well will comply with K.S.A. 55 et. seq. AUG 0 drilling rig; conservation crict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Title:	IVED TION COMMISSION 5 2008 ON DIVISHUR A, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the set. Date: July 29, 2008	If Yes, proposed zone: RECE RANSAS CORPORAT gging of this well will comply with K.S.A. 55 et. seq. AUG 0 drilling rig; conservation circ office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Title:	IVED TION COMMISSION 3 2008 ON DIVISEUR
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the set. Date: Signature of Operator or Agent: For KCC Use ONLY	If Yes, proposed zone: RECE RANSAS CORPORAT gging of this well will comply with K.S.A. 55 et. seq. AUG 0 drilling rig; conservation crict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Title:	IVED TION COMMISSION 5 2008 DN DIVISHUM A, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the statements. Date: July 29, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 179-2/2009-0000	If Yes, proposed zone: RECE RANSAS CORPORAT gging of this well will comply with K.S.A. 55 et. seq. AUG 0 drilling rig; CONSERVATIO ov circulating cement to the top; in all cases surface pipe shall be setWICHIT underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	IVED TION COMMISSION 5 2008 ON DIVISHUR A, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the set. Date: July 29, 2008	If Yes, proposed zone: RECE RANSAS CORPORAT gging of this well will comply with K.S.A. 55 et. seq. AUG 0 drilling rig; conservation conservation cit office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	IVED TION COMMISSION 5 2008 DN DIVISHUM A, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the real policy. Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 79 - 2 / 20 / 20 / 20 / 20 / 20 / 20 / 20	If Yes, proposed zone: RECE RIDAVIT Ransas Corporat Ransas surface pipe shall be set WICHIT Ransas prior to plugging; Ransas corporat Ransas corporati Ransas c	IVED TION COMMISSION DIVISION A KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the set. Date: July 29, 2008	If Yes, proposed zone: RECE RANSAS CORPORAT gging of this well will comply with K.S.A. 55 et. seq. AUG 0 drilling rig; Oconservation or conderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; off from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water.	EVED FION COMMISSION S 2008 ON DIVISHUM A KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the real policy. Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 79 - 2 / 20 / 20 / 20 / 20 / 20 / 20 / 20	If Yes, proposed zone: RECE RIDAVIT Raysas Corporate Raysas Raysas Corporate Raysas	IVED TION COMMISSION DIVISION A KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the set of th	If Yes, proposed zone: RECE RANSAS CORPORAT gging of this well will comply with K.S.A. 55 et. seq. AUG 0 drilling rig; Oconservation or circulating cement to the top; in all cases surface pipe shall be setWICHIT ounderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; office on below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	IVED TION COMMISSION DIVISION A KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the production pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 79 - 2 / 20 / 0000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I I I I I I I I I I I I I I I I I I I	If Yes, proposed zone: RECE RIDAVIT Raysas Corporate Raysas Raysas Corporate Raysas	IVED TION COMMISSION DIVISION A KS


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 179-212016-0000	
Operator: IA Operating, Inc.	Location of Well: County: Sheridan
Lease: Harry Pratt	1,440 feet from N / S Line of Section
Well Number: 33-2	330 feet from E / W Line of Section
Field: Unnamed	Sec. 33 Twp. 8 S. R. 26 E X W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, WICHITA, KS 4 sections, etc.

- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: IA Operating, Inc.			License Number: 33335		
Operator Address: 9915 W 21st Street N Suit		e B Wichita KS 672	205		
Contact Person: Hal Porter			Phone Number: 316-721-0036		
Lease Name & Well No.: Harry Pratt	33-	·2	Pit Location (QQQQ):		
Type of Pit:	Pit is:		SE NE SE NE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 33 Twp. 8 R. 26 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Sec	tion	
Workover Pit Haul-Off Pit	Pit capacity:		330 Feet from East / West Line of Set	ction	
(If WP Supply API No. or Year Drilled)	400	(bbls)	Sheridan Co	unty	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: m (For Emergency Pits and Settling Pits only)	g/I	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	OO Length (fe	eet)	Width (feet) N/A: Steel Pits		
Depth fi	om ground level to de	eepest point:	(feet) No Pit		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining RECI ncluding any special monitoring. KANSAS CORPOR	EIVED ATION COMMISS	
10 m./			AUG 0	6 2008	
				TION DIVISION	
Distance to nearest water well within one-mile	e of pit	! '	owest fresh water 80 feet.	\	
25_32_feet Depth of water well/ 22feet		Source of Information: I			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Bentonite			
Number of producing wells on lease:		Number of working pits to be utilized: All All All All All All All All All Al			
Barrels of fluid produced daily: At		Abandonment	procedure: Allow to dry, backfill and level	- 6	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMISSION correct, to the best of my knowledge and belief.			
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.	OCOMMISSION	
lulu oo loon		Lal (V/M/	UU8	
July 29, 2008 Date		S	CONSERVATION DI Signature of Applicant or Agent WICHITA, KS	VISION	
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS		