# For KCC Use: Effective Date: District # SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date: September 2, 2008	Spot Description:
OPERATOR: License# 31885 Name: M & M Exploration, Inc.	NE SE SW Sec. 31 Twp. 33 S. R. 14 EXW  960 feet from N / S Line of Section  2,080 feet from E / W Line of Section
Address 1: 60 Garden Center, Suite 102	ls SECTION: Regular X Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Broomfield State: CO Zip: 80020 +	County: Barber
Contact Person: Mike Austin Phone: 303-438-1991	Lease Name: Z Bar Well #: 31-14 Field Name: Actnabas Ara
CONTRACTOR: License# 33350 Name: Southwind Drilling LLC	Is this a Prorated / Spaced Field?  Target Formation(s): _Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 2080'
Oil Enh Rec X Infield X Mud Rotary	Ground Surface Elevation: 1822 feet MSL  Water well within one-quarter mile: Yes XNo
Gas Storage Pool Ext. Air Rotary  Disposal Wildcat Cable	Public water supply well within one mile:
Seismic: # of Holes Other	Depth to bottom of fresh water: 100
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: XI III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 900
Operator:	Length of Conductor Pipe (if any): 40
Well Name:	Projected Total Depth: 5250
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:	Water Source for Drilling Operations:  Well Farm Pond Other: Stream
Bottom Hole Location:	DWR Permit #:  (Note: Apply for Permit with DWR
KCC DK   #:	Will Cores be taken?
KCC DKT #:	Will Cores be taken?
KCC DK   #:	If Yes, proposed zone:
	# Vec. proposed tops:
	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
AFF	If Yes, proposed zone:  KANSAS CORPORATION COLAMISSION  IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  AUG 0 6 2008
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  AUG 0 6 2008  CONSERVATION DIVIS, or WICHITA RE- underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  AUG 0 6 2008  CONSERVATION DIVIS.  ON CHAMSSION  CONSERVATION DIVIS.  ON CHITA KO  WIGHITA KO  Underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugger.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be.  I hereby certify that the statements made herein are true and correct to the be-	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  AUG 0 6 2008  CONSERVATION DIVIS.  ON CHAMSSION  CONSERVATION DIVIS.  ON CHITA KO  WIGHITA KO  Underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger  5. The appropriate district office will be notified before well is either plugger  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements are true.	IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  AUG 0 6 2008  CONSERVATION DIVISION  WICHITA RE  by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  President  Title:  President
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the distriction of the specified before well is either plugger for the appropriate district office will be notified before well is either plugger for pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the best pages.  August 4, 2008  Signature of Operator or Agent:  For KCC Use ONLY	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  AUG 0 6 2008  CONSERVATION DIV.S. in WICHITA K.S. or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  President  Title: President
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the contract of the plants:  August 4, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 207 - 23343-0000	IDAVIT  aging of this well will comply with K.S.A. 55 et. seq.  AUG 0 6 2008  CONSERVATION DIVIS, and WICHITA KE WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the better than the statements of Operator or Agent:    Date: August 4, 2008	#Yes, proposed zone:  **RECEIVED**  KANSAS CORPORATION COMMISSION**  ### AUG 0 6 2008  **CONSERVATION DIVES: TO WICHITA REPORT OF THE PROPERTY
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the because.  August 4, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	IDAVIT  aging of this well will comply with K.S.A. 55 et. seq.  AUG 0 6 2008  CONSERVATION DIVIS, and WICHITA KE WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the because.  August 4, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	#Yes, proposed zone:  **RECEIVED**  KANSAS CORPORATION COMMISSION**  ### AUG 0 6 2008  **CONSERVATION DIVISION**  drilling rig; WICHITA KE WICH
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the conductor pipe required Signature of Operator or Agent:  For KCC Use ONLY  API # 15	IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  AUG 0 6 2008  CONSERVATION DIVISOR WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION DIVISOR WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION DIVISOR WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION DIVISOR WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION DIVISOR WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION DIVISOR WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION DIVISOR WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION DIVISOR WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS TO AUG 10 6 2008  CONSERVATION DIVISOR WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the because.  August 4, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  AUG 0 6 2008  CONSERVATION DIVISION  WICHITA KONDIVISION  WICHITA KOND
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or Agent:    Por KCC Use ONLY	IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  AUG 0 6 2008  CONSERVATION DIVISOR WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION DIVISOR WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION DIVISOR WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION DIVISOR WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION DIVISOR WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION DIVISOR WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION DIVISOR WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION DIVISOR WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS TO AUG 10 6 2008  CONSERVATION DIVISOR WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONSERVATION COLLANDS WICHITA KEEP VICTORIAN STONE OF AUG 10 6 2008  CONS


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 007-23343-0000		
Operator: M & M Exploration, Inc.	Location of Well; County: B	arber
Lease: Z Bar	960	feet from N / X S Line of Section
Well Number: 31-14	2,080	feet from E / X W Line of Section
Field:	Sec. 31 Twp. 33	S. R. <u>14</u> E 🔀 W
Number of Acres attributable to well:	Is Section: Regular or	r 🔀 krregular
	If Section is Irregular, local Section corner used:	te well from nearest corner boundary. IE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: M & M Exploration, Inc.		License Number: 31885	
Operator Address: 60 Garden Center, Suite 102		Broomfield CO 80020	
Contact Person: Mike Austin		Phone Number: 303-438-1991	
Lease Name & Well No.: Z Bar	31-14		Pit Location (QQQQ):
Type of Pit:	Pit is:		NE SE SW
Emergency Pit Burn Pit	Proposed Existing		Sec. 31 Twp. 33 R. 14 East West
Settling Pit Drilling Pit	If Existing, date constructed:		960 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		2,080 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)		(bbis)	Barber County
Is the pit located in a Sensitive Ground Water	Area? Yes	Νο	Chloride concentration: mg/l
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?
Yes No	Artificial Liner?  Yes No		The is the pictified if a plastic inter is not used:
Pit dimensions (all but working pits):	00 Length (fe	et)100	Width (feet) N/A: Steel Pits
	om ground level to de	,	4 (feet) No Pit
		edures for periodic maintenance and determining ncluding any special monitoring.  KANSAS CORPORATION COMMISS	
		AUG 0 6 2008	
		©ONSERVATION DIVISIDM west fresh water	
Source of infor			
N/A feet Depth of water well	· · · · · · · · · · · · · · · · · · ·	measured well owner electric log KDWR	
		over and Haul-Off Pits ONLY:	
		al utilized in drilling/workover: Fresh	
Number of producing wells on lease: Number of working pits to be utilized: 3  Barrels of fluid produced daily: Abandonment procedure: Evaporate then Backfill		procedure: Evaporate then Backfill	
Does the slope from the tank battery allow all spilled fluids to			
hereby certify that the above state	mente are tale and	<u> </u>	t of my knowledge and helief
Thereby Certify that the above state	anchie are due and (	concer to the nest	t of my knowledge and belief.  A A B ignature of Applicant or Agent
August 4, 2008 Place mile		i in	
Date Signature of Applicant or Agent		ignature of Applicant or Agent	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 8/6/08 Permit Num	ber:	Permi	it Date: 8 6 08 Lease Inspection: 🗶 Yes No



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

August 6, 2008

Mr. Mike Austin
M & M Exploration, Inc.
60 Garden Center, Ste 102
Broomfield, CO 80020

RE: Drilling Pit Application

Z Bar Lease Well No. 31-14 SW/4 Sec. 31-33S-14W Barber County, Kansas

Dear Mr. Austin:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily.

NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File