For KCC Use:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(5) days prior to commencing well	
Expected Spud Date: September 10 2008	Spot Description:	
month day year	NE _ NW _ SW Sec. 31 Twp. 10 S	p. 14
3956		
OPERATOR: License#	2,240 feet from N 670 feet from E	S Line of Section
Name: Brungardt Oil & Leasing, Inc.	Is SECTION: Regular Irregular?	W Line of Section
Address 1: P.O. Box 871	is SECTION: Hegular Inregular?	
Address 2:	(Note: Locate well on the Section Plat on rel	/erse side)
Contact Person: Gary L. Brungardt	County: Osborne	
Phone: (785)483-4975	Lease Name: Angel B	Well #: 1
F104	Field Name: Henry	
OOM INOTON. CICCISON	Is this a Prorated / Spaced Field?	Yes No
Name: Shields Oil Producers	Target Formation(s): Arbuckle	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 670	
Oil / Enh Rec Infield Mud Rotary	Ground Surface Elevation: 1818	feet MSL
Gas Storage X Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes No
Disposal Wildcat Cable	Public water supply well within one mile:	Yes X No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 180	and the state of t
Other:	Depth to bottom of usable water: 500	
If OWWO: old well information as follows:	Surface Pipe by Alternate: I I	
	Length of Surface Pipe Planned to be set: 210'	
Operator:	Length of Conductor Pipe (if any): None	
Well Name:	Projected Total Depth: 3500	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
If Yes, true vertical depth:	Well Farm Pond Other:	
	DWR Permit #:	
Bottom Hole Location:		7/
KCC DKT #:	(Note: Apply for Permit with DWR	- <u> </u>
	(Note: Apply for Permit with DWR Will Cores be taken?]) Yes ⊠No
KCC DKT #:	(Note: Apply for Permit with DWR	Yes No
C'I S. I as a Submitted	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	Yes No RECEIVED
Oil 7 Gas Laure Submitted. AFF	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	Yes No
Oil 7 Gas Lease Submitted. AFF The undersigned hereby affirms that the drilling, completion and eventual plug	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	TYES NO RECEIVED ANSAS CORPORATION COMMISSION
Cil 7 Gas Lease Submitted. AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	Yes No RECEIVED
Cil 7 Gas Lease Submitted. AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq.	RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008
Cil 7 Gas Lease Submitted. AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig;	RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation.	Pes No RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION CHAIL be SelVICHITA, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. ict office on plug length and placement is necessary prior	Pes No RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION CHAIL be SelVICHITA, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in;	Pes No RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION Thall be setvichita, KS To plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; from below any usable water to surface within 120 DAYS	RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION Thall be setvichita, KS To plugging; of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. drilling rig; In y circulating cement to the top; in all cases surface pipe a underlying formation. In office on plug length and placement is necessary prior and or production casing is cemented in; If from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternation.	RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION Thall be setVICHITA, KS To plugging; To spud date. The set of spud date. The set of set of spud date. The set of set
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; if rom below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternaplugged. In all cases, NOTIFY district office prior to any	RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION Thall be setVICHITA, KS To plugging; To spud date. The set of spud date. The set of set of spud date. The set of set
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In y circulating cement to the top; in all cases surface pipe a underlying formation. Intercondition of the production casing is cemented in; If from below any usable water to surface within 120 DAYS B3,891-C, which applies to the KCC District 3 area, alternated in all cases, NOTIFY district office prior to any less of my knowledge and belief.	RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION Thall be setVICHITA, KS To plugging; To spud date. The set of spud date. The set of set of spud date. The set of set
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; if rom below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternaplugged. In all cases, NOTIFY district office prior to any	RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION Thall be setVICHITA, KS To plugging; To spud date. The set of spud date. The set of set of spud date. The set of set
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the complete that the statements are true and correct to the complete tha	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In y circulating cement to the top; in all cases surface pipe a underlying formation. Intercondition of the production casing is cemented in; If from below any usable water to surface within 120 DAYS B3,891-C, which applies to the KCC District 3 area, alternated in all cases, NOTIFY district office prior to any less of my knowledge and belief.	RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION shall be setWICHITA, KS To plugging; of spud date. ate II cementing y cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be Date: Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. ict office on plug length and placement is necessary priorical or production casing is cemented in; from below any usable water to surface within 120 DAYS 13,891-C, which applies to the KCC District 3 area, alternated in the complex of the comp	RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION Thall be setVICHITA, KS Into plugging; To spud date. That is comenting a commenting.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete to the spud state of the spud state of the spud shall be I hereby certify that the statements made herein are true and correct to the between the spud state of the sp	Will Cores be taken? If Yes, proposed zone: IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. ict office on plug length and placement is necessary priority of the production casing is cemented in; from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternated in the plugged. In all cases, NOTIFY district office prior to any less of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of the surface within 120 days of spud of the prior to any less to the completion form ACO-1 within 120 days of spud of the prior to any less to the completion form ACO-1 within 120 days of spud of the prior to any less to the completion form ACO-1 within 120 days of spud of the prior to any less to the completion form ACO-1 within 120 days of spud of the prior to any less to the completion form ACO-1 within 120 days of spud of the prior to any less to the completion form ACO-1 within 120 days of spud of the prior to any less to the completion form ACO-1 within 120 days of spud of the prior to any less than the prior	RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION thall be setWICHITA, KS In to plugging; It of spud date, ate II cementing a cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the best of the conductor pipe required. For KCC Use ONLY API # 15 - 141-203 92-0000	Will Cores be taken? If Yes, proposed zone: IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. ict office on plug length and placement is necessary priority of production casing is cemented in; from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternated in the cases, NOTIFY district office prior to any less of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration	RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION Shall be setWICHITA, KS To plugging; Sof spud date. Sate II cementing Types No. 100 State II cementi
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the beautier. Signature of Operator or Agent: For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. ict office on plug length and placement is necessary priority of the priority of the case of the	RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION shall be setWICHITA, KS It to plugging; It of spud date. It cementing y cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the complete of the plants of the complete of the complete of the plants of the complete of the complete of the plants of the complete of the complete of the plants of	Will Cores be taken? If Yes, proposed zone: IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to worked- Submit plugging report (CP-4) after plugging is comple	RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION Chall be setVICHITA, KS It to plugging; Cof spud date. Late II cementing It cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and correct to the best pater. Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 4/1 - 203 92 - 0000000000000000000000000000000000	Will Cores be taken? If Yes, proposed zone: IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. ict office on plug length and placement is necessary priority of production casing is cemented in; from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternated and plugged. In all cases, NOTIFY district office prior to any less of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to workon. Submit plugging report (CP-4) after plugging is comple obtain written approval before disposing or injecting sa	RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION shall be setWICHITA, KS It to plugging; It of spud date, ate II cementing y cementing. It late; orders; ver or re-entry; ted (within 60 days); It water.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 141 - 203 92 - 0000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to worked- Submit plugging report (CP-4) after plugging is comple	RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION shall be setWICHITA, KS It to plugging; It of spud date, ate II cementing y cementing. It late; orders; ver or re-entry; ted (within 60 days); It water.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and correct to the best pater. Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 4/1 - 203 92 - 0000000000000000000000000000000000	Will Cores be taken? If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In y circulating cement to the top; in all cases surface pipe as underlying formation. In the one plug length and placement is necessary prior and or production casing is cemented in; If from below any usable water to surface within 120 DAYS 13,891-C, which applies to the KCC District 3 area, alternated in all cases, NOTIFY district office prior to any lest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worker. Submit plugging report (CP-4) after plugging is comple obtain written approval before disposing or injecting sale. If this permit has expired (See: authorized expiration days)	RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION shall be setVICHITA, KS Into plugging; It of spud date, ate II cementing It cementing It cementing It cementing It cementing It water. It water. It water. It water. It please
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 141 - 203 92 - 0000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. ict office on plug length and placement is necessary priority of production casing is cemented in; from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternated and plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of the completion form ACO-1	RECEIVED ANSAS CORPORATION COMMISSION AUG 0 7 2008 CONSERVATION DIVISION shall be setWICHITA, KS It to plugging; It of spud date, ate II cementing y cementing. It late; orders; ver or re-entry; ted (within 60 days); It water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 141-20392-0000	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from N / S Line of Section feet from E / W Line of Section
Field:	SecTwpS. R 🔲 E 🔲 W
Number of Acres attributable to well: QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)



RECEIVED KANSAS CORPORATION COMMISSION

AUG 0 7 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Brungardt Oil & Leasing, Inc.		License Number: 3956		
Operator Address: P.O. Box 871			Russell KS 67665	
Contact Person: Gary L. Brungardt		Phone Number: (785)483-4975		
Lease Name & Well No.: Angel B 1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NENWSW_	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 31 Twp. 10 R. 14 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		2,240 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit canacity:		670 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	2,000	(bbis)	Osborne County	
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l		
		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Artificial Liner? Yes No		Drilling Mud	
Pit dimensions (all but working pits):7	O Length (fe		Width (feet) N/A: Steel Pits	
	om ground level to de			
material, thickness and installation procedure.		edures for periodic maintenance and determining notuding any special monitoring. Fored 24 hours a day while drilling. All free and off.		
Distance to nearest water well within one-mile of pit Depth to shallo		west fresh water 180 feet.		
Source o			Source of information: 长いいみ measured well owner electric log KDWR	
·		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation: Type of material		ał utilized in drilling/workover: Drilling Mud		
		king pits to be utilized:		
Barrels of fluid produced daily: Abandonment		procedure: Haul water off and let pits dry then backfill.		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Dri		Drill pits must l	be closed within 365 days of spud date.	
I hereby certify that the above state	ments are true and	correct to the bes	t of my knowledge and belief.	
8/6/08 Date	_	Yary K.	AUG 0 7 2008 GONSERVATION DIVISION WICHITA, KS	
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS	
Date Received: 8/7/05 Permit Num	ber:	Perm	it Date: 8/7/08 Lease Inspection: Yes XNo	