# For KCC Use: 8-16-08 Effective Date: 3 District # No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Expected Spud Date: August 15, 2008	Spot Description: 37.2977 -96.001894	
month day year	E2 - NE - NE Sec. 5 Twp. 32 S. R. 13	٦w
DPERATOR: License#33365	(Q/Q/Q/Q) 584 feet from N / S Line of Sec	ction
lame: Layne Energy Operating, LLC	feet from E / W Line of Sec	ction
ddress 1: 1900 Shawnee Mission Parkway	Is SECTION: Regular Irregular?	
ddress 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Mission Woods State: KS Zip: 66205 + 2001	County: Chautauqua	
Contact Person: Timothy H. Wright Phone: 913-748-3960	Lease Name: Meise Well #: 1-5	
	Field Name: Cherokee Basin Coal	
ONTRACTOR: License# 33606	Is this a Prorated / Spaced Field?	No
ame: Thornton Air	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 337'	
Oil Enh Rec   Infield   Mud Rotary	Ground Surface Elevation: 906feet M	_
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	
Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150'	
Other:	Depth to bottom of usable water: 225'	<del></del>
If OWWO: old well information as follows:	Surface Pipe by Alternate: I XIII	
	Length of Surface Pipe Planned to be set:  None	
Operator:	Length of Conductor Pipe (if any):	<del></del>
Well Name:	Projected Total Depth: 1650'  Formation at Total Depth: Mississippian	
Original Completion Date: Original Total Depth:		
irectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:  Well Farm Pond Other:	
Yes, true vertical depth:		
ottom Hole Location:	DWR Permit #: (Note: Apply for Permit with DWR )	
CC DKT #:	Will Cores be taken?	INO
	If Yes, proposed zone:	-
	RECEIV	ED
AFF	IDAVIT KANSAS CORPORATION	V COMMIS
he undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.	0000
is agreed that the following minimum requirements will be met:	aging of this well will comply with K.S.A. 55 et. seq.  AUG 1 1 2	מטטצ
Notify the appropriate district office <i>prior</i> to spudding of well;	CONSERVATION I	
Z. A copy of the approved notice of intent to drill shall be posted on each	drilling rig: WICHITA K	PIVISION
<ul><li>2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li><li>3. The minimum amount of surface pipe as specified below <i>shall be set</i> b</li></ul>	drilling rig; WICHITA, K y circulating cement to the top; in all cases surface pipe <b>shall be set</b>	DIVISION S
<ol><li>The minimum amount of surface pipe as specified below shall be set b through all unconsolidated materials plus a minimum of 20 feet into the</li></ol>	drilling rig; WICHITA, K y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.	DIVISION S
<ol> <li>The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distri</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ;	DIVISION IS
<ol> <li>The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugger</li> </ol>	WICHITA, K y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in;	DIVISION IS
<ol> <li>The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date.	DIVISION S
<ol> <li>The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing	DIVISION S
<ol> <li>The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distriction.</li> <li>The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the set of th</li></ol>	WICHITA, K y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	DIVISION S
3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be prereby certify that the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements.	WICHITA, K y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 151 SAGENT	DIVISION S
<ol> <li>The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distriction.</li> <li>The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be prereby certify that the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements.</li> </ol>	WICHITA, K y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	DIVISION S
<ol> <li>The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distriction.</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be prereby certify that the statements made herein are true and correct to the behavior as a 2008.</li> </ol>	WICHITA, K y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 151 SAGENT	DIVISION
3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be increby certify that the statements made herein are true and correct to the best ate:  August 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY	WICHITA, K y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ict of production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  In the state of my knowledge and belief.  Title:  Agent	
<ol> <li>The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distriction.</li> <li>The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be neereby certify that the statements made herein are true and correct to the best ate:</li> </ol> August 8, 2008 Signature of Operator or Agent:	WICHITA, K y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ied or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	S S
3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and correct to the best ate:  August 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 019 - 26925 - 0000	wichita, K y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ict of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  Agent  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	
3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pereby certify that the statements made herein are true and correct to the best ate:  August 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O19 - 26925-0000  Conductor pipe required Feet	wichita, K y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ict of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 ast of my knowledge and belief.  Agent  Title:  Agent  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	S
3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the best ate:  August 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O19 - 26925-000  Conductor pipe required feet  Minimum surface pipe required feet per ALT.	wichita, K y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ict of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 st of my knowledge and belief.  Title:  Agent  Title:  Agent  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	5  32
3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the best ate:  August 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O19 - 26 9 25 - OOO  Conductor pipe required	wichita, K y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ict of production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 est of my knowledge and belief.  Title:  Agent  Title:  Agent  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	S S
3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and correct to the best ate:  August 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 019 - 26925-000  Conductor pipe required	wichita, K y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ict of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 st of my knowledge and belief.  Title:  Agent  Title:  Agent  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	5  32
3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the best ate:  August 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API #15 - 019 - 26925-000  Conductor pipe required	y circulating rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ied or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 File Drill Pit Application (form CDP-1) with Intent to Drill; 16 File Completion Form ACO-1 within 120 days of spud date; 17 File acreage attribution plat according to field proration orders; 18 Notify appropriate district office 48 hours prior to workover or re-entry; 19 Submit plugging report (CP-4) after plugging is completed (within 60 days); 10 Obtain written approval before disposing or injecting salt water. 10 If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	5  32
3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because:  August 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 019 - 26925-000  Conductor pipe required feet  Minimum surface pipe required feet per ALT. I Pli  Approved by:  This authorization expires: 8-11-09	y circulating rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; id or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. i3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Title:  Agent  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	5  32

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 019-26925-0000	
Operator: Layne Energy Operating, LLC	Location of Well: County: Chautauqua
Lease: Meise	feet from N / S Line of Section
Well Number: 1-5	feet from X E / W Line of Section
Field: Cherokee Basin Coal	Sec. 5 Twp. 32 S. R. 13 X E W
Number of Acres attributable to well:E2 _ NE _ NE	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	:	:	•		•	59	4'	
•••••		: 					33	RECEIVED KANSAS CORPORATION COMMISSION
	: :	: :	:  :		: :	: :	:	AUG 1 1 2008
					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		:	CONSERVATION DIVISION WICHITA, KS
	: :	<u>:</u>	•		: : :	: : :	<u>:</u>	EXAMPLE
				•••••		********		10 3390'
					•••••			
	•					•		SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Layne Energy Ope	erating, LLC	License Number: 33365				
Operator Address: 1900 Shawnee	Mission Par	Mission Woods KS 66205				
Contact Person: Timothy H. Wrig	jht	Phone Number: 913-748-3960				
Lease Name & Well No.: Meise	1-{	Pit Location (QQQQ):				
Type of Pit:	Pit is:		<u>E2_NE_NE</u> _			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 5 Twp. 32 R. 13 East West			
Settling Pit Drilling Pit	If Existing, date of	onstructed:	584 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		337 Feet from East / West Line of Section			
(If VVP Supply APT No. of feat Diffied)		(bbls)	<u>Chautauqua</u> County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l			
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?			
Yes No	Yes X	No	self-sealing			
Pit dimensions (all but working pits):	BO Length (fe	eet) 20	Width (feet) N/A: Steel Pits			
	om ground level to de	eepest point:	3 (feet) No Pit			
If the pit is lined give a brief description of the liner  Describe procedures for periodic maintenance and determining						
material, thickness and installation procedure	<del>)</del> .	iner integrity, i	ncluding any special monitoring.			
Distance to nearest water well within one-mile	e of pit		west fresh waterfeet.			
none feet Depth of water well	feet	Source of infor				
Emergency, Settling and Burn Pits ONLY:			well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover:			
Producing Formation:		Type of materia	al utilized in drilling/workover: fresh water mud			
Number of producing wells on lease:		Number of wor	king pits to be utilized:			
Barrels of fluid produced daily:		Abandonment	procedure: Let evaporate until dry, then backfill and restore			
Does the slope from the tank battery allow all spilled fluids to		Drill nite must	be closed within 365 days of spud date.			
flow into the pit? Yes No			RECEIVED			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  KANSAS CORPORATION COMMISSION.						
August 8, 2008		14/	AUG 1 1 2008			
Date Date			Signature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 8/11/08 Permit Num	iher:	Parm	it Date: 8/11/08 Lease Inspection: Yes No			
/ Offile (4d)	· <del>- · · ·</del>					