

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: August 29,2008	Spot Description:	
month day year	SE . SE Sec. 28 Twp. 20 S. R. 21 TE	lw
7775 🗸	(Q/Q/Q/Q/Q) 720 feet from N / X S Line of Sec	
OPERATOR: License#	660 feet from X E / W Line of Sec	
Name: Wilton Petroleum Inc.		IOH
Address 1: P. O. Box 391	Is SECTION: Regular Irregular?	
Address 2: 122 N. Main	(Note: Locate well on the Section Plat on reverse side)	
City: Canton State: Ks Zip: 67428 +	County: Ness	
Contact Person: Bernie Rundstrom	Lease Name: Bieber Well #: 30	
Phone:620-628-4466	Field Name: Mt. Carmel Southeast	
CONTRACTOR: License# 33724	Is this a Prorated / Spaced Field?	NO
Name: Warren Drilling	Target Formation(s): Mississippian	-
	Nearest Lease or unit boundary line (in footage): 330	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2248 feet M	IQI
Oil Enh Rec Infield Mud Rotary		
Gas Storage Pool Ext. Air Rotary	· · · · · · · · · · · · · · · · · · ·	
Disposal Wildcat Cable		140
Seismic ; # of Holes Other	Depth to bottom of fresh water: 180	
Other:	Depth to bottom of usable water: 580	
——————————————————————————————————————	Surface Pipe by Alternate: I I II	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 4450	
Original Completion Date: Original Total Depth:	Formation at Total Depth: 4390	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	No
	If Yes, proposed zone:	
	Prop.	
ACCI	DAVIT KANSAS CORPORATI	VED
• • • • •	DAVIE	ON COMMISSI
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.	2000
It is agreed that the following minimum requirements will be met:	AUG 1 1	<i>2008</i>
 Notify the appropriate district office prior to spudding of well; 	00110	
	LUNSEDIAMA	
2. A copy of the approved notice of intent to drill shall be posted on each of	drilling rig;	DIVISION
3. The minimum amount of surface pipe as specified below shall be set by	y circulating cement to the top; in all cases surface pipe snall be set ChifA,	DIVISION KS
The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the	y circulating cement to the top; in all cases surface pipe shall be set to hita, underlying formation.	DIVISION KS
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distri- 	y circulating cement to the top; in all cases surface pipe shall be serion (A, underlying formation. ct office on plug length and placement is necessary prior to plugging ;	DIVISION KS
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	y circulating cement to the top; in all cases surface pipe shall be serionital, underlying formation. ct office on plug length and placement is necessary prior to plugging; id or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	DIVISION KS
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	y circulating cement to the top; in all cases surface pipe shall be serionital, underlying formation. ct office on plug length and placement is necessary prior to plugging; id or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing	DIVISION KS
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	y circulating cement to the top; in all cases surface pipe shall be serionital, underlying formation. ct office on plug length and placement is necessary prior to plugging; id or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing	DIVISION KS
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented. 	y circulating cement to the top; in all cases surface pipe shall be serionital, underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	DIVISION KS
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be purely certify that the statements made herein are true and correct to the be 	y circulating cement to the top; in all cases surface pipe shall be serionital, underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1st of my knowledge and belief.	DIVISION KS
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented. 	y circulating cement to the top; in all cases surface pipe shall be serionital, underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	DIVISION KS
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be purely certify that the statements made herein are true and correct to the be 	y circulating cement to the top; in all cases surface pipe shall be seriorita, underlying formation cot office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	~S
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the statements. 	y circulating cement to the top; in all cases surface pipe shall be seriorita, underlying formation of the top in all cases surface pipe shall be seriorita, underlying formation of the first of the plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. It is to fine knowledge and belief. Title:	DIVISION KS
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the districts. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: Signature of Operator or Agent: For KCC Use ONLY	y circulating cement to the top; in all cases surface pipe shall be seriorita, underlying formation of to office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is to fine knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	~S
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 135 - 2483	y circulating cement to the top; in all cases surface pipe shall be seriorita, underlying formation. cit office on plug length and placement is necessary prior to plugging; did or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Ist of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	28
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B". Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 135 - 2483 - OOO Conductor pipe required feet	y circulating cement to the top; in all cases surface pipe shall be seriorita, underlying formation out office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is stoff my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	~S
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 135 - 2483 1 - ODD Conductor pipe required Conductor pipe required For KCC Use ONLY API # 15 - 135 - 2483 1 - ODD	y circulating cement to the top; in all cases surface pipe shall be seriorita, underlying formation of to office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is stored in the prior to any cementing. It is a stored in the prior to any cementing. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	28 20
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put in the shall be put in the statements made herein are true and correct to the best in the statements of the operator of Agent: For KCC Use ONLY API # 15 - /35 - 2483 - OOO Conductor pipe required feet Minimum surface pipe required feet per ALT. I	y circulating cement to the top; in all cases surface pipe shall be seriorita, underlying formation out office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is stoff my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	28
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements of Operator or Agent: For KCC Use ONLY API # 15 - 135 - 2483 - 000 Conductor pipe required	y circulating cement to the top; in all cases surface pipe shall be seriorita, underlying formation oct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is stoff my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	28 20
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements of Operator or Agent: For KCC Use ONLY API # 15 - 135 - 2483 - 000 Conductor pipe required	y circulating cement to the top; in all cases surface pipe shall be seriorita, underlying formation. ct office on plug length and placement is necessary prior to plugging; id or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is to fine brill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	28 20
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements of Operator or Agent: For KCC Use ONLY API # 15 - 135 - 2483 - 000 Conductor pipe required 100 feet per ALT. I I III Approved by: IMA 8-12-0P	y circulating cement to the top; in all cases surface pipe shall be seriorita, underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is to fine brill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	28 20 21
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the because of the spud date or the well shall be provided to the date or the well shall be provided to the spud date or the well shall be provided to the date or the well shall be provided to the date or the well shall be provided to the date or the well shall be provided to the date or th	y circulating cement to the top; in all cases surface pipe shall be seriorita, underlying formation out office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is stoff my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	28 20
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements of Operator or Agent: For KCC Use ONLY API # 15 - 135 - 2483 - 000 Conductor pipe required	y circulating cement to the top; in all cases surface pipe shall be seriorita, underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is a state of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	28 20 21

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 135-24831-0000		
Operator: Wilton Petroleum Inc.	Location of Well: County: Ne	iss .
Lease: Bieber	720	feet from N / S Line of Section
Well Number: 30	660	feet from X E / W Line of Section
Field: Mt. Carmel Southeast	Sec. 28 Twp. 20	S. R. 21 E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SE - SE	Is Section: Regular or	Irregular
	· · · · · · · · · · · · · · · · · · ·	e well from nearest corner boundary. E NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



in plotting the proposed location of the well, you must show:

CONSERVATION DIVISION

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, CHITA, KS 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a provided or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CO-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Wilton Petroleum, Inc.		Ligense Number: 7775		
Operator Address: PO BOX 391, 122 N. Main, Canton, KS 67428				
Contact Person: Bernie Rundstrom		Phone Number: 620-628-4466		
Lease Name & Well No.: Bieber-30 We	ell #1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>N2</u> . <u>SE</u> <u>SE</u>	
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 28 Twp. 20 R. 21 East X West	
Settling Pit X Drilling Pit	If Existing, date constructed:		720 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	4000 Pit capacity:		660 Feet from X East / West Line of Section	
(If WP Supply API No. or Year Drilled)		(bbls)	Ness Count	
Is the pit located in a Sensitive Ground Water	Area? Yes X	No No	Chloride concentration:mg/l	
			(For Emergency Pits and Settling Pits only)	
is the bottom below ground level?	Artificial Liner?	NI.	How is the pit lined if a plastic liner is not used?	
X Yes No	Yes X	NO .	Bentonite	
Pit dimensions (all but working pits):	O Length (fe	et) <u>80</u>	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to de	epest point:	3.5 (feet) No Pit	
if the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.		dures for periodic maintenance and determining notice of the control of the contr		
			1.4D	
Distance to nearest water well within one-mile of pit Depth to shalk		west fresh water100feet.		
		Source of infor		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY: Fresh Water &	
Producing Formation:		Type of materia	al utilized in drilling/workover: Bentonite	
Number of producing wells on lease:		Number of wor	king pits to be utilized:3	
Barrels of fluid produced daily:		1	procedure cut pits and allow to dry	
Does the slope from the tank battery allow all spilled fluids to			back fill within one year	
		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
Be And Lots Signature of Applicant or Agent				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 8/11/07 Permit Num			it Date: 8/11/08 Lease Inspection: Yes No	
Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 RECEIVED KANSAS CORPORATION COMMISSI				