# For KCC Use: 8-17-08 Effective Date: \_

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 8/12/08	Spot Description:	
month day year	SE SE NW SE Sec. 5 Twp. $\frac{17}{17}$ S. R. $\frac{22}{10}$ E	W
4441	(0/0/0/0) 1,485 feet from N / X S Line of Section	
OPERATOR: License#	1,475 feet from KE / W Line of Section	
Name:KEGGETT WEEE GERVINGE ING Address 1: 643 HEMLOCK	Is SECTION: Regular Irregular?	
Address 1: Clottemposition   Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: OTTAWA State: KS Zip: _66067 +	County: MIAMI	
Contact Person: BOB REUSCH	Lease Name: REYNOLDS Well #: 8	
Phone:	Field Name: PAOLA RANTOUL	
CONTRACTOR: License#_ 8509	Is this a Prorated / Spaced Field?	0
Name: EVANS ENERGY DEVELOPMENT INC	Target Formation(s): SQUIRREL	
	Nearest Lease or unit boundary line (in footage):	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: UNKNOWN feet MS	3L
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	مر ۷٥
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	_
Disposal Wildcat Cable	Depth to bottom of fresh water: 150	
Seismic ; # of Holes Other	Depth to bottom of usable water: 3000 260	
Other:		
If OWWO: old well information as follows:	Surface Pipe by Alternate: [ ] [ X ] [ 20 ]  Length of Conductor Pipe Planned to be set: 20   20   20   20   20   20   20   20	
	Length of Conductor Pipe (if any): 0	
Operator:	Projected Total Depth: 700	
Well Name:Original Total Depth:	Formation at Total Depth: SQUIRREL /	
Original Completion Date Original Total Deptil	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond X Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR )	
KCC DKT #:	Will Cores be taken?	No
	If Yes, proposed zone: Squirrel per ofer.	
	RECEIVED gging of this well will comply with K.S.A. 55 et. seans as corporation commit	SSIO <sub>1</sub>
1. Notify the appropriate district office <i>prior</i> to spudding of well;	AUG 1 1 2008	
2. A copy of the approved notice of intent to drill shall be posted on each	drilling rig;	
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	
I hereby certify that the statements made herein are true and correct to the be		
Date: 8/7/08 Signature of Operator or Agent:	Title: SEC TREAS	
	Remember to:	5
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;	
	- The Dinit R Approace (1911) Opt 11) Wat Intelligence	1
121-28458-000	- File Completion Form ACO-1 within 120 days of spud date;	
API # 15 - 121-28658-0000	<ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> </ul>	17
API # 15 - 121-28658-0000  Conductor pipe required None feet	<ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> </ul>	17
API # 15 - 121-28658-0000  Conductor pipe required None feet  Minimum surface pipe required feet per ALT. I	<ul> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed (within 60 days);</li> </ul>	
API # 15 - 121 - 286 58 - ODOO  Conductor pipe required None feet  Minimum surface pipe required feet per ALT. I III  Approved by: 112 - OF	<ul> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed (within 60 days);</li> <li>Obtain written approval before disposing or injecting salt water.</li> </ul>	17 22
API # 15 - 121-28658-0000  Conductor pipe required None feet  Minimum surface pipe required 50 feet per ALT. I I III  Approved by: 112-08	<ul> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed (within 60 days);</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please</li> </ul>	
API # 15 - 121 - 28658 - COOO  Conductor pipe required None feet  Minimum surface pipe required 20 feet per ALT. I III  Approved by: Whit 8112 - 08  This authorization expires: 8 - 12 - 09	<ul> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed (within 60 days);</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.</li> </ul>	
API # 15 - 121-28658-0000  Conductor pipe required None feet  Minimum surface pipe required 50 feet per ALT. I I III  Approved by: 112-08	<ul> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed (within 60 days);</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please</li> </ul>	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 121-28658-0000	
Operator: REUSCH WELL SERVICE INC	Location of Well: County: MIAMI
Lease: REYNOLDS	
Well Number: 8	1,485 feet from N / X S Line of Section 1,475 feet from E / W Line of Section
Field: PAOLA RANTOUL	Sec. <u>5</u> Twp. <u>17</u> S. R. <u>22</u> X E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: SE SE NW SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

1475 • 1475 • 7	 						
1475 - 7 1475 - 7	:						:
Jugs • 1475 + 3	:						:
1475 - 7	:	:			:		•
1435 • 1475 <del>- 3</del>	 ******				******		
5 1435 • 1475 ->	:						
1475 ->	:					:	:
1475 - 7	:	:				:	;
1475 - 7 1475 - 7	 ******						
5 1475-7	:						
9 1475 • 1475 • 3	:						
5 1475 ->	:					:	•
1475 • 1475 • 3	 •••••		• • • • • • • • • • • • • • • • • • • •		• • • • • • • •		
1475 · 1475 ->	:	:	:		:		:
1475-7	:						
1435 • 1475 - 7	:	:	/	/			
1475 - 7 1475 - 7				)			
1475-7			/				
1475-7							
1475 - 1475 - 3	:	;		,			
1475 • 1475 • 7	 			********			
1475 - 1475 - 7							
1495				1.1	a/ •	14× -	<i>?</i> )
	:	;		14	か <u>*</u> :		. /
				1			
				4			
	:	: :		;		:	:
	 				•••••		

NOTE: In all cases locate the spot of the proposed drilling locaton.



AUG 1 1 2008

#### In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, WICHITA, KS 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: REUSCH WELL SERVICE INC			License Number: 4441				
Operator Address: 643 HEMLOCK			OTTA	WA KS	66067		
Contact Person: BOB REUSCH			Phone Number: 785.242	2.2043			
Lease Name & Well No.: REYNOLDS	8		Pit Location (QQQQ):				
Type of Pit:	Pit is:		SE SE NW	SE			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 5 Twp. 17 R.	22 East	West		
Settling Pit	If Existing, date of	onstructed:	1,485 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		1,475 Feet from East / West Line of Section				
(If WP Supply API No. or Year Drilled)	100	(bbls)	MIAMI				
Is the pit located in a Sensitive Ground Water	Area? Yes	Jno	Chloride concentration: mg/l				
to the presented in a constitue creama visual				ts and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic	liner is not used?			
Yes No	Yes X	No	DRILLING MUD				
Pit dimensions (all but working pits):	0 Length (fe	eet)10	Width (feet)	N/A: Steel	Pits		
	om ground level to de			No Pit			
If the pit is lined give a brief description of the			edures for periodic maintenance	and determining			
material, thickness and installation procedure		•	ncluding any special monitoring.				
Distance to nearest water well within one-mile	e of pit	1 '	allowest fresh waterfeet.				
Sou		Source of information:					
			measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		J					
		rial utilized in drilling/workover: FRESH WATER					
,		Number of working pits to be utilized:1  Abandonment procedure: AIR DRY AND BACK FILL.					
		Abandonment	procedure: AIN DIN I AIND	/ DACK HELL			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits mu		Drill pits must	ill pits must be closed within 365 days of spud date.				
				RECEIVI			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSIO							
0.17100	C,	1/10 1/10	Millia-	AUG 1 1 2	2008		
8/7/08 Date	<del></del>	Simol	Signature of Applicant or Agent	CONSERVATION (			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS							
	NOC '	J. 1 10L 00L 0			- <b>-</b>		
Date Received: 8/11/08 Permit Num	ber:	Perm	it Date: 1/11/08 Lease	e Inspection: Yes	No.		