For KCC Use:	0-19-09
Effective Date: _	8-18-08
District #	<u>ح</u>
SGA2 Toyac	√ No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date August 15 2008	Spot ∑;East
month day year	SE NW Sec. 4 Twp. 21 S. A. 21 West
OPERATOR: License# 09267	1980 feet from N / S Line of Section
Name: JRC Oil Company, Inc.	
Address: P. O. Box 426	Is SECTIONRegular _X Irregular?
City/State/Zip: Garnett, Kansas 66032-0426	_
Contact Person: Mike Colvin	And or con
Phone: 785-448-5833	County: Aliderson Well #: DK-5
	Field Name: Bush City Shoestring
CONTRACTOR: License# 33977	
Name: E. K. Energy LLC	Is this a Prorated / Spaced Field? Target Information(s): Cherokee
•	Nearest Lease or unit boundary: 660'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 995 feet MSL
Oil X Enh Rec X Infield X Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 50'
Seismic; # of Holes Other	Depth to bottom of usable water: 125/00
Other	Surface Pipe by Alternate: 1 X 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 800
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes X	No Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🖳
KCC DKT #:	— Will Cores be taken? Yes ▼No
	If Yes, proposed zone:
	RECEIVED KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and event.	KANSAS CONFORMISM
It is agreed that the following minimum requirements will be met:	AUG 1 3 2008
1. Notify the appropriate district office prior to spudding of well;	HOO . O East
2. A copy of the approved notice of intent to drill shall be posted or	n each drilling rig; CONSERVATION DIVISION
3. The minimum amount of surface pipe as specified below shall be through all unapprovided and additional and a single pipe.	pe set by circulating cement to the top; in all cases surface pipe shalf!6el5atKS
through all unconsolidated materials plus a minimum of 20 feet in	nto the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging</i> ;
5. The appropriate district office will be notified before well is either	plugged or production casing is gemented in:
If an ALTERNATE II COMPLETION, production pipe shall be cer	mented from helpw any usable water to surface within 120 days of sould date
	montee from bolon any scattle nater to surface within 120 bays of space date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing o	rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing
Or pursuant to Appendix "B" - Eastern Kansas surface casing o must be completed within 30 days of the spud date or the well s	rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing.
Or pursuant to Appendix "B" - Eastern Kansas surface casing o must be completed within 30 days of the spud date or the well s	rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing.
Or pursuant to Appendix "B" - Eastern Kansas surface casing o must be completed within 30 days of the spud date or the well s I hereby certify that the statements made herein are true and to the be	rder #133,891-C, which applies to the KCC District 3 area, alternate It cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.
Or pursuant to Appendix "B" - Eastern Kansas surface casing o	rder #133,891-C, which applies to the KCC District 3 area, alternate It cementing half be plugged. In all cases, NOTIFY district office prior to any cementing.
Or pursuant to Appendix "B" - Eastern Kansas surface casing o must be completed within 30 days of the spud date or the well s I hereby certify that the statements made herein are true and to the be Date: 8/8/2008 Signature of Operator or Agent:	rder #133.891-C, which applies to the KCC District 3 area, alternate It cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Vice President Remember to:
Or pursuant to Appendix "B" - Eastern Kansas surface casing o must be completed within 30 days of the spud date or the well s I hereby certify that the statements made herein are true and to the be Date: 8/8/2008 Signature of Operator or Agent: Must For KCC Use ONLY	rder #133,891-C, which applies to the KCC District 3 area, alternate It cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Vice President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
Or pursuant to Appendix "B" - Eastern Kansas surface casing o must be completed within 30 days of the spud date or the well s i hereby certify that the statements made herein are true and to the be Date: 8/8/2008 Signature of Operator or Agent: Mac For KCC Use ONLY API # 15 - 003-24579-0000	rder #133,891-C, which applies to the KCC District 3 area, alternate It cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Vice President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
Or pursuant to Appendix "B" - Eastern Kansas surface casing o must be completed within 30 days of the spud date or the well s i hereby certify that the statements made herein are true and to the be Date: 8/8/2008 Signature of Operator or Agent: Mac For KCC Use ONLY API # 15 - 003-24589-0000 Conductor pipe required feet	rder #133.891-C, which applies to the KCC District 3 area, alternate It cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Vice President Remember to: - File Drill Pit Application (form CDP-1) with Intant to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders:
Or pursuant to Appendix "B" - Eastern Kansas surface casing o must be completed within 30 days of the spud date or the well s i hereby certify that the statements made herein are true and to the be Date: 8/8/2008 Signature of Operator or Agent: Mac For KCC Use ONLY API # 15 - 003-24589-0000 Conductor pipe required feet	rder #133,891-C, which applies to the KCC District 3 area, alternate It cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Vice President Remember to: - File Drill Pit Application (form CDP-1) with Intant to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders: - Notify appropriate district office 48 hours prior to workover or re-entry;
Or pursuant to Appendix "B" - Eastern Kansas surface casing o must be completed within 30 days of the spud date or the well s i hereby certify that the statements made herein are true and to the be Date: 8/8/2008 Signature of Operator or Agent: Machine For KCC Use ONLY API # 15 - 003-24589-0000 Conductor pipe required feet Minimum surface pipe required feet per Ait.	rder #133.891-C, which applies to the KCC District 3 area, alternate It cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Vice President Remember to: - File Drill Pit Application (form CDP-1) with Intant to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders:
Or pursuant to Appendix "B" - Eastern Kansas surface casing o must be completed within 30 days of the spud date or the well s i hereby certify that the statements made herein are true and to the be Date: 8/8/2008 Signature of Operator or Agent: Must For KCC Use ONLY API # 15 - QQ3 - 24589 - ODD Conductor pipe required feet Minimum surface pipe required feet per Ait. Approved by: Approved by: Approved by: Approved by: Approved Signature of Conductor Figure 1300 feet per Ait.	rder #133,891-C, which applies to the KCC District 3 area, alternate It cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Vice President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders: - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
Or pursuant to Appendix "B" - Eastern Kansas surface casing o must be completed within 30 days of the spud date or the well s i hereby certify that the statements made herein are true and to the be Date: 8/8/2008 Signature of Operator or Agent: Must For KCC Use ONLY API # 15 - OO3 - 24589 - OODO Conductor pipe required feet Minimum surface pipe required feet per Ait. Approved by: 4-3-09 This authorization expires: 813-09	rder #133.891-C, which applies to the KCC District 3 area, alternate It cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. **Low State of my knowledge and belief.** **Title: Vice President* **Remember to: - File Drill Pit Application (form CDP-1) with Intant to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders: - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please
Or pursuant to Appendix "B" - Eastern Kansas surface casing o must be completed within 30 days of the spud date or the well statements made herein are true and to the between a signature of Operator or Agent: 8/8/2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO3 - 24589 - OOO Conductor pipe required	rder #133.891-C, which applies to the KCC District 3 area, alternate It cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. **Low State of my knowledge and belief.** **Title: Vice President* **Remember to: - File Drill Pit Application (form CDP-1) with Intant to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders: - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please
Or pursuant to Appendix "B" - Eastern Kansas surface casing o must be completed within 30 days of the spud date or the well s i hereby certify that the statements made herein are true and to the be Date: 8/8/2008 Signature of Operator or Agent: Must For KCC Use ONLY API # 15 - OO3 - 24589 - OODO Conductor pipe required feet Minimum surface pipe required feet per Ait. Approved by: 4-3-09 This authorization expires: 813-09	rder #133.891-C, which applies to the KCC District 3 area, alternate It cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. **Title: Vice President** **Remember to: - File Drill Pit Application (form CDP-1) with Intant to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage altribution plat according to field proration orders: - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 003-24589-0000	Location of Well: County: Anderson
Operator JRC Oil Company, Inc.	1980feet from X N / S Line of Section
Lease: Daniel	E / X W Line of Section
Well Number: DK-5	Sec. 4 Twp. 21 S. R. 21 X East Wes
Field: Bush City Shoestring	
Number of Acres attributable to well: 2.5	Is Section: Regular or X Irregular
QTR / QTR of acreage: CSL NW - SE - NW	If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).


Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

				
Operator Name: JRC Oil Company, Inc.			License Number: 09267	
Operator Address: P. 0. Box	426	Garnett, k	Kansas 66032-0426	
Contact Person: Mike Colvin			Phone Number: (785) 448 - 5833	
Lease Name & Well No.: Daniel DK-	5		Pit Location (QQQQ):	
Type of Pit:	Pit is:	-	CSL NW SE NW	
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 4 Twp. 21 R. 21 X East We	est
Settling Pit	If Existing, date co	nstructed:	1980 Feet from X North / South Line of	
Workover Pit Haul-Off Pit	Pit capacity:		1660 Feet from East / X West Line of	
(If WP Supply API No. or Year Drilled)	143	(bbls)	Anderson	
Is the pit located in a Sensitive Ground Water Area? Yes X No			Chloride concentration:	- <u>-</u>
			(For Emergency Pits and Settling Pits only)	J
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
X Yes No	Yes X N	10	Surface Clay	
Pit dimensions (all but working pits):	20 Length (fee	et)10	Width (feet)N/A: Steel Pit	is
Danth fi			4	
If the pit is lined give a brief description of the		Describe proce	dures for periodic maintenance and determining actuding any special monitoring.	EIVEL
If the pit is lined give a brief description of the	e liner	Describe proce	edures for periodic maintenance and determining notuding any special monitoring. REC KANSAS CORPOR	ATION C
f the pit is lined give a brief description of the material, thickness and installation procedure	e liner e.	Describe proce liner integrity, in	rdures for periodic maintenance and determining notuding any special monitoring. REC KANSAS CORPOR AUG 1 None west fresh water	3 200
the pit is lined give a brief description of the naterial, thickness and installation procedure	e liner e. e of pit	Describe proce liner integrity, in Depth to shallor Source of inform	rdures for periodic maintenance and determining notuding any special monitoring. REC KANSAS CORPOR AUG 1 None west fresh water	3 200 TION DIVI
the pit is lined give a brief description of the laterial, thickness and installation procedure istance to nearest water well within one-mile. None feet Depth of water well	e liner e. e of pit	Describe proce liner integrity, in Depth to shallor Source of informationX measu	AUG 1 None west fresh water50feet. wick-mation:	3 200 TION DIVI
the pit is lined give a brief description of the naterial, thickness and installation procedure distance to nearest water well within one-mile None feet Depth of water well mergency, Settling and Burn Pits ONLY:	e liner e. e of pit feet	Describe proce liner integrity, in Depth to shallor Source of information Measure Drilling, Worker	AUG 1 None west fresh water 50feet well owner electric log KDN	3 200 TION DIVI
the pit is lined give a brief description of the paterial, thickness and installation procedure istance to nearest water well within one-mile None feet Depth of water well mergency, Settling and Burn Pits ONLY: roducing Formation:	e liner e. e of pit feet	Describe proce liner integrity, in Depth to shallor Source of information Measure Drilling, Works Type of material Number of works	AUG 1 None west fresh water selectric log KDN mation: red well owner electric log KDN over and Haul-Off Pits ONLY: il utilized in drilling/workover:Fresh H2O king pits to be utilized: 2	3 200 TION DIVI
the pit is lined give a brief description of the naterial, thickness and installation procedure. Distance to nearest water well within one-mile. None feet Depth of water well miles. Emergency, Settling and Burn Pits ONLY: Producing Formation:	e liner e. e of pit feet	Describe proce liner integrity, in Depth to shallor Source of information Measure Drilling, Works Type of material Number of works	None west fresh water electric log KDV well owner electric log KDV to trillized in drilling/workover:Fresh_H20	3 200 TION DIVI
the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mile. None feet Depth of water well. Emergency, Settling and Burn Pits ONLY: Producing Formation: Sumber of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	e liner e. e of pit feet	Describe proce liner integrity, in Depth to shallor Source of information Measure Drilling, Works Type of material Number of work Abandonment (AUG 1 None west fresh water selectric log KDN mation: red well owner electric log KDN over and Haul-Off Pits ONLY: il utilized in drilling/workover:Fresh H2O king pits to be utilized: 2	3 200 TION DIVI
the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mile. None feet Depth of water well. Emergency, Settling and Burn Pits ONLY: Producing Formation: Sumber of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	e liner e. e of pit feet spilled fluids to	Describe proce liner integrity, in Depth to shallor Source of information Measure Drilling, Works Type of material Number of work Abandonment (Control of Measure Drilling)	AUG 1 None west fresh water 50 feet. mation: red well owner electric log KDN over and Haul-Off Pits ONLY: il utilized in drilling/workover: Fresh H20 king pits to be utilized: 2 procedure: Backfill with bulldozer. se closed within 365 days of spud date.	3 200 TION DIVI
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mile. None feet Depth of water well. Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	e liner e. e of pit feet spilled fluids to ements are true and co	Describe proce liner integrity, in Depth to shallor Source of infon X measu Drilling, Worke Type of material Number of work Abandonment in Drilli pits must be creat to the best when the content in the	AUG 1 None west fresh water 50 feet. mation: red well owner electric log KDN over and Haul-Off Pits ONLY: il utilized in drilling/workover: Fresh H20 king pits to be utilized: 2 procedure: Backfill with bulldozer. se closed within 365 days of spud date.	3 200 TION DIVI
The pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mile. None feet Depth of water well. Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all low into the pit? I hereby dartify that the above state August 8, 2008	e liner e. e of pit feet spilled fluids to ements are true and co	Describe proce liner integrity, in Depth to shallor Source of infon X measu Drilling, Worke Type of material Number of work Abandonment in Drilli pits must be creat to the best when the content in the	AUG 1 None west fresh water 50 feet. WICK mation: red well owner electric log KDN over and Haul-Off Pits ONLY: Il utilized in drilling/workover:Fresh H20 king pits to be utilized: 2 procedure: Backfill with bulldozer. De closed within 365 days of spud date. of my knowledge and belief. J. C. J. Vice President gnature of Applicant or Agent	3 200 TION DIVI
the pit is lined give a brief description of the naterial, thickness and installation procedure. Distance to nearest water well within one-mile naterial. None feet Depth of water well mergency, Settling and Burn Pits ONLY: Troducing Formation: Jumber of producing wells on lease: arrels of fluid produced daily: Jumple of fl	e liner e. e of pit feet I spilled fluids to ements are true and co	Describe proce liner integrity, in Depth to shallor Source of information Measure Drilling, Worker Type of material Number of work Abandonment in Drill pits must be correct to the best what Signature in the second secon	AUG 1 None west fresh water 50 feet. WICK mation: red well owner electric log KDN over and Haul-Off Pits ONLY: Il utilized in drilling/workover:Fresh H20 king pits to be utilized: 2 procedure: Backfill with bulldozer. De closed within 365 days of spud date. of my knowledge and belief. J. C. J. Vice President gnature of Applicant or Agent	3 200 TRON DIVI





NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.