# For KCC Use: Effective Date: .. SGA?

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Expected Spud Date: August 15, 2008	Spot Description: 37.381633 -95.899639
month day year	(0/0/0/0) - NW SW NE Sec. 5 Twp. 31 S. R. 14 XE W feet from N / S Line of Section
OPERATOR: License#	2,157 feet from X E / W Line of Section
Address 1: 1900 Shawnee Mission Parkway	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Mission Woods State: KS Zip: 66205 + 2001	County: Montgomery
Contact Person: Timothy H. Wright	Lease Name: Lawrence Well #: 7-5
Phone: 913-748-3960	Field Name: Cherokee Basin Coal
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field?
Name: Thornton Air	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 483'
	Ground Surface Elevation: 917 feet MSL
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary  Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 150'
Other:	Depth to bottom of usable water: 175'
	Surface Pipe by Alternate: I I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 1500'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond X Other:
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
ΔFFI	RECEIVED RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plugg	DAVIT KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION (See Land 1997) with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	A110 A1 anns
Notify the appropriate district office <i>prior</i> to spudding of well;	AUG 1 4 2008 AUG 1 1 2008
	rilling rig; CONSERVATION DIVISION CONSERVATION PROFILE
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each d</li> <li>The minimum amount of surface pipe as specified below shall be set by</li> </ol>	rilling rig; CONSERVATION DIVISION CONSERVATION DIVISION circulating cement to the harchital gases surface pipe shall brothita ks
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each d</li> <li>The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u</li> </ol>	rilling rig; CONSERVATION DIVISION CONSERVATION DIVISION circulating cement to the WICHITAL RESESSION DIVISION WICHITA, KS underlying formation.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each d</li> <li>The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u</li> <li>If the well is dry hole, an agreement between the operator and the distriction.</li> </ol>	inderlying formation. It office on plug length and placement is necessary <i>prior to plugging;</i>
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each d</li> <li>The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged.</li> </ol>	inderlying formation. It office on plug length and placement is necessary <b>prior to plugging;</b> If or production casing is cemented in;
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each d</li> <li>The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133</li> </ol>	Inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If orm below any usable water to surface within 120 DAYS of spud date. If spud by the KCC District 3 area, alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each d</li> <li>The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u</li> <li>If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugged</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented f</li> </ol>	Inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If orm below any usable water to surface within 120 DAYS of spud date. If spud by the KCC District 3 area, alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each d</li> <li>The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133</li> </ol>	the deriving formation.  It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If or below any usable water to surface within 120 DAYS of spud date. If office on the surface within 120 DAYS of spud date. If office office prior to any cementing.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each d</li> <li>The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pill hereby certify that the statements made herein are true and correct to the best August 9, 2009.</li> </ol>	the office on plug length and placement is necessary prior to plugging; d of fice on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each d</li> <li>The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pine.</li> </ol>	to office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Title: Agent
2. A copy of the approved notice of intent to drill shall be posted on each d 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented f Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pill hereby certify that the statements made herein are true and correct to the best Date:  August 8, 2008  Signature of Operator or Agent:	the office on plug length and placement is necessary prior to plugging; d of fice on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief.
2. A copy of the approved notice of intent to drill shall be posted on each d 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pill hereby certify that the statements made herein are true and correct to the best Date:  August 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY	inderlying formation.  It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; Irom below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Title:  Agent  File Drill Pit Application (form CDP-1) with Intent to Drill;
2. A copy of the approved notice of intent to drill shall be posted on each d 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p  I hereby certify that the statements made herein are true and correct to the best poster.  August 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 12.5 - 31.75.9 - 0000	Inderlying formation. It office on plug length and placement is necessary prior to plugging; It of office on plug length and placement is necessary prior to plugging; It of row below any usable water to surface within 120 DAYS of spud date. It is all cases, NOTIFY district 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Agent  Title:  Agent  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
2. A copy of the approved notice of intent to drill shall be posted on each d 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pill hereby certify that the statements made herein are true and correct to the best Date:  August 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY	inderlying formation.  It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; Irom below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.    Agent   Agent   Agent
2. A copy of the approved notice of intent to drill shall be posted on each d 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pill hereby certify that the statements made herein are true and correct to the best pate:  August 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - /2.5 - 3/7.59-0000	inderlying formation. It office on plug length and placement is necessary prior to plugging; It of or production casing is cemented in; Irom below any usable water to surface within 120 DAYS of spud date. It is,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Agent  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
2. A copy of the approved notice of intent to drill shall be posted on each d 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pill hereby certify that the statements made herein are true and correct to the best pate:  August 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - /2.5 - 3/759-0000  Conductor pipe required 100 feet per ALT 101 101	inderlying formation.  It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; Irom below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.    Agent   Agent   Agent
2. A copy of the approved notice of intent to drill shall be posted on each d 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plate:    August 8, 2008	Agent  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
2. A copy of the approved notice of intent to drill shall be posted on each d 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p  I hereby certify that the statements made herein are true and correct to the besonate:  August 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - /2.5 - 3/759-000  Conductor pipe required  Approved by:  Minimum surface pipe required	Inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If orm below any usable water to surface within 120 DAYS of spud date. Is 8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Agent  Title:  Agent  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
2. A copy of the approved notice of intent to drill shall be posted on each d 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plate:    August 8, 2008	Inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If or plugged. In all cases, NOTIFY district office prior to any cementing lugged. In all cases, NOTIFY district office prior to any cementing.  If the Drill Pit Application (form CDP-1) with Intent to Drill; If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Date:
2. A copy of the approved notice of intent to drill shall be posted on each d 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p  I hereby certify that the statements made herein are true and correct to the besonate:  August 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - /2.5 - 3/759-000  Conductor pipe required  Approved by:  Minimum surface pipe required	Inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If orm below any usable water to surface within 120 DAYS of spud date. Is 8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Agent  Title:  Agent  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31759-0000	
Operator: Layne Energy Operating, LLC	Location of Well: County: Montgomery
Lease: Lawrence	1,711 feet from N / S Line of Section
Well Number: 7-5	2,157 feet from X E / W Line of Section
Field: Cherokee Basin Coal	Sec. <u>5</u> Twp. <u>31</u> S. R. <u>14</u> $\square$ E $\square$ W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

		 17	ii'				
	•••••	 		 			•••••
*********		 	*****		********	J157'	
					·	•	
		 *********	*****	····			••••••
		 ********	•••••	: :	******	******	

RECEIVED KANSAS CORPORATION COMMISSION

AUG 1 1 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

AUG 14 2008

KANSAS CORPORATION COMMISSION

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, CONSERVATION DIVISION 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC		License Number: 33365			
Operator Address: 1900 Shawnee Mission Parkway		Mission Woods KS 66205			
Contact Person: Timothy H. Wright		Phone Number: 913-748-3960			
Lease Name & Well No.: Lawrence 7-5		Pit Location (QQQQ):			
	Pit is:		<u>NW_SW_NE</u> _		
· · ·	Proposed Existing		Sec. 5 Twp. 31 R. 14 East West		
	If Existing, date constructed:		1,711 Feet from North / South Line of Section		
☐ Workover Pit ☐ Haul-Off Pit ☐	it ————		2,157 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	capacity:	(bbls)	Montgomery County		
Is the pit located in a Sensitive Ground Water Area	? Yes X	Mo	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
	tificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes X		self-sealing		
Pit dimensions (all but working pits):30	Length (fe	et)20	Width (feet) N/A: Steel Pits		
Depth from gi	round level to de	epest point:	3 (feet) No Pit		
material, thickness and installation procedure.		liner integrity, i	ncluding any special monitoring.		
		west fresh waterfeet. mation: uredwell owner electric logKDWR			
ļ <del>[</del>			ce of information:		
		kover and Haul-Off Pits ONLY:			
		ial utilized in drilling/workover: fresh water mud			
Number of producing wells on lease: Number of wor		orking pits to be utilized: 2			
Barrels of fluid produced daily:		Abandonment	procedure: Let evaporate until dry, then backfill and restore		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  AUG 1 4 2008  August 13, 2008  Date  Signature of Applicant of Applicant of Agent  CONSERVATION DIVISION  WICHITA, KS					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 8/14/08 Permit Number:_		Perm	it Date: 8/14/08 Lease Inspection: Yes No		