For KCC Use: Effective Date: District # SA42 Ves No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

xpected Spud Date: November	er 1, 2008	Spot Description:	
month	day year	NW - NE - NE Sec. 1 Twp. 10 S. R. 23 TE	lw
PERATOR: License#	•	(Q/Q/Q/Q) 330 feet from X N / S Line of Sec	
me: FREMONT EXPLORATION, INC	<u>с.</u>	990 feet from XE / W Line of Sec	tion
dress 1: 12412 ST. ANDREWS DRIVE		is SECTION: Regular Irregular?	
ldress 2:		(Note: Locate well on the Section Plat on reverse side)	
:y: OKLAHOMA CITY State:	e: OK Zip: <u>73120</u> +	County: GRAHAM	
ontact Person: TOM CONROY		Lease Name: STITES Well #: 1-1	
ione.		Field Name: VESPER	
ONTRACTOR: License# 33575		Is this a Prorated / Spaced Field?	No $-$
ime: _WW DRILLING, LLC		Target Formation(s): LKC	
Well Drilled For: Well Cla	ass: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330'	
XIOII DEnh Rec Dinfie	ield Mud Rotary	Ground Surface Elevation: 2408' (EST) feet M	
	ol Ext. Air Rotary	Water well within one-quarter mile:	_
	ldcat Cable	Public water supply well within one mile:	Νo
Seismic ;# of Holes Oth	ner	Depth to bottom of fresh water: 150	
Other:		Depth to bottom of usable water:	
If OWWO: old well information as for	follows:	Surface Pipe by Alternate: I XII 275	
_		Length of Surface Pipe Planned to be set: 275'	_
Operator:		Length of Conductor Pipe (if any): Projected Total Depth: 4000'	
Well Name: Original Completion Date:		Formation at Total Depth: MARMATON	_
Original Completion Date.	·	Water Source for Drilling Operations:	
rectional, Deviated or Horizontal wellbore	e? Yes No	Well Farm Pond Other: HAUL IF NECESSARY	
Yes, true vertical depth:		DWR Permit #:	
ottom Hole Location:		(Note: Apply for Permit with DWR	
CC DKT #:		Will Cores be taken?	No
		If Yes, proposed zone:	
	A FFE		
 agreed that the following minimum re Notify the appropriate district office A copy of the approved notice of it The minimum amount of surface pathrough all unconsolidated materia 	e drilling, completion and eventual plu requirements will be met: ce prior to spudding of well; intent to drill shall be posted on each pipe as specified below shall be set ials plus a minimum of 20 feet into the	by circulating cement to the top; in all cases surface pipe shalf PNSERVATION (e underlying formation.	8009 181VIC
is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of it 3. The minimum amount of surface pathrough all unconsolidated materia 4. If the well is dry hole, an agreeme	e drilling, completion and eventual plu requirements will be met: ce prior to spudding of well; intent to drill shall be posted on each pipe as specified below shall be set ials plus a minimum of 20 feet into the ent between the operator and the dist	add 182 Auging of this well will comply with K.S.A. 55 et. seq. Auging of this well will comply will be auging the thin this will be auging the thin thin thin thin thin thin thin thin	8009 181VIC
s agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of it 3. The minimum amount of surface pathrough all unconsolidated materia 4. If the well is dry hole, an agreeme 5. The appropriate district office will	e drilling, completion and eventual plu requirements will be met: ce prior to spudding of well; intent to drill shall be posted on each pipe as specified below shall be set ials plus a minimum of 20 feet into the ent between the operator and the dist be notified before well is either plugg	rigging of this well will comply with K.S.A. 55 et. seq. AUG 1 8 2 a drilling rig; by circulating cement to the top; in all cases surface pipe shalf PNSERVATION to a underlying formation. WICHITA, K.	8009 181VIC
s agreed that the following minimum rd. Notify the appropriate district office. A copy of the approved notice of it. The minimum amount of surface post through all unconsolidated materia. If the well is dry hole, an agreeme. The appropriate district office will it. If an ALTERNATE II COMPLETIO. Or pursuant to Appendix "B" - Eas	e drilling, completion and eventual plus requirements will be met: ce prior to spudding of well; intent to drill shall be posted on each pipe as specified below shall be set into the ent between the operator and the dist is be notified before well is either plugg DN, production pipe shall be cemented stern Kansas surface casing order #1	add 1 8 2 a drilling rig; by circulating cement to the top; in all cases surface pipe shalf ONSERVATION to e underlying formation. The production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	8009 181VIC
is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of it 3. The minimum amount of surface pathrough all unconsolidated materia 4. If the well is dry hole, an agreeme 5. The appropriate district office will if 6. If an ALTERNATE II COMPLETIO Or pursuant to Appendix "B" - Eas must be completed within 30 days	e drilling, completion and eventual plus requirements will be met: ce prior to spudding of well; intent to drill shall be posted on each pipe as specified below shall be set itals plus a minimum of 20 feet into the ent between the operator and the dist be notified before well is either plugg DN, production pipe shall be cemented stern Kansas surface casing order #1 s of the spud date or the well shall be	AUG 1 8 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall DNSERVATION to underlying formation. rict office on plug length and placement is necessary prior to pluggling; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing eplugged. In all cases, NOTIFY district office prior to any cementing.	8009 181VIC
is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of it 3. The minimum amount of surface post through all unconsolidated materia 4. If the well is dry hole, an agreeme 5. The appropriate district office will 6. If an ALTERNATE II COMPLETIO Or pursuant to Appendix "B" - Eas must be completed within 30 days sereby certify that the statements made	e drilling, completion and eventual plus requirements will be met: ce prior to spudding of well; intent to drill shall be posted on each pipe as specified below shall be set itals plus a minimum of 20 feet into the ent between the operator and the dist be notified before well is either plugg DN, production pipe shall be cemented stern Kansas surface casing order #1 s of the spud date or the well shall be	AUG 1 8 2 drilling rig; by circulating cement to the top; in all cases surface pipe shalf PASSIVATION to underlying formation. rict office on plug length and placement is necessary prior to pluggling; led or production casing is cemented in; do from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.	8009 181VIC
s agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of it 3. The minimum amount of surface pathrough all unconsolidated materia 4. If the well is dry hole, an agreeme 5. The appropriate district office will if 6. If an ALTERNATE II COMPLETIO Or pursuant to Appendix "B" - Eas must be completed within 30 days ereby certify that the statements made	e drilling, completion and eventual plus requirements will be met: ce prior to spudding of well; intent to drill shall be posted on each pipe as specified below shall be set itals plus a minimum of 20 feet into the ent between the operator and the dist be notified before well is either plugg DN, production pipe shall be cemented stern Kansas surface casing order #1 s of the spud date or the well shall be	AUG 1 8 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall DNSERVATION to underlying formation. rict office on plug length and placement is necessary prior to pluggling; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing eplugged. In all cases, NOTIFY district office prior to any cementing.	8009 181VIC
is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of it 3. The minimum amount of surface post through all unconsolidated materia 4. If the well is dry hole, an agreeme 5. The appropriate district office will if an ALTERNATE II COMPLETIO Or pursuant to Appendix "B" - Eas must be completed within 30 days are reby certify that the statements made	e drilling, completion and eventual plus requirements will be met: see prior to spudding of well; intent to drill shall be posted on each pipe as specified below shall be set itals plus a minimum of 20 feet into the ent between the operator and the dist be notified before well is either plugg DN, production pipe shall be cemented stern Kansas surface casing order #1 s of the spud date or the well shall be the herein are true and correct to the ball be the stern are true and correct to the ball be the spud date.	AUG 1 8 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall DNSERVATION to underlying formation. rict office on plug length and placement is necessary prior to pluggling; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.	8009 181VIC
is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of it 3. The minimum amount of surface pathrough all unconsolidated materia 4. If the well is dry hole, an agreeme 5. The appropriate district office will lead to the complete of the com	e drilling, completion and eventual plus requirements will be met: requirements will be met: re prior to spudding of well; intent to drill shall be posted on each pipe as specified below shall be set it ials plus a minimum of 20 feet into the ent between the operator and the dist be notified before well is either plugg DN, production pipe shall be cemented stern Kansas surface casing order #1 is of the spud date or the well shall be the herein are true and correct to the base of Operator or Agent:	AUG 1 8 2 a drilling rig; by circulating cement to the top; in all cases surface pipe shall Deservation with the sunderlying formation. The pict office on plug length and placement is necessary prior to pluggling; and form below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: AGENT	2008 SIVISI
is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of it 3. The minimum amount of surface pathrough all unconsolidated materia 4. If the well is dry hole, an agreeme 5. The appropriate district office will if 6. If an ALTERNATE II COMPLETIO Or pursuant to Appendix "B" - Eas must be completed within 30 days tereby certify that the statements made ate: 8-14-08 Signature	e drilling, completion and eventual plus requirements will be met: requirements will be met: re prior to spudding of well; intent to drill shall be posted on each pipe as specified below shall be set it ials plus a minimum of 20 feet into the ent between the operator and the dist be notified before well is either plugg DN, production pipe shall be cemented stern Kansas surface casing order #1 is of the spud date or the well shall be the herein are true and correct to the base of Operator or Agent:	AUG 1 8 2 a drilling rig; by circulating cement to the top; in all cases surface pipe shall Deservation with the second of the	2008
is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of it 3. The minimum amount of surface pathrough all unconsolidated materia 4. If the well is dry hole, an agreeme 5. The appropriate district office will lead to the complete of the com	e drilling, completion and eventual plut requirements will be met: the prior to spudding of well; intent to drill shall be posted on each pipe as specified below shall be set itals plus a minimum of 20 feet into the ent between the operator and the dist be notified before well is either plugg DN, production pipe shall be cemented stern Kansas surface casing order #1 sof the spud date or the well shall be the herein are true and correct to the base of Operator or Agent:	AUG 1 8 2 a drilling rig; by circulating cement to the top; in all cases surface pipe shall DESENTATION to underlying formation. Trict office on plug length and placement is necessary prior to pluggling; and or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: AGENT Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	2008 SIVISI
is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of it 3. The minimum amount of surface properties through all unconsolidated materia 4. If the well is dry hole, an agreeme 5. The appropriate district office will the first appropriate district office will the first and ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Easing the completed within 30 days thereby certify that the statements made ate: 8-14-08 Signature For KCC Use ONLY API # 15 - OG 5-234/67 Conductor pipe required	e drilling, completion and eventual plus requirements will be met: ce prior to spudding of well; intent to drill shall be posted on each pipe as specified below shall be set lials plus a minimum of 20 feet into the ent between the operator and the dist be notified before well is either plugg DN, production pipe shall be cemented stern Kansas surface casing order #1 is of the spud date or the well shall be deherein are true and correct to the base of Operator or Agent:	AUG 1 8 2 a drilling rig; by circulating cement to the top; in all cases surface pipe shall DISSENATION to underlying formation. Trict office on plug length and placement is necessary prior to pluggling; and or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: AGENT Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	2008
is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of it 3. The minimum amount of surface positive through all unconsolidated materia 4. If the well is dry hole, an agreeme 5. The appropriate district office will lead to the complete district office will lead to the complete of the co	e drilling, completion and eventual plut requirements will be met: the prior to spudding of well; intent to drill shall be posted on each pipe as specified below shall be set itals plus a minimum of 20 feet into the ent between the operator and the dist be notified before well is either plugg DN, production pipe shall be cemented stern Kansas surface casing order #1 sof the spud date or the well shall be the herein are true and correct to the base of Operator or Agent:	AUG 1 8 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall DISSEVATION with Intent to Drill; election below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing eleged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. AGENT Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	2008 Divisi
is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of it 3. The minimum amount of surface pathrough all unconsolidated materia 4. If the well is dry hole, an agreeme 5. The appropriate district office will if 6. If an ALTERNATE II COMPLETIO Or pursuant to Appendix "B" - Eas must be completed within 30 days mereby certify that the statements made ate: 8-14-08 Signature For KCC Use ONLY API # 15 - 06 5 - 23467 Conductor pipe required Minimum surface pipe required Approved by: MINIMUM SIGNATURE Approved by: MINIMUM SIGNATURE Approved by: MINIMUM SIGNATURE Approved by: MINIMUM SIGNATURE API # 15 - 06 5 - 23467 Approved by: MINIMUM SIGNATURE API # 15 - 06 5 - 23467 Approved by: MINIMUM SIGNATURE API # 15 - 06 5 - 23467 Approved by: MINIMUM SIGNATURE API # 15 - 06 5 - 23467 AP	requirements will be met: requirements will be met: requirements will be met: reprior to spudding of well; intent to drill shall be posted on each pipe as specified below shall be set ials plus a minimum of 20 feet into the rent between the operator and the dist be notified before well is either plugg DN, production pipe shall be cemented stern Kansas surface casing order #1 s of the spud date or the well shall be the herein are true and correct to the b re of Operator or Agent:	AUG 1 8 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall DISERVATION to underlying formation. rict office on plug length and placement is necessary prior to pluggling; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. AGENT Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	2008
s agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of it 3. The minimum amount of surface properties and in the minimum amount of surface properties and it is dry hole, an agreeme 5. The appropriate district office will be a completed within 30 days are be completed within 30 days are by certify that the statements made are: 8-14-08 Signature For KCC Use ONLY API # 15 - 06 5 - 23467 Conductor pipe required Minimum surface pipe required Approved by: Minimum surface pipe requires: This authorization expires:	requirements will be met: ce prior to spudding of well; intent to drill shall be posted on each pipe as specified below shall be set ials plus a minimum of 20 feet into the eart between the operator and the dist be notified before well is either plugg DN, production pipe shall be cemente stern Kansas surface casing order #1 s of the spud date or the well shall be de herein are true and correct to the b re of Operator or Agent:	AUG 1 8 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall DISSEVATION with Intent to Drill; election below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing eleged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. AGENT Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	2008 Divisi
is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of it 3. The minimum amount of surface positive through all unconsolidated materia 4. If the well is dry hole, an agreeme 5. The appropriate district office will lead to the complete of	requirements will be met: ce prior to spudding of well; intent to drill shall be posted on each pipe as specified below shall be set ials plus a minimum of 20 feet into the eart between the operator and the dist be notified before well is either plugg DN, production pipe shall be cemente stern Kansas surface casing order #1 s of the spud date or the well shall be de herein are true and correct to the b re of Operator or Agent:	AUG 1 8 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall DNSERVATION witchira, is underlying formation. rict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. sest of my knowledge and belief. AGENT Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	2008 Divisi

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 065-23467-0000	
Operator: FREMONT EXPLORATION, INC.	Location of Well: County: GRAHAM
Lease: STITES	feet from N / S Line of Section
Well Number: 1-1	990 feet from X E / W Line of Section
Field: VESPER	Sec. 1 Twp. 10 S. R. 23 E 🔀 W
Number of Acres attributable to well: 20	ls Section: ☐ Regular or ☐ Irregular
QTR/QTR/QTR/QTR of acreage: NW NE NE	is Section. An egular of Integular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

1		:	₩
	:		990
		· 	
797—7977	· -		:
:	:	:	
	: :	- : :	
		:	:
:		:	
:	· · · · · · · · · · · · · · · · · · ·	:	: : : : : : : : : : : : : : : : : : : :

RECEIVED KANSAS CORPORATION COMMISSION

AUG 18 2008

CONSERVATION DIVISION
WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: FREMONT EXPLORATION, INC.			License Number: 31790		
Operator Address: 12412 ST. ANDREWS DRIVE			OKLAHOMA CITY OK 73120		
Contact Person: TOM CONROY			Phone Number: 405-936-0012		
Lease Name & Well No.: STITES 1-1		Pit Location (QQQQ):			
Type of Pit: Emergency Pit					
material, thickness and installation procedure.			west fresh water		
Distance to nearest water well within one-mile of pit $43/1$ feet Depth of water well 50 feet		Source of information: Market Mark			
		Drilling, Work	west fresh water		
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of material utilized in drilling/workover: DRILLING MUD Number of working pits to be utilized: 2 Abandonment procedure: EVAPORATE & BACK-FILL			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED KANSAS CORPORATION COMMISS					
8-14-08 Four Course AUG 1 8 2008 Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY Steel Pit RFAC REASE KS					
Date Received: 8/18/08 Permit Number: Permit C			it Date: 8/18/08 Lease Inspection: Yes No		