For KCC Use:	2-7-02
Effective Date:	32700
District #	
SGA? Yes	No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 09/01/2008	
	Spot Description:
month day year	C NE SE SE Sec. 14 Twp. 30 S. R. 32 TEXW
5447	(QQQQQ) 990 feet from N / S Line of Section
OPERATOR: License#	330 feet from X E / W Line of Section
Address 1: P O Box 2528	Is SECTION: Regular Irregular?
Address 2: State: KS Zip: 67880 +	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jarod Powell	County: Haskell
Phone: 620-629-4200	Lease Name: Hawley "A" Well #: 2
	Field Name: Unknown
CONTRACTOR: License#30606 Mufin Drifting Company Inc.	Is this a Prorated / Spaced Field? Yes No
Name: Murfin Drilling Company, Inc.	Target Formation(s): St Louis
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330
☑Oil ☐ Enh Rec ☐ Infield ☑ Mud Rotary	Ground Surface Elevation: 2857 feet MSL
Gas Storage X Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: _520
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: XI III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1750'
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 5875
Original Completion Date: Original Total Depth:	Formation at Total Depth: St Louis
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔀)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
PRORATED 2 SPACEO: HULOTON AFFIL The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:	DAVIT ging of this well will comply with K.S.A. 55 et. seq.
Notify the appropriate district office <i>prior</i> to spudding of well;	
 A copy of the approved notice of intent to drill shall be posted on each d The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the t If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p 	circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 	circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the constant of the surface pipe as specified before and the district structure. If the well is dry hole, an agreement between the operator and the district structure. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented to or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pure the statements made herein are true and correct to the best of the specific true and correct to the best of the specific true and correct to the best of the specific true and correct to the best of the specific true and correct to the best of the specific true and correct to the specific true. 	circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged of the an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p 	circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; dorproduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Capital Assets Title:
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the eta. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best constant. Date: O8/20/2008 Signature of Operator or Agent:	circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; dorproduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Capital Assets Title:
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best of the set of Operator or Agent: Date: Signature of Operator or Agent:	circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Capital Assets Title:
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best of the constant of the constant of the perfectly stated by the constant of the const	circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. In the state of my knowledge and belief. Capital Assets Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best of the constant of Operator or Agent: Date: 08/20/2008	recirculating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; do production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Capital Assets Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best of the constant of the constant of the perfectly and the constant of the perfectly and the constant of the constant	circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; did or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Capital Assets Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP 4) after plugging is completed (within 60 days):
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be percentified that the statements made herein are true and correct to the best of the constant of the percentified that the statements made herein are true and correct to the best of the constant of the percentified that the statements made herein are true and correct to the best of the constant of the percentified that the statements made herein are true and correct to the best of the percentified that the statements made herein are true and correct to the best of the percentified that the statements made herein are true and correct to the best of the percentified that the statements made herein are true and correct to the best of the percentified that the statements made herein are true and correct to the best of the percentified that the statements made herein are true and correct to the best of the percentified that the percentified that the statements made herein are true and correct to the best of the percentified that the perce	circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; did or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Capital Assets Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP 4) after plugging is completed (within 60 days):
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be possible that the statements made herein are true and correct to the best of the spud state of Operator or Agent: O8/20/2008	recirculating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; do production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Capital Assets Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be possible that the statements made herein are true and correct to the best of the set of Operator or Agent: Date: 08/20/2008	circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; did or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Capital Assets Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP 4) after plugging is completed (within 60 days):
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be possible that the statements made herein are true and correct to the best of the spud date or Agent: O8/20/2008	recirculating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Capital Assets Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be possible that the statements made herein are true and correct to the best of the constant of the constant of the production of the production of the production of the product of the production of the produ	recirculating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Capital Assets Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be percentify that the statements made herein are true and correct to the best of the statements of Operator or Agent: O8/20/2008	recirculating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Capital Assets Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - OSI-21831-0000	
Operator: OXY USA, Inc.	Location of Well: County: Haskell
Lease: Hawley "A"	990 feet from N / X S Line of Section
Well Number: 2	330 feet from
Field: Unknown	Sec. <u>14 Twp. 30 S. R. ³² EX</u> W
Number of Acres attributable to well: 10 QTR/QTR/QTR/QTR of acreage: C - NE - SE - SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: OXY USA Inc.		License Number: 5447		
Operator Address: P. O. Box 2528, Liberal, KS 67901				
Contact Person: Mike Fink		Phone Number: (620) 624 - 3569		
Lease Name & Well No.: Hawley "A" #2		Pit Location (QQQQ):		
Type of Pit:	Pit is:		C NE SE SE	
Emergency Pit Burn Pit	✓ Proposed		Sec. 14 _Twp. 30S R. 32 ☐ East 🗸 West	
Settling Pit	If Existing, date constructed:		990 Feet from North / 🗸 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity: 16,000 (bbls)		330 Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)			Haskell County	
Is the pit located in a Sensitive Ground Water Area? Yes V		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes ✓		Bentonite & Cuttings	
Pit dimensions (all but working pits):150 Length (feet) Width (feet) Width (feet) N/A: Steel Pits				
Depth fr	om ground level to de	eepest point: 4	(feet)	
material, thickness and installation procedure. liner integrity, including any special monitoring.				
		west fresh water		
Source of			rnation: iredwell owner electric logKDWR	
'		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation: Type of mater		Type of materia	al utilized in drilling/workover: Fresh Water Mud	
, <u> </u>		1	king pits to be utilized:	
Barrels of fluid produced daily: Abandonme		Abandonment	procedure: Evaporation and Backfill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits i		Drill pits must	be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
7101				
			ignature of Applicant or Agent	
KCC OFFICE USE ONLY				
Date Received: 8/21/08 Permit Number: Permit Date: 8/21/08 Lease Inspection: Yes 🗚 No				