year

For KCC Us	: 4.Cm	
Effective Dat	, /3 48	
District #	<u></u>	
SGA?	Yes No	

Expected Spud Date: \_

March 31, 2008

month

# KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to continencing well

Fo	Form C-t photober 2007 orm must be Typed orm must be Signed anks must be Filled
All Dil	anka muat oo i meu

33344	(0/0/0/0) 660 feet from N / S Line of Secti	on
OPERATOR: License#	680 feet from E / X W Line of Secti	วก
Name: 240 M. Park Avg. Suite 2750	Is SECTION: Regular irregular?	
Address 1: 210 W. Park Ave., Suite 2750	18 OCOTION. Expression I mogenture	
Address 2:	(Nate: Locate well on the Section Plat on reverse side)	_
	County: Labette D. Mayaga Tesat M. County in 10-1	<u></u>
Contact Person: Richard Marlin	Lease Name:	
Phone: 405-702-7480	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# 33837 or another Licensed by KCC	Is this a Prorated / Spaced Field?	0
Name: Will advise on the ACO-1	Target Formation(e): Cherokee Coals	
Marine:	Nearest Lease or unit boundary line (in footage): 660	_
Well Drilled For: Well Class: Type Equipment:	Nearest Lease of unit boundary line (in lookage).	
Oil Finh Rec Sinfield Mud Rotary	Ground Surface Elevation: 850 feet M:	
	Water well within one-quarter mile:	
	Public water supply well within one mile:	No
Disposal   Wildcat   Cable     Seismic : # of Holes   Other	Depth to bottom of fresh water: 100	
X Other: Coalbed Methane	Depth to bottom of usable water:	
Ciner: costices methods	Surface Pipe by Alternate: I XII	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Overvie. Old Holl Willows as Investigation		
Operator:	Length of Conductor Pipe (if any):	_
Well Name:	Projected Total Depth: 1500	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals	
<u> </u>	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR )	
KCC DKT #:	Will Cores be taken?	No
s: Dale D Maxson Trust	If Yes, proposed zone:	
5: Maxson, Dale D. Trust AFF	IDAVIT  IDAVIT  IDAVIT  IDAVIT  IDAVIT  RECEIV  KANSAS CORPORATIO	
The undersigned hereby affirms that the drilling, completion and eventual plug	IDAVI I	
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	IDAVI I	N COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	gging of this well will comply with K.S.A. 55 et. seq.  KANSAS CORPORATION  MAR 3 1	N COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	gging of this well will comply with K.S.A. 55 et. seq.  MAR 3 1	n commissioi <b>2008</b>
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each  3. The minimum amount of surface pipe as specified below <i>shall</i> be set to	gring of this well will comply with K.S.A. 55 et. seq.  KANSAS CORPORATION  MAR 3 1  drilling rig; by circulating cement to the top; in all cases surface pipe shall SONSERVATION  MICHIELD TAIL  MICHIEL	n commissioi <b>2008</b>
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to the specific to the state of the specific to the state of the specific to	gging of this well will comply with K.S.A. 55 et. seq.  MAR 3 1  drilling rig; by circulating cement to the top; in all cases surface cipe shall GOUSERVATION WICHITA,	n commissioi <b>2008</b>
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	gring of this well will comply with K.S.A. 55 et. seq.  MAR 3 1  drilling rig; by circulating cement to the top; in all cases surface pipe shall GONSERVATION Underlying formation.  ict office on plug length and placement is necessary prior to plugging;	n commissioi <b>2008</b>
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.	ging of this well will comply with K.S.A. 55 et. seq.  MAR 3 1  drilling rig; by circulating cement to the top; in all cases surface pipe shall SOSSERVATION WICHITA, underlying formation.  into office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;	n commissioi <b>2008</b>
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggent to the complete the complete that the complete the complete that the complete tha	drilling rig; by circulating cement to the top; in all cases surface pipe shall GONSERVATION WICHITA, into the production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.	n commissioi <b>2008</b>
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be servention witch the form of the servention of the production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	n commissioi <b>2008</b>
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	gring of this well will comply with K.S.A. 55 et. seq.  MAR 3 1  drilling rig; by circulating cement to the top; in all cases surface pipe shall SONSERVATION WICHITA, including formation.  including formation and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	n commissioi <b>2008</b>
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each  3. The minimum amount of surface pipe as specified below <i>shall</i> be set to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distress. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be SERVATION WICHITA, and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	n commissioi <b>2008</b>
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each  3. The minimum amount of surface pipe as specified below <i>shall</i> be set to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distress. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be SERVATION WICHITA, and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	n commissioi <b>2008</b>
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be SERVATION WICHITA, underlying formation.  Into office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing. Lest of my knowledge and selief.  Title: Vice President	N COMMISSION  ZÜÜÜ  DIVISION  KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each  3. The minimum amount of surface pipe as specified below <i>shall</i> be set to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distress. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be SERVATION WICHITA, not office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing. east of my knowledge and belief.  Title:  Vice President  Remember to:	n commissioi <b>2008</b>
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date:  March 25, 2008  Signature of Operator or Agent:  For KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface pipe shall be SERVATION underlying formation. WICHITA, ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and sellef.  Title:  Vice President  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;	N COMMISSION  ZÜÜÜ  DIVISION  KS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed to the completed within 30 days of Operator or Agent:    Date: March 25, 2008   Signature of Operator or Agent:   Date:   D	drilling rig; by circulating cement to the top; in all cases surface pipe shall be servation, witch the production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  20	N COMMISSION DIVISION KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed and the statements of Operator or Agent:    March 25, 2008   Signature of Operator or Agent:   Professional Content of Content	drilling rig; by circulating cement to the top; in all cases surface pipe shall be servation witch the top; in all cases surface pipe shall be servation witch the top; in all cases surface pipe shall be servation witch the top; in all cases surface pipe shall be servation witch the top ping length and placement is necessary prior to plugging; and or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and sellef.  Title:  Vice President  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders;	N COMMISSION  ZÜÜÜ  DIVISION  KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet to the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date:    March 25, 2008	drilling rig; by circulating cement to the top; in all cases surface pipe shall be servation witch the top; in all cases surface pipe shall be servation witch the top; in all cases surface pipe shall be servation.  Withita, ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	N COMMISSION DIVISION KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the constant of the production pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shall be servation witch the top; in all cases surface pipe shall be servation witch the top; in all cases surface pipe shall be servation.  Withita, ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and selief.  Title:  Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	2008 DIVISION KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the constant of the production pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shall be servation witch applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:    File Drill Pit Application (form CDP-1) with Intent to Drill;   File acreage attribution plat according to field proration orders;   Notify appropriate district office 48 hours prior to workover or re-entry;   Submit plugging report (CP-4) after plugging is completed (within 60 days);   Obtain written approval before disposing or injecting salt water.	N COMMISSION DIVISION KS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the control of the statements of Operator or Agent:    Date: March 25, 2008   Signature of Operator or Agent:	drilling rig; by circulating cement to the top; in all cases surface pipe shall be servation witch the top; in all cases surface pipe shall be servation witch the top; in all cases surface pipe shall be servation witch the top; in all cases surface pipe shall be servation witch the top; in all cases surface pipe shall be servation, witch the top pile servation in the top pile servation in the top pile servation as the top pile servation to the top pile servation and the servation in the top pile servation pile servation in the top pile servation pile servation pile servation in the top pile servation in the servation in the top pile servatio	2008 DIVISION KS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed before the completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed before the conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shall be servation witch the top; in all cases surface pipe shall be servation, underlying formation.  It from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  Title:  Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	2008 DIVISION KS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the control of the statements of Operator or Agent:    Date: March 25, 2008   Signature of Operator or Agent:	drilling rig; by circulating cement to the top; in all cases surface pipe shall be servation without a piles to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  Well Not Drilled - Permit Expired Date:  WARR 3 1  MARR 3 1  MARR 3 1  MARR 3 1  MICHARY COMPARATION  WICHITA	2008 DIVISION KS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet to the district office will be notified before well is either plugged.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed pate:    March 25, 2008	drilling rig; by circulating cement to the top; in all cases surface pipe shall be servation witch the top; in all cases surface pipe shall be servation, underlying formation.  It from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  Title:  Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	2008 DIVISION KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed March 25, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be servation without a piles to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  Well Not Drilled - Permit Expired Date:  WARR 3 1  MARR 3 1  MARR 3 1  MARR 3 1  MICHARY COMPARATION  WICHITA	2008 DIVISION KS  10 35 18

# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW CORRECTED

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

	API No. 15 - 099-24338-0000	
	Operator: Quest Cherokee, LLC  Lease: Dale D. Maxson Frust Nexson, Dale D. Trucst	Location of Well: County: Labette  660 feet from N / S Line of Section
•	Well Number: 10-1 Field: Cherokee Basin CBM	660 feet from E / W Line of Section Sec. 10 Twp. 35 S. R. 18 E W
	Number of Acres attributable to well:  OTR/QTR/QTR of acreage: NW _ NW _ NW	Is Section: Regular or Irregular
		If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NE SE SW

### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)




NOTE: In all cases locate the spot of the proposed drilling locaton.

RECEIVED KANSAS CORPORATION COMMISSION

MAR 3 1 2008

CONSERVATION DIVISION WICHITA, KS



RECEIVED
KANSAS CORPORATION COMMISSIO

# in plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.

2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

AUG 2 2 2008

CONSERVATION DIVISION

WICHITA, KS

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

	Sui	bmit in Duplicat	е	COR	RECTFI
Operator Name: Quest Cherokee, LLC	3		License Number		-0171
Operator Address: 210 W. Park Ave., Suite 2750		0		Oklahoma City	OK 73102
Contact Person: Richard Marlin 🔥	rixon, Ode	E D. Tru-	Phone Number:	405-702-7480	
ease Name & Well No.: Dale D. Max	,		Pit Location (QQ	QQ):	
Type of Pit:	Pit is:			<u>NW</u> <u>NW_</u>	
Emergency Pit Burn Pit	Proposed	Existing	Sec10_Twp.	35 R 18	East West
Settling Pit Drilling Pit	If Existing, date co	onstructed:	cen	et from North / s	
Workover Pit Haul-Off Pit		···	cen	et from East / XV	
if WP Supply API No. or Year Drilled)	Pit capacity: 300	(bbls)	Labette		Count
s the pit located in a Sensitive Ground Water	Area? Yes	No.		ation:	
the bottom below ground level?	Artificial Liner?			Emergency Pits and Settling ad if a plastic liner is not us	
Yes No	Yes XI	No	Air <b>Drilli</b> ng Wel	ı I	
it dimensions (all but working pits):			Width (feet)		/A: Steel Pits
<u> </u>	irom ground level to de				
f the pit is lined give a brief description of the naterial, thickness and installation procedur			edures for periodic including any specia	maintenance and determi I monitoring.	riing
Vell is being air drilled.		Well is bei	ng a <b>ir d</b> rilled v	vith operations las	ting approx.
Distance to nearest water well within one-mil	le of pit			feet.	
NA feet	feet	Source of Info	<del></del>	wner electric log	KDWR
mergency, Settling and Burn Pits ONLY		Drilling, Work	cover and Haul-Off	Pits ONLY:	
roducing Formation:		Type of materi	al utilized in drilling	workover: Air Drilled	
		Number of wo	Number of working pits to be utilized:1		
Barrels of fluid produced daily:		Abandonment	procedure: Air D	ry. Back fill and co	over.
Does the slope from the tank battery allow a tow into the pit? Yes No	II spilled fluids to	Drill pils must	be closed within 36	5 days of spud date KANS	RECEIVED AS CORPORATION C
I hereby certify that the above state	tements are true and	correct to the bes	st of my knowledge	and belief.	MAR 3 1 200
March 25, 2008  Date	4	fard	Manual of Application	<u> </u>	CONSERVATION DIV
	ксс	OFFICE USE C	ONLY Ste	eel Pit RFAC	RFAS
Data Pacaived: 3/31/08 Permit Nur	mber:	Pern	nit Date: 3/3/	68 Lease Inspection:	Yes No

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED KANSAS CORPORATION COMMISS