For KCC Use:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	Must b	e approved by KCC five	(b) days prior to commencing well	
Expected Spud Date:	August 29, 2008		Spot Description: 37.316053 -95.893464	
Expedica opad pare:	month day	year	NE _ SE _ SE _ Sec. 29 _ Twp. 31	s. n. 14 ⊠E□w
	33365 /		(0/0/0/0) 932 feet from	
OPERATOR: License# Name: Layne Energy 0				E / W Line of Section
Address 1: 1900 Shaw	nee Mission Parkway	aur mm· ·	is SECTION: Regular Irregular?	- /
Address 2:	Tiec Wildstoff Farkway			
City: Mission Woods	State: KS Zip:	66205 + 2001	(Note: Locate well on the Section Plat on	reverse side)
Contact Person: Timoth			County: Montgomery	16-20
Phone: 913-748-3960			Lease Name: Fowler	Weil #: <u>16-29</u>
	₄ 33606		Field Name: Cherokee Basin Coal	
CONTRACTOR: License	#		Is this a Prorated / Spaced Field?	Yes No
Name: Thornton Air			Target Formation(s): Cherokee Coals	
Well Drilled For:	Well Class: 7	Type Equipment:	Nearest Lease or unit boundary line (in footage): 353	
	n Rec Xinfield	Mud Rotary	Ground Surface Elevation: 841	feet MSL
	rage Pool Ext.	X Air Rotary -	Water well within one-quarter mile:	Yes No /
	posal Wildcat	Cable	Public water supply well within one mile:	☐Yes X No
	# of Holes Other		Depth to bottom of fresh water: 150'	
Other:			Depth to bottom of usable water:	
			Surface Pipe by Alternate:	
If OWWO: old we	ell information as follows:		Length of Surface Pipe Planned to be set: 20'	
Operator:			Length of Conductor Pipe (if any): None	
•			Projected Total Depth: 1500'	
	Date: Original To		Formation at Total Depth: Mississippian	
- · · · · · · · · · · · · · · · · · · ·			Water Source for Drilling Operations:	
Directional, Deviated or F	Horizontal wellbore?	Yes No	Well Farm Pond XOther:	
If Yes, true vertical depth:			DWR Permit #:	
Bottom Hole Location:	A		(Note: Apply for Permit with DWF	
KCC DKT #:			Will Cores be taken?	Yes X No
			If Yes, proposed zone:	
				RECEIVED
		AFF	FIDAVIT KAN	ISAS CORPORATION COMMISSI
The undersigned hereb	y affirms that the drilling, con		gging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the follo	owing minimum requirements	will be met:		AUG 25 2008
-	oriate district office <i>prior</i> to sp			2000
	proved notice of intent to drill		drillina ria:	CONSERVATION DIVISION
3. The minimum am	nount of surface pipe as spec	ified below shall be set l	by circulating cement to the top; in all cases surface pip	
through all uncon	rsolidated materials plus a m	inimum of 20 feet into the	underlying formation.	
4. If the well is dry h	note, an agreement between	the operator and the dist	rict office on plug length and placement is necessary p i	rior to plugging;
			ed or production casing is cemented in;	
6. If an ALTERNATE	E II COMPLETION, production	on pipe shall be cemented	from below any usable water to surface within 120 DA	YS of spud date.
Or pursuant to Ap	ppendix "B" - Eastern Kansas od within 30 days of the cour	s sunace casing order # i	33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to	any cementing
•	•			uny comorang.
I hereby certify that the	statements made herein are	true and correct to the b	est of my knowledge and belief.	
August 22, 2	008 Signature of Operato		Title: Agen	
Date: August 22, 2	Signature or Operato	or or Adem;	Title.	
			Remember to:	29
For KCC Use ONLY			 File Drill Pit Application (form CDP-1) with Intent to I 	Orilt;
1	- 2/772~~~		1	and the second s
API # 15 - / A-S	-31770-0000		- File Completion Form ACO-1 within 120 days of spu	d date;
/	Moss		File Completion Form ACO-1 within 120 days of spu File acreage attribution plat according to field prorat	ion orders;
Conductor pipe require	ed Nore		File Completion Form ACO-1 within 120 days of spu File acreage attribution plat according to field prorat Notify appropriate district office 48 hours prior to wo	on orders; rkover or re-entry;
Conductor pipe require	ed None required 20	feet feet per ALTI	- File Completion Form ACO-1 within 120 days of spu - File acreage attribution plat according to field prorat - Notify appropriate district office 48 hours prior to wo - Submit plugging report (CP-4) after plugging is com	ion orders; rkover or re-entry; pleted (within 60 days);
Conductor pipe require	ed None required 20 R-16-OP		- File Completion Form ACO-1 within 120 days of spu - File acreage attribution plat according to field prorat - Notify appropriate district office 48 hours prior to wo - Submit plugging report (CP-4) after plugging is com - Obtain written approval before disposing or injecting	on orders; rkover or re-entry; pleted (within 60 days); salt water.
Conductor pipe require Minimum surface pipe Approved by:	ed Nore required 20 P-26-08 pires: 8-26-09	feet per ALT. I	- File Completion Form ACO-1 within 120 days of spu - File acreage attribution plat according to field prorat - Notify appropriate district office 48 hours prior to wo - Submit plugging report (CP-4) after plugging is com	on orders; rkover or re-entry; pleted (within 60 days); salt water. a date) please
Conductor pipe require Minimum surface pipe Approved by:	ed None required 20 R-16-OP	feet per ALT. I	 File Completion Form ACO-1 within 120 days of sputa. File acreage attribution plat according to field prorated. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is comed. Obtain written approval before disposing or injecting. If this permit has expired (See: authorized expiration check the box below and return to the address below. 	ion orders; rkover or re-entry; pleted (within 60 days); salt water. or date) please
Conductor pipe require Minimum surface pipe Approved by: Last S This authorization exp (This authorization void	ed Nore required 20 P-26-09 bires: 8-26-09 if drilling not started within 12 mi	nths of approval date.)	- File Completion Form ACO-1 within 120 days of spu- File acreage attribution plat according to field prorat Notify appropriate district office 48 hours prior to wo Submit plugging report (CP-4) after plugging is com Obtain written approval before disposing or injecting If this permit has expired (See: authorized expiration check the box below and return to the address below Well Not Drilled - Permit Expired Date:	ion orders; rkover or re-entry; pleted (within 60 days); salt water. or date) please
Conductor pipe require Minimum surface pipe Approved by: Lud S This authorization exp (This authorization void	ed Nore required 20 P-26-08 pires: 8-26-09	nths of approval date.)	 File Completion Form ACO-1 within 120 days of sputa. File acreage attribution plat according to field prorated. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is comed. Obtain written approval before disposing or injecting. If this permit has expired (See: authorized expiration check the box below and return to the address below. 	ion orders; rkover or re-entry; pleted (within 60 days); salt water. or date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-3/770-0000	
Operator: Layne Energy Operating, LLC	Location of Well: County: Montgomery
Lease: Fowler	932 feet from N / X S Line of Section
Well Number: 16-29	406 feet from X E / W Line of Section
Field: Cherokee Basin Coal	Sec. 29 Twp. 31 S. R. 14 Z E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: _ NE _ SE _ SE	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

				·			
1	-		•	l	-		
1				I			
1				l	•		
1	•			l	:		
1	•	•		l	:	•	
1	<u>:</u>			ı	:		
1	•	•		l	•	•	
1	•			l	•	•	
	•		•	i	•	•	•
			•	l	•		•
1				l			
1				:			
1	:						
1	•			i	:	•	
1	•		•		•	•	
1	•				•	•	
1	•		•		•	•	•
1					•		•
1					•		
1							
1							
		471411511					
1							
1	•				-	-	-
1					•		•
1	•				•		
1					•		
1				:	•		
1	1	:					
1	-	•			-	•	
1	-		•		•	•	
1	•		•		•	•	
1	•		,		-		
1				ı			
1							
1							
1				i			
1				1	_	-	_
I			•		•	•	•
1	•			1	•	•	•
1				:			•
1	-		i	i	•		-
I	-				-		
I							
1	7				I	-	
1	•				7	-	
1	•		•		-		-
I	•		•		•		•
1							
p							
I	•				•		
1							
F	1	- :					
1	•				-		
i	•				•		
V	•						
	•				•		
				٠ .			
1					•		
1		:					
3	•						
ì				i			
				:			
1		-				•	
3							
1					•		
i .							
i		•					
1	•				:		
1	•			. '	•		
	•				•		
1	•				•		
1				:			
1				:			
,							
1							_
,	_						
1	•	•			•		406
1	•				•		T()/~
1					•		. (~
							-
!		: :		1			
1	1	•		:			-
1	-	•		1			
1	•						
:	•			1	•		
1				1			r ·
1				I		933	ı
1				1			
t		1 .		1 .			
i	-	•		1			
,	-			1 '	-		
\$	•			i '			
1	•			1 '	•	. 7.70	, I
				1	•		
!				1			
	•						
	:	: :		i i			
	:			1	:		1 1
	:						
	:						
	:				:		1

RECEIVED
KANSAS CORPORATION COMMISSION

AUG 25 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Ope	erating, LLC	License Number: 33365				
Operator Address: 1900 Shawnee	Mission Pa	rkway	Mission Woods KS 66205			
Contact Person: Timothy H. Wrig	ht		Phone Number: 913-748-3960			
Lease Name & Well No.: Fowler	16	5-29	Pit Location (QQQQ):			
Type of Pit: Emergency Pit	Pit is: Proposed	Existing constructed: (bbls) No eet) Describe proces	NE SE SE Sec. 29 Twp. 31 R. 14 East West 932 Feet from North / South Line of Section 406 Feet from East / West Line of Section Montgomery County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? self-sealing Width (feet) N/A: Steel Pits 3 (feet) No Pit			
Distance to nearest water well within one-mile	·	Source of infor				
feet Depth of water well	feet	Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover: fresh water mud				
Number of producing wells on lease:			king pits to be utilized: 2			
Barrels of fluid produced daily:		1	procedure: Let evaporate until dry, then backfill			
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date. RECEIVED				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSION						
August 22, 2008 Date August 22, 2008 Signature of Applicant or Agent WICHITA, KS						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 8/25/08 Permit Num	ber:	Perm	it Date: 8/as /a & Lease Inspection: Yes No			