For KCC Use:	8-31-08
Effective Date:	0 3/ 00
District #	<u> </u>
SGA? Yes	VNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Auguet 20, 2008	AT 000004 OF 050004	
Expected Spud Date: August 29, 2008	Spot Description: 37.366894 -95.952681	
month day year	E2 - SW - NE Sec. 11 Twp. 31 S. R. 13 XE	
OPERATOR: License# 33365	(O/O/O/O) 1.852 feet from N / S Line of Sect	
Name: Layne Energy Operating, LLC	1,809 feet from E / W Line of Sect	ion
Address 1: 1900 Shawnee Mission Parkway	ls SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Mission Woods State: KS Zip: 66205 + 2001 Contact Person: Timothy H. Wright	County: Montgomery	
Phone: 913-748-3960	Lease Name: Westfall Well #: 7-11	*********
	Field Name: Cherokee Basin Coal	
CONTRACTOR: License#_33606	Is this a Prorated / Spaced Field?	40
Name: Thornton Air	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 698'	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 946 feet M Water well within one-guarter mile: Yes	
Gas Storage Pool Ext. Air Rotary		
Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 150'	NU
Seismic ; # of Holes Other	Depth to bottom of usable water: 175'	
Other:	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe (if any): None	
Well Name:	Projected Total Depth: 1500'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond XOther:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location: KCC DKT #:	(Note: Apply for Permit with DWR)	
ROO DRI #.	Will Cores be taken? ☐ Yes ☐ Yes	No
	If Yes, proposed zone: RECEIV	
ACC	IDAVIT KANSAS CORPORATIO	COMMISSIC
The undersigned hereby affirms that the drilling, completion and eventual plug	4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	
It is agreed that the following minimum requirements will be met:	ging of this well will comply with K.S.A. 55 et. seq. AUG 25 2	2008
	CONORMATION	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 	drilling rig:	
	OTHICIO TIO. VVII HITA K	DIVISION
3. The minimum amount of surface pipe as specified below shall be set b	y circulating cement to the top; in all cases surface pipe shall be set	DIVISION S
The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the	y circulating cement to the top; in all cases surface pipe shall be set underlying formation.	DIVISION S
 The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distribution. 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ;	DIVISION S
 The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggee. If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	Division S
 The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggee. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing	Division S
 The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	DIVISION S
 The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggee. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. In office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing, est of my knowledge and belief.	Division S
 The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likewise. I hereby certify that the statements made herein are true and correct to the behaviour. 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. The set of my knowledge and belief.	Division S
 The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the behalf the statements made herein are true and correct to the behalf the statements. 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. Agent	S
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be demented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the because August 22, 2008 Signature of Operator or Agent: Signature of Operator or Agent:	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 11 est of my knowledge and belief. Agent Registrator	DIVISION S
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be demented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the because August 22, 2008 Signature of Operator or Agent: Signature of Operator or Agent:	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 11 est of my knowledge and belief. Agent Age	s
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and correct to the best poate. August 22, 2008 Signature of Operator or Agent. For KCC Use ONLY API # 15 - 125 - 31 769 - 0000	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 11 est of my knowledge and belief. Agent Registrator	S
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the be Date: August 22, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 31 769 - ODD Conductor pipe required feet	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 11 est of my knowledge and belief. Agent Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	s
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed Signature of Operator or Agent. For KCC Use ONLY API # 15 - 125 - 31 769 - 0000 Conductor pipe required feet Minimum surface pipe required feet per ALT.	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 11 est of my knowledge and belief. Agent File Drill Pit Application (form CDP-1) with Intent to Drill;	11 31
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the be Date: August 22, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 31 769 - 0000 Conductor pipe required	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 est of my knowledge and belief. Agent Ag	s
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be demented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the true and correct to the between the statements of Operator or Agent. For KCC Use ONLY API #15 - 125 - 31 769 - 0000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I File Approved by: Materials and the statement of the specified before and the district of the between the statement of the specified feet per ALT. I File Approved by: Materials and the statement of the specified before well is either plugged. This authorization expires: 8 - 26 - 09 This authorization expires:	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 11 est of my knowledge and belief. Agent File Drill Pit Application (form CDP-1) with Intent to Drill;	11 31 13
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be demented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 for the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certified and the complete of the spud date or the well shall be 1 hereby certified and the complete of the spud date or the well shall be 1 hereby certified and the complete of the spud date or the well shall be 1 hereby certified before well is either plugged. For KCC Use ONLY API # 15	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 est of my knowledge and belief. Regretter Agent	11 31
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be demented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the true and correct to the between the statements of Operator or Agent. For KCC Use ONLY API #15 - 125 - 31 769 - 0000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I File Approved by: Materials and the statement of the specified before and the district of the between the statement of the specified feet per ALT. I File Approved by: Materials and the statement of the specified before well is either plugged. This authorization expires: 8 - 26 - 09 This authorization expires:	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 plugged. In all cases, NOTIFY district office prior to any cementing. 16 plugged and belief. File Drill Pit Application (form CDP-1) with Intent to Drill;	11 31 13

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31769-000	
Operator: Layne Energy Operating, LLC	Location of Well: County: Montgomery
Lease: Westfall	1,852 feet from N / S Line of Section
Well Number: 7-11	1,809 feet from X E / W Line of Section
Field: Cherokee Basin Coal	Sec. 11 Twp. 31 S. R. 13 X E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: - E2 - SW - NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

	_		-				
	•	•	-	-		•	
	•	•	•	•		•	-
	•		•	•	1 .	,	
1	•		-	•	· ·		•
1	•	•	•	•		,	•
i	•	•	•				•
	•		•	•			•
i	•		•				•
i	•		•	•			•
1							
1							
1							
i		•					
1							
					2 .		
		1 .					
	-			1050			
1				1852			
1	<u>:</u>			100			
		•					
							_
	•	•	•				
	•		-				
1	•	•	•	•		•	
1	•		•	•			
1	•	•					
1			•				
1		,	•			,	•
1	•		•		1	•	•
1	•		•		1		•
1					<u> </u>		
				😜	* * * * * * * * * * * * * * * * * * * *	1809	
1						_	
1						-0.40	,
1						IXV	•
		Ξ :				1007	
		Ξ ,					
	:	7 .					
	:	•	_				
	•	•	-	:			
		•	•	:		•	
	•	•	•	•		•	-
	•	•	•	•		•	•
	•		•	•		•	•
	_						
	-	•					
	•						
				•			
	;			:			
	:	:		:			
	:						
	,,,,,,,,,		.,				
						••••	
			··········			••••	
	,		-, <u>.</u>			••••	
	,		······			•••	
			······		•••••	••••	
	,						
			-, <u>-</u>				
			······			••••	
						••••	

RECEIVED KANSAS CORPORATION COMMISSION

AUG 25 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			•		
Operator Name: Layne Energy Operating, LLC		License Number: 33365			
Operator Address: 1900 Shawnee Mission Parkway		Mission Woods KS 66205			
Contact Person: Timothy H. Wright		Phone Number: 913-748-3960			
Lease Name & Well No.: Westfall 7-11		Pit Location (QQQQ):			
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing		Sec. 11 Twp. 31 R. 13 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		1,852 Feet from North / South Line of Section		
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity: (bbls)		1,809 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)			Montgomery County		
Is the pit located in a Sensitive Ground Water	r Area? Yes		Chloride concentration: mg/l		
La Abra haddara halan manuad laya(2)	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Is the bottom below ground level? Yes No	Yes X	No	self-sealing		
Pit dimensions (all but working pits):	30 Length (fe	20	Width (feet) N/A: Steel Pits		
,	rom ground level to de		3 (feet) No Pit		
If the pit is lined give a brief description of the		· ·	edures for periodic maintenance and determining		
water business and a second business and the second business are second business and the second business and the second business are second business and the second business and the second business are second business and t		liner integrity, i	ncluding any special monitoring.		
			, and the second		
Distance to nearest water well within one-mil	e of pit	Depth to shallo Source of infor	owest fresh waterfeet. rmation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: fresh water mud king pits to be utilized: 2		
(1000)			measured well owner electric log KDWR		
, , , , , , , , , , , , , , , , , , , ,		Drilling, Work	Vorkover and Haul-Off Pits ONLY:		
		erial utilized in drilling/workover: fresh water mud			
Number of producing wells on lease: Number of wor		l -			
Barrels of fluid produced daily: Abandonment		procedure: Let evaporate until dry, then backfill and restore			
Does the slope from the tank battery allow all spilled fluids to		Drill nite must	be closed within 365 days of spud date.		
		REGEIVED			
I hereby certify that the above state	ements are true and o	correct to the bes	0 11		
August 22, 2000		\triangle	AUG 2 5 2008		
August 22, 2008 Date			signature of Applicant or Agent CONSERVATION DIVISION		
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS		
_ 1 _ 1			,		
Date Received: 8/25/08 Permit Num	nber:	Perm	it Date: 8/25/08 Lease Inspection: Yes 人No		