For KCC Use: Effective Date:	8-31-08
District #	3
SCA2 17/1/20	∏No.

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (	(5) days prior to commencing well	
Expected Spud Date: August 29, 2008	Spot Description: 37.238111 -95.612522	
month day year	. NE . NE . NW Sec. 25 Twp. 32 S. R. 16 XE W	_
OPERATOR: Liganos# 33365	(a/a/a/a) 378 feet from N / S Line of Section	
OPERATOR: License#	2,239 feet from E / X W Line of Section	
Address 1: 1900 Shawnee Mission Parkway	Is SECTION: Regular Irregular?	•
Address 2:	<b>—</b> -	
City: Mission Woods State: KS Zip: 66205 + 2001	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Timothy H. Wright	County: Montgomery	
Phone: 913-748-3960	Lease Name: Workman Well #: 3-25 Field Name: Cherokee Basin Coal	
		•
CONTRACTOR: License#_33606  Name: _Thornton Air	Is this a Prorated / Spaced Field?  Yes X No	
Name, Themeny in	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 392'	-
Oil Enh Rec X Infield Mud Rotary	Ground Surface Elevation: 799 feet MSL	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	•
Disposal Wildcat Cable	Public water supply well within one mile:  Yes No. 150'	
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150'	
Other:	Depth to bottom of usable water: 150'	
If OWWO: old well information as follows:	Surface Pipe by Alternate:   I   X II   20'	
	Length of Surface Pipe Planned to be set:    20'	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 1200' Mississippian	-
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian	-
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
If Yes, true vertical depth:	Well Farm Pond Other:	
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )	
KCC DKT #;		
KCC DKT #:	Will Cores be taken?	
KCC DKT #;	Will Cores be taken? Yes No If Yes, proposed zone:	-
	Will Cores be taken?  If Yes, proposed zone:  RECEIVED	
AFFII	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COI	MMISSION
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COI  ging of this well will comply with K.S.A. 55 et. seq.	
AFFII The undersigned hereby affirms that the drilling, completion and eventual pluge It is agreed that the following minimum requirements will be met:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COI	
AFFII  The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COR  ging of this well will comply with K.S.A. 55 et. seq.  AUG 2 5 2008	8
AFFII The undersigned hereby affirms that the drilling, completion and eventual pluge It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drive.	Will Cores be taken?  If Yes, proposed zone:  PACEIVED  KANSAS CORPORATION COR  AUG 2 5 2008  Irilling rig;  CONSERVATION DIVIS	8
AFFII The undersigned hereby affirms that the drilling, completion and eventual pluge It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drive.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COR  Ging of this well will comply with K.S.A. 55 et. seq.  AUG 2 5 2008  Irilling rig;  CONSERVATION DIVIS  recirculating cement to the top; in all cases surface pipe shall be shiftCHITA, KS	8
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COR  Gring of this well will comply with K.S.A. 55 et. seq.  AUG 2 5 2008  Irrilling rig;  CONSERVATION DIVIS  recirculating cement to the top; in all cases surface pipe shall be sMICHITA, KS anderlying formation.  It office on plug length and placement is necessary prior to plugging;	8
AFFII The undersigned hereby affirms that the drilling, completion and eventual pluge It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COR  ging of this well will comply with K.S.A. 55 et. seq.  AUG 2 5 2008  Irilling rig;  CONSERVATION DIVIS  or circulating cement to the top; in all cases surface pipe shall be shitchITA, KS underlying formation.  It office on plug length and placement is necessary prior to plugging; It or production casing is cemented in;	8
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented in	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COR  AUG 2 5 2008  Frilling rig;  CONSERVATION DIVIS  recirculating cement to the top; in all cases surface pipe shall be shitchITA, KS anderlying formation.  It office on plug length and placement is necessary prior to plugging; it or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.	8
AFFII The undersigned hereby affirms that the drilling, completion and eventual pluge It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COR  ging of this well will comply with K.S.A. 55 et. seq.  AUG 2 5 2008  Willing rig;  CONSERVATION DIVIS  or circulating cement to the top; in all cases surface pipe shall be smitchITA, KS  underlying formation.  It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing	8
AFFII The undersigned hereby affirms that the drilling, completion and eventual pluge It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the of 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be proceed to the standard of the shall be proceed to the standard of the shall be proceed to the standard of the shall be proceed to the s	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COR  RIGHT KANSAS CORPORATION COR  AUG 2 5 2008  Irilling rig;  CONSERVATION DIVIS  recirculating cement to the top; in all cases surface pipe shall be shiftCHITA, KS underlying formation.  It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing lagged. In all cases, NOTIFY district office prior to any cementing.	8
AFFII The undersigned hereby affirms that the drilling, completion and eventual pluge It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COR  AUG 2 5 2008  Irilling rig;  CONSERVATION DIVIS  circulating cement to the top; in all cases surface pipe shall be shitchITA, KS underlying formation.  It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.	8
AFFII The undersigned hereby affirms that the drilling, completion and eventual pluge It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the of 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be proceed to the standard of the shall be proceed to the standard of the shall be proceed to the standard of the shall be proceed to the s	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COR  RIGHT KANSAS CORPORATION COR  AUG 2 5 2008  Irilling rig;  CONSERVATION DIVIS  recirculating cement to the top; in all cases surface pipe shall be shiftCHITA, KS underlying formation.  It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing lagged. In all cases, NOTIFY district office prior to any cementing.	8
The undersigned hereby affirms that the drilling, completion and eventual plugging it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be perferenced to the production of the shall be perferenced to the statements made herein are true and correct to the best appropriate to the statements made herein are true and correct to the best appropriate to the statements made herein are true and correct to the best appropriate to the statements made herein are true and correct to the best appropriate to the statements made herein are true and correct to the best appropriate district of the statements made herein are true and correct to the best appropriate to the statements made herein are true and correct to the best appropriate district of the statements made herein are true and correct to the statements appropriate that the statements made herein are true and correct to the statements.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COR  AUG 2 5 2008  Irilling rig;  CONSERVATION DIVIS  recirculating cement to the top; in all cases surface pipe shall be shiftCHITA, KS underlying formation.  It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing.  St of my knowledge and belief.  Agent	8 SION
The undersigned hereby affirms that the drilling, completion and eventual pluge It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the of 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be possible that the statements made herein are true and correct to the best bate:  August 22, 2008  Signature of Operator of Agent:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COR  AUG 2 5 2008  Prilling rig:  CONSERVATION DIVIS  recirculating cement to the top; in all cases surface pipe shall be shitchITA, KS underlying formation.  It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing.  St of my knowledge and belief.  Agent  Title:	8 SION
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the constant of the surface of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pit hereby certify that the statements made herein are true and correct to the best pate:  August 22, 2008  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COR  RIGHT KANSAS CORPORATION COR  AUG 2 5 2008  Right in this well will comply with K.S.A. 55 et. seq.  AUG 2 5 2008  Right in this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVIS  It circulating cement to the top; in all cases surface pipe shall be shiftCHITA, KS underlying formation.  It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of soud date:	8 SION
The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best pate:  August 22, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 12.5 - 3/7773-0000	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COR  AUG 2 5 2008  Prilling rig;  CONSERVATION DIVIS  Circulating cement to the top; in all cases surface pipe shall be shitCHITA, KS underlying formation.  It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing.  St of my knowledge and belief.  Agent  Title:  Agent	8 SION
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best pate:  August 22, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 12.5 - 3/7773 - OND  Conductor pipe required  NOV  feet	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COR  RIGHT KANSAS CORPORATION COR  AUG 2 5 2008  Right in this well will comply with K.S.A. 55 et. seq.  AUG 2 5 2008  Right in this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVIS  It circulating cement to the top; in all cases surface pipe shall be shiftCHITA, KS underlying formation.  It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of soud date:	8 SION
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger of an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be perfered to the best part of the constant of the statements made herein are true and correct to the best part in the statements made herein are true and correct to the best part in the statement of the constant of the constant of the constant of the production pipe required the constant of the production pipe required to the part of the production pipe required to the production pipe requi	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COR  AUG 2 5 2008  Irilling rig;  CONSERVATION DIVIS  recirculating cement to the top; in all cases surface pipe shall be shiftCHITA, KS underlying formation.  It office on plug length and placement is necessary prior to plugging;  dor production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Agent  Title:  Agent  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);	8 SION
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be per hereby certify that the statements made herein are true and correct to the best Date:  August 22, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 3/773 - 0000  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COR  AUG 2 5 2008  Prilling rig;  CONSERVATION DIVIS  Circulating cement to the top; in all cases surface pipe shall be shitchITA, KS underlying formation.  It office on plug length and placement is necessary prior to plugging;  or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Agent  Title:  Agent  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	8 SION
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger of an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be perfered to the best part of the constant of the statements made herein are true and correct to the best part in the statements made herein are true and correct to the best part in the statement of the constant of the constant of the constant of the production pipe required the constant of the production pipe required to the part of the production pipe required to the production pipe requi	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COR  AUG 2 5 2008  Prilling rig;  CONSERVATION DIVIS  Circulating cement to the top; in all cases surface pipe shall be shitchITA, KS underlying formation.  It office on plug length and placement is necessary prior to plugging;  If or production casing is cemented in;  If or production casing is cemented in;  If or production casing is cemented in;  If or production applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing.  If of my knowledge and belief.  Agent  Title:  Agent  Title:  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	8 SION
The undersigned hereby affirms that the drilling, completion and eventual pluge It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet per altimaterials plus a minimum of 20 feet per ALT.  For KCC Use ONLY  API # 15 - 125 - 3/773-000  Conductor pipe required  Nove feet  Minimum surface pipe required  Page 11 OS	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COR  ging of this well will comply with K.S.A. 55 et. seq.  AUG 2 5 2008  Irilling rig;  CONSERVATION DIVIS  recirculating cement to the top; in all cases surface pipe shall be shitCHITA, KS underlying formation.  It office on plug length and placement is necessary prior to plugging; dior production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Agent  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	8 SION
The undersigned hereby affirms that the drilling, completion and eventual plugging it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the inten	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COR  AUG 2 5 2008  Prilling rig;  CONSERVATION DIVIS  Circulating cement to the top; in all cases surface pipe shall be shitchITA, KS underlying formation.  It office on plug length and placement is necessary prior to plugging;  If or production casing is cemented in;  If or production casing is cemented in;  If or production casing is cemented in;  If or production applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing.  If of my knowledge and belief.  Agent  Title:  Agent  Title:  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	8 SION

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-3/773-0000  Operator: Layne Energy Operating, LLC	Montgomen/
Lease: Workman	Location of Well: County: Montgomery  378 feet from N / S Line of Section
Well Number: 3-25	2,239 feet from E / W Line of Section
Field: Cherokee Basin Coal	Sec. 25 Twp. 32 S. R. 16 X E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

		•	37	18'			
	223	a,	<b>—</b> 6				
	0.00					·	
	: 			*********		:	:
						:	
	· · · · · · · · · · · · · · · · · · ·	·				· · · · · · · · · · · · · · · · · · ·	
		:					
		:		<u></u>			
				:			
,	· · · · · · · · · · · · · · · · · · ·	···········				:	
		•	•••••			• • • • • • • • • • • • • • • • • • • •	·
:							
	:	•••••	:	:	: :		:
		:	:	;	:	:	;

RECEIVED KANSAS CORPORATION COMMISSION

AUG 25 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC		License Number: 33365			
Operator Address: 1900 Shawnee M	lission Parkway	Mission Woods KS 66205			
Contact Person: Timothy H. Wright		Phone Number: 913-748-3960			
Lease Name & Well No.: Workman 3-25		Pit Location (QQQQ):			
Type of Pit:	Pit is:	NE _ NE _ NW			
Emergency Pit Burn Pit	Proposed Existing	Sec. 25 Twp. 32 R. 16 East West			
Settling Pit Drilling Pit	Existing, date constructed:	378 Feet from North / South Line of Section			
☐ Workover Pit ☐ Haul-Off Pit ☐ P	Pit capacity:	2,239 Feet from East / West Line of Section			
(IFWP Supply API No. or Year Drilled)	(bb	Montgomon			
Is the pit located in a Sensitive Ground Water Are	a? XYes No	Chloride concentration:mg/l			
		(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  Yes No	Artificial Liner? Yes No	How is the pit lined if a plastic liner is not used?  self-sealing			
Pit dimensions (all but working pits): 30	Length (feet)20	Width (feet) N/A: Steel Pits			
, , , , , , , , , , , , , , , , , , , ,	ground level to deepest point:	3			
If the pit is lined give a brief description of the line material, thickness and installation procedure.		ocedures for periodic maintenance and determining y, including any special monitoring.			
l Sou		Depth to shallowest fresh water			
nene feet Depth of water well		measured well owner electric log CKDWR			
Emergency, Settling and Burn Pits ONLY: Drill		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:Type of m		pe of material utilized in drilling/workover: fresh water mud			
, ,		umber of working pits to be utilized: 2  pandonment procedure: Let evaporate until dry, then backfill			
Barrels of fluid produced daily: Abandon		Abandonment procedure: Let evaporate until dry, then backfill and restore			
Does the slope from the tank battery allow all spil flow into the pit? Yes No	i i i i i i i i i i i i i i i i i i i	Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statemen	nts are true and correct to the I	pest of my knowledge and belief. KANSAS CORPORATION COMMIS			
August 22, 2008		AUG 2 5 2008			
		Signature of Applicant or Agent CONSERVATION DIVISION WICHTA KS			
	KCC OFFICE USE				
Date Received: 8/25/08 Permit Number:	:Pe	ermit Date: 8/96/01 Lease Inspection:  Yes No			



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

August 26, 2008

Layne Energy Operating, LLC 1900 Shawnee Mission Parkway Mission Woods, KS 66205-2001

RE:

**Drilling Pit Application** 

Workman Lease Well No. 3-25

NW/4 Sec. 25-32S-16E Montgomery County, Kansas

#### Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: <a href="https://www.kcc.state.ks.us/conservation/forms">www.kcc.state.ks.us/conservation/forms</a>.

A copy of this letter should be posted in the doghouse along with the approved intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: File