KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL PLUGGING APPLICATION

Please TYPE Form and File ONE Copy

Form CP-1 September 2003 This Form must be Typed Form must be Signed All blanks must be Filled

API # 15 - 199-20140 -00-00	(Identifier Number of this well).	This must be listed for wells drilled since 196	37; if no API # was issued,
indicate original spud or completion date 2/1988		`	
Well Operator: Citation Oil & Gas Corp	r / Company Name)	KCC License #: 3553	
Address: P O Box 690688		City: Houston	(Operator's)
State: Texas	Zip Code: 77269	Contact Phone: (281) 517 -	7186
Lease: Arapahoe	Well #:_113	Sec. 6 Twp. 15 S. R. 4	2 East ✓ West
NW - SW - NW Sp	ot Location / QQQQ County	.: Wallace	
3500 Feet (in exact footage) From	North / ✓ South (from neares	st outside section corner) Line of Section (Not	Lease Line)
4000		st outside section corner) Line of Section (Not	
Check One: 🗸 Oil Well 📗 Gas Well	D&A Cathodic V	Nater Supply Well	
SWD Docket #	ENHR Docket #	Other:	
Conductor Casing Size:	Set at:	Cemented with:	Sacks
Surface Casing Size: 8 5/8"	Set at: <u>686</u>	Cemented with: 350	Sacks
Production Casing Size: 4 1/2"	Set at: <u>5296</u>	Cemented with: 150	Sacks
List (ALL) Perforations and Bridgeplug Sets: Morrow	v (5154-5164)	and the second s	
1			
Elevation: 3922' ([G.L./[]K.B.] T.D.: 5300	PBTD: <u>5124</u> Anh	ydrite Depth:(Stone Corral Fo	
Condition of Well: Good Poor	Casing Leak Jun	k in Hole	ormalion)
Proposed Method of Plugging (attach a separate page if	additional space is needed): Please	e see attached procedure	
			RECEIVED NSAS CORPORATION COMMISSIO
Is Well Log attached to this application as required?	Yes No Is ACO-1 filed?	Yes No	APR 16 2008
If not explain why?			CONSERVATION DIVISION WICHITA, KS
Plugging of this Well will be done in accordance wi	th K.S.A. 55-101 <u>et.</u> <u>seq</u> . and the l	Rules and Regulations of the State Corpor	ration Commission.
List Name of Company Representative authorized to	be in charge of plugging operations	Bridget Lisenbe Permitting Analyst	· · · · · · · · · · · · · · · · · · ·
: 		Phone: (281) 517 - 7186	
Address: P O Box 690688		City / State: Houston, TX 77269	
Plugging Contractor: Citation Oil	d Gras	KCC License #: 355 3	ractor's)
Address:	pany Name)	(Com	actor sy
Proposed Date and Hour of Plugging (if known?):			
Payment of the Plugging Fee (K.A.R. 82-3-118) will	be guaranteed by Operator or Ag	ent _{//}	
Date: 4/14/2008 Authorized Operator / A	Agent: Budst C	Liseupe	
		(Signature)	

CITATION OIL AND GAS CORPORATION WELLBORE DIAGRAM AND INFORMATION

Well Name: Arapahoe Unit #113 Field: Arapahoe Unit Date: 03/31/08 Location: Sec. 6, T15S R42W **County:** Wallace State: Kansas Surface: Sec. 6 T15S R42W Wallas County, KS Completed: One 30' JT 2-3/8" OD Elevation: 4064' TBG x 1' sub KB: 4078' API #: 050-610-6659 TOC 605' (calculated assuming 50% excess) 8-5/8" 24# K-55 @ 686' Cemented w/ 350 sx TOC 600' (Caclulated) Cement sleeve @ 1955' cmt'd w/400 sx 60/40 poz RECEIVED KANSAS CORPORATION COMMISSION Casing Leak 4236-4296' Sqz w/100 sx APR 16 2008 TOC 4500'/Calculated CONSERVATION DIVISION WICHITA, KS CIBP @ 5124'- 07/09/2004 Morrow Perfs: 5154-64'

PBTD @ 5238

TD @ 5300'.

4-1/2" casing to 5296' Cmt'd with 150 sx

CITATION OIL AND GAS CORPORATION WELLBORE DIAGRAM AND INFORMATION

Well Name: Arapahoe Unit #113 Field: Arapahoe Unit Date: 04/10/08 Location: Sec. 6, T15S R42W County: Wallace State: Kansas Surface: Sec. 6 T15S R42W Wallas County, KS Completed: 10 sx Class 'A' in prod casing. Elevation: 4064' KB: 40782 API #: 050-610-6659 TOC 605' (calculated assuming 50% excess) 8-5/8" 24# K-55 @ 686' Plug Top @ +/- 636' Cemented w/ 350 sx Plug Bottom +/- 736' Cement sleeve @ 1955' Plug Top +/- 1905' cmt'd w/400 sx 60/40 poz Plug Bottom +/- 2005

RECEIVED KANSAS CORPORATION COMMISSION

APR 16 2008

CONSERVATION DIVISION WICHITA, KS

Casing Leak 4236-4296' Sqz w/100 sx

TOC 4500' Calculated

PBTD @ 5238, TD @ 5300 CIBP @ 5124'- 07/09/2004

Morrow Perfs: 5154-64'

4-1/2" casing to 5296' Cmt'd with 150 sx

AU #113 P&A PROCEDURE

- 1. Notify COGC and KCC offices 48 hours prior to beginning PA operations.
- 2. MI RU PU. ND wellhead and NU BOPE. Stand +/-2005' (66 jts) of tubing in derrick. TOOH w/ single 2-3/8" jt remaining in the hole.
- Pressure test CIBP @ 5124' to 500# to check for casing integrity and leaks. (CIBP was set on 07/09/2004). If tests ok, move on to Step #4, otherwise contact Engineering for new procedure.
- 4. Mix & circulate 9+ PPG fluid (w/20 sx premium gel) f/bottom plug to 2000' (~ 50 bbls).
- 5. TIH w/tubing to +/-2005' (slowly when passing 1900'). RU cementers. Spot 30 sk Class 'A' balanced plug at +/-2005' (Calc TOC +/- 1905').
- 6. POOH to +/- 736' and WO cement. LD standing tbg onto trailer.
- 7. Mix and circulate 9+PPG gelled fluid f/1905' to 736' (~18.5 bbls)
- 8. RU cementers. Spot 30 sk Class 'A' balanced plug at 736' (calc TOC +/- 636'). POH laying down tubing. Circulate with 10 bbls of 9+PPG gelled fluid.
- 9. Run 3 jts tubing. Mix and pump 10 sk plug in production string. RDMOSU.
- 10. Cut off casing strings at least 5' below ground level and remove wellhead.
- 11. Cap casing string with steel plate. Clean location off. Reclaim location in accordance with COGCC specification.

RECEIVED KANSAS CORPORATION COMMISSION

APR 16 2008

CONSERVATION DIVISION WICHITA, KS



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE OF RECEIPT OF WELL PLUGGING APPLICATION (CP-1)

CITATION OIL & GAS CORP. 8223 WILLOW PL S HOUSTON, TX 77070-5616

June 02, 2008

Re: ARAPAHOE UNIT #113 API 15-199-20140-00-00

> 6+15S-42W, 3500 FSL 4820 FEL WALLACE COUNTY, KANSAS

Dear Operator:

This letter is to notify you that the Conservation Division has received your plugging proposal, form CP-1, for the above well and has reviewed the proposal for completeness. The central office will now forward your CP-1 to the district office listed below for review of the proposed plugging method. Please contact the district office for approval of your proposed plugging method at least five (5) days before plugging the well, pursuant to K.A.R. 82-3-113(b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit in accordance with K.A.R. 82-3-600.

The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well. This notice in no way constitutes authorization to plug the above well by persons not having legal rights of ownership or interest in the well.

This notice is void after November 29, 2008. The CP-1 filing does not bring the above well into compliance with K.A.R. 82-3-111 with regard to the Commission's temporary abandonment requirements.

Sincerely,

District: #4 2301 E. 13th

Hays, KS 67601

(785) 625-0550

Steve Bond

Stue Bond

Production Department Supervisor