

WELL PLUGGING RECORD

STATE OF KANSAS STATE CORPORATION COMMISSION

FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging off formations.

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission 800 Bittling Building Wichita, Kansas

Sedgwick County, Sec. 17 Twp. 26 Rge. 2 (E) 2E

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines NE SE SW

Lease Owner George H. Hannum

Lease Name Tjaden Well No. 1

Office Address 1022 Union National Bank Bldg., Wichita, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) Dry

Date well completed November 2 19 51

Application for plugging filed November 1 19 51

Application for plugging approved November 2 19 51

Plugging commenced November 2 19 51

Plugging completed November 2 19 51

Reason for abandonment of well or producing formation No commercial oil or gas was encountered in drilling of this well

If a producing well is abandoned, date of last production No 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Conservation Division

Name of Conservation Agent who supervised plugging of this well John P. Roberts

Producing formation Burgess Sand Depth to top 2960 Bottom 2983 Total Depth of Well 3045 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Table with 7 columns: Formation, Content, From, To, Size, Put In, Pulled Out. Row 1: Lime and Shale, 0, 125', 8-5/8", 10-22-51.

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from... feet to... feet for each plug set.

The hole was filled with Drilling Mud to the bottom of the surface pipe, this being 125'. A wooden plug was placed at this point with 15 sacks of cement placed on top from 125' to 110'. The hole was then filled with drilling mud and another wooden plug was placed 5' down from the top and cemented with 5 sacks of cement.

(If additional description is necessary, use BACK of this sheet)


Correspondence regarding this well should be addressed to George H. Hannum Address 1022 Union National Bank Bldg Wichita, Kansas

STATE OF Kansas COUNTY OF Sedgwick V. Richard Hoover (employee of owner) or (operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) V. Richard Hoover 1022 Union National Bank Bldg, Wichita, Kansas (Address)

Subscribed and sworn to before me this 2nd day of November, 1951



Notary Public. (Signature) Drew J. Stewart

My commission expires Jan 6, 1954

PLUGGING FILE SEC 17 T 26 R 2E BOOK PAGE 124 LINE 21

RECEIVED STATE CORPORATION COMMISSION NOV - 2 1951 CONSERVATION DIVISION Wichita, Kansas

SPRINGER & HARPER

DRILLING CONTRACTORS

BOX 1655

WICHITA, KANSAS

George Hannum Drilling Co.,  
 Union National Bank Building  
 Wichita, Kansas.

November 3, 1951

G. I. Tjaden No. 1

Northeast (NE) corner of Southeast (SE) Quarter (1/4)  
 of Southwest Quarter (SW 1/4) of Section, Seventeen  
 17) Township, Twenty-six (26) Range Two (2) East,  
 Sedgwick County, Kansas.

lime & shale	0 - 90
lime	130
anhydrite	235
lime & shale	245
lime	360
lime & shale	485
lime	580
lime & shale	800
lime	890
lime & shale	1025
shale	1270
shale & lime	1500
shale	1600
shale & lime	1745
shale	1780
shale & lime	1805
lime	1955
shale	2005
shale & lime	2022
lime	2065
lime & shale	2110
shale	2170
shale & lime	2245
shale	2275
lime	2405
lime & shale	2425
lime	2445
shale	2515
K.C. lime	2575
lime	2680
lime & shale	2715
shale	2735
shale & lime	2885
shale	2960
sand	2973
sand & shale	2983
Miss. lime	2985
lime	T.D. 3045 -

Elevation : 1412

Surface Casing

127 feet of 8 5/8"  
 Casing cemented  
 with 125 sacks of  
 cement.

RECEIVED  
 COMMISSION

NOV - 9 1951  
 CONSERVATION DIVISION  
 Wichita, Kansas

Dry and abandoned.

Springer & Harper

By L. L. Harper

**PLUGGING**  
 FILE SEC 17 T 26 R 26  
 BOOK PAGE 121 LINE 21