

Form ACO-1
September 1999
Form Must Be Typed

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 5363
 Name: Berexco, Inc.
 Address: P.O. Box 20380
 City/State/Zip: Wichita, KS 67208
 Purchaser: Central Crude Corp.
 Operator Contact Person: Jeremy Ensz
 Phone: (316) 265-3311
 Contractor: Name: Beredco, Inc.
 License: 5147
 Wellsite Geologist: Bob Schrieber
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>10/7/06</u>	<u>10/19/06</u>	<u>2/1/07</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 135-24544-60-60
 County: Ness
100° E NE NW NE Sec. 26 Twp. 17 S. R. 25 East West
330' FNL feet from S / N (circle one) Line of Section
1550' FEL feet from E / W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW SW
 Lease Name: Ross Potter Well #: 6
 Field Name: NE Aldrich
 Producing Formation: Mississippi
 Elevation: Ground: 2488 Kelly Bushing: 2499
 Total Depth: 4429 Plug Back Total Depth: 4429
 Amount of Surface Pipe Set and Cemented at 268 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set 1807 Feet
 If Alternate II completion, cement circulated from 1807
 feet depth to surface w/ 350 sx cmt.

Drilling Fluid Management Plan
 (Data must be collected from the Reserve Pit) *Alt II w/ Am
8-27-07*
 Chloride content 2000 ppm Fluid volume 730 bbls
 Dewatering method used _____
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: *Jeremy Ensz*
 Title: District Engineer Date: 2/26/07
 Subscribed and sworn to before me this 26th day of February,
2007
 Notary Public: *Diana E Plotner*
 Date Commission Expires: Aug 10, 2007

DIANA E PLOTNER
 NOTARY PUBLIC
 STATE OF KANSAS
 My Appt. Exp. 8-10-07

KCC Office Use ONLY

Y Letter of Confidentiality Received
 If Denied, Yes No Date: 3-5-07
 Wireline Log Received
 Geologist Report Received **RECEIVED**
 UIC Distribution **KANSAS CORPORATION COMMISSION**
FEB 27 2007

CONSERVATION DIVISION
 WICHITA, KS

Operator Name: Berexco, Inc. Lease Name: Ross Potter Well #: 6
 Sec. 26 Twp. 17 S. R. 25 East West County: Ness

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: DIL, MEL, CNL/CDL	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Anhydrite</td> <td>1738</td> <td>+761</td> </tr> <tr> <td>Heebner</td> <td>3777</td> <td>-1278</td> </tr> <tr> <td>Lansing</td> <td>3818</td> <td>-1319</td> </tr> <tr> <td>Pawnee</td> <td>4244</td> <td>-1745</td> </tr> <tr> <td>Ft. Scott</td> <td>4319</td> <td>-1820</td> </tr> <tr> <td>Cherokee Sh.</td> <td>4343</td> <td>-1844</td> </tr> <tr> <td>Mississippi Dolo.</td> <td>4411</td> <td>-1912</td> </tr> </table>	Name	Top	Datum	Anhydrite	1738	+761	Heebner	3777	-1278	Lansing	3818	-1319	Pawnee	4244	-1745	Ft. Scott	4319	-1820	Cherokee Sh.	4343	-1844	Mississippi Dolo.	4411	-1912
Name	Top	Datum																							
Anhydrite	1738	+761																							
Heebner	3777	-1278																							
Lansing	3818	-1319																							
Pawnee	4244	-1745																							
Ft. Scott	4319	-1820																							
Cherokee Sh.	4343	-1844																							
Mississippi Dolo.	4411	-1912																							

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8	20	268'	common	175	3% cc, 2% gel
Production	7-7/8"	5-1/2"	15.5	4422'	60/40 and ASC	550	See Tickets

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	Open Hole 4422-29 (mississippi)	1450 gal 15% HCL	

TUBING RECORD		Size	Set At	Packer At	Liner Run
		2-7/8	4422		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method		
2/1/07			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	8	0	0		

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

RECEIVED
KANSAS CORPORATION COMMISSION
FEB 27 2007
 CONSERVATION DIVISION
 WICHITA, KS

ALLIED CEMENTING CO., INC.

Federal Tax I.D.#

OCT 18 2006
26694

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

New City

DATE <u>10-8-06</u>	SEC. <u>26</u>	TWP. <u>17</u>	RANGE <u>25</u>	CALLED OUT <u>4:30AM</u>	ON LOCATION <u>8:30AM</u>	JOB START <u>10:15AM</u>	JOB FINISH <u>11:00AM</u>
LEASE <u>Part</u>	WELL # <u>6</u>	LOCATION <u>land 2w, 6 1/2 N, 2 E N 1/4 sec</u>			COUNTY <u>New</u>	STATE <u>Ks</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Benedec #10

TYPE OF JOB Surface

HOLE SIZE 12 1/4" T.D. 223'

CASING SIZE 8 5/8" DEPTH 268'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 15'

PERFS. _____

DISPLACEMENT 16 bbl/s

OWNER Same

CEMENT

AMOUNT ORDERED 175 lbs Common

370 cc, 2 7/8 Mel

COMMON	<u>125</u>	@ <u>10.65</u>	<u>1363.75</u>
POZMIX		@	1688.00
GEL	<u>3</u>	@ <u>16.65</u>	<u>49.95</u>
CHLORIDE	<u>5</u>	@ <u>46.60</u>	<u>233.00</u>
ASC		@	
		@	
		@	
		@	
		@	
		@	
		@	
HANDLING	<u>183</u>	@ <u>1.90</u>	<u>347.70</u>
MILEAGE	<u>183 x 21 x .09</u>		<u>345.87</u>
TOTAL			<u>2840.27</u>

EQUIPMENT

PUMP TRUCK CEMENTER Tim D

224 HELPER Jim W

BULK TRUCK

357 DRIVER Cody R

BULK TRUCK

_____ DRIVER _____

REMARKS:

Ran 268' of 8 5/8" casing Broke Circulator
Mixed 175 lbs Common 370 cc 2 7/8 Mel
Rebond Plug. Displaced with fresh
A30
Cement did circulate

SERVICE

DEPTH OF JOB	<u>268'</u>		
PUMP TRUCK CHARGE			<u>815.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>21</u>	@ <u>6.00</u>	<u>126.00</u>
MANIFOLD		@	
		@	
		@	
TOTAL			<u>941.00</u>

CHARGE TO: Berexo

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<u>1 - 8 5/8 wooden Plug</u>	@ <u>60.00</u>	<u>60.00</u>
	@	
	@	
	@	
	@	
TOTAL		<u>60.00</u>

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE X Marvi B. Julian X

TAX _____

TOTAL CHARGE ~~_____~~

DISCOUNT _____ IF PAID IN 30 DAYS

RECEIVED
KANSAS CORPORATION COMMISSION
FEB 27 2007
CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., INC.

Federal Tax I.E.

26250

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Ness City

DATE <u>10-18-06</u>	SEC. <u>26</u>	TWP. <u>17</u>	RANGE <u>25</u>	CALLED OUT	ON LOCATION	JOB START <u>6:30pm</u>	JOB FINISH <u>10:00pm</u>	
LEASE <u>Patter</u>	WELL # <u>6</u>	LOCATION <u>Ness City 10w 6 1/2 N</u>			COUNTY <u>Ness</u>	STATE <u>KS</u>		
OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>2E 1/2 N 1/2 E S.S.</u>					

CONTRACTOR Beredco Digs #10
 TYPE OF JOB 2-Stage Top
 HOLE SIZE 7 7/8 T.D.
 CASING SIZE 5 1/2 DEPTH
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL DV DEPTH 1807
 PRES. MAX 1400 MINIMUM
 MEAS. LINE SHOE JOINT
 CEMENT LEFT IN CSG.
 PERFS.
 DISPLACEMENT 44 1/2

OWNER
 CEMENT
 AMOUNT ORDERED 400 6 1/4 6 1/4 # F Salt
50 ASC, 7 1/2 # 1 1/2" - 31 0-FOAM
used, 385 #
 COMMON lit. 195 # @ 10.15 2016.75
 POZMIX 130 # @ 5.80 754.00
 GEL 17 # @ 16.65 283.05
 CHLORIDE @
 ASC 50 # @ 13.10 655.00
Released 81 # @ 2.00 162.00
CO-31 38 # @ 7.50 282.50
D. team 10 # @ 7.25 72.50
SALT 3 # @ 19.20 57.60
 HANDLING 4 # @ 19.5 78.00
 MILEAGE 20.09 471.00
 TOTAL 6065.60

EQUIPMENT
 PUMP TRUCK CEMENTER MIKE
 # 224 HELPER J. Hughes
 BULK TRUCK
 # 357 DRIVER Cody
 BULK TRUCK
 # 342 DRIVER Marlyn

REMARKS:

Open DV tool 600#, reg circ 2 1/4 ins.
Plug RH, 155, MH 105x, mix 300 3x
lit, 50% ASC, Released, plug Drop
44 1/2 BBL, Pressure 1400# Released
Hold.
Want chd case.
Thanks

SERVICE

DEPTH OF JOB 1807
 PUMP TRUCK CHARGE 955.00
 EXTRA FOOTAGE @
 MILEAGE NC @
 MANIFOLD @
Pump Truck + Bulk
trk on loc. 9:30 am
 TOTAL 955.00

CHARGE TO: Beredco
 STREET _____
 CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

 @ _____
 @ _____
 @ _____
 @ _____
 @ _____
 TOTAL 6524.74

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is-listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Mark Zick

MARK ZICK
 PRINTED NAME

RECEIVED
 KANSAS CORPORATION COMMISSION

FEB 27 2007

CONSERVATION DIVISION
 WICHITA, KS

ALLIED CEMENTING CO., INC.

Federal Tax I.D.#

26249

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Ness City

DATE <u>10-18-06</u>	SEC. <u>26</u>	TWP. <u>17</u>	RANGE <u>25</u>	CALLED OUT <u>6:00AM</u>	ON LOCATION <u>8:00AM</u>	JOB START <u>4:00AM</u>	JOB FINISH <u>6:10 PM</u>
LEASE <u>Potter</u>				WELL # <u>6</u>	LOCATION <u>Ness City 10w 6 1/2 n</u>	COUNTY <u>Ness</u>	STATE <u>KS</u>
OLD OR NEW (Circle one) <u>NEW</u>				<u>2E 1/2 W 1/2 E SS</u>			

CONTRACTOR Beredco Dale #10
 TYPE OF JOB 2-Stage Bottom
 HOLE SIZE 7 7/8 T.D. 4425
 CASING SIZE 5 1/2 DEPTH 4421
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX 1100 MINIMUM _____
 MEAS. LINE _____ SHOE JOINT 20.25
 CEMENT LEFT IN CSG. 20.25
 PERFS. _____

OWNER _____
 Lib 60/40/8
 CEMENT AMOUNT ORDERED
500# 40 6 1/2" 1/4" Flashed per sec
150 ASC 500# ASF
3/4" 1 1/2" C-0-31 30# 10.25m.
 COMMONITE 30 net @ 10.65 319.50
 POZMIX 20 net @ 5.80 116.00
 GEL 3 net @ 16.65 49.95
 CHLORIDE _____ @ _____
 ASC 150 @ 13.10 1965.00
Flashed 25 # @ 2.00 50.00
ASF 500# @ 1.00 500.00
C-0-31 106 # Flu. loss @ 7.50 795.00
DTEAM 30# @ 7.20 216.00
SALT 9 net @ 19.20 172.80
 _____ @ _____
 _____ @ _____
 HANDLING 225 net @ 1.90 427.50
 MILEAGE 20 09 225 net @ 1.90 405.00

DISPLACEMENT 106 BBL
 EQUIPMENT
 PUMP TRUCK CEMENTER MIKE
 # 224 HELPER J. Weighous
 BULK TRUCK
 # 357 DRIVER Cody
 BULK TRUCK
 # 342 DRIVER Marilyn

REMARKS:

New 15"
circ 5 1/2" casing pump 120 hr
after opening triplex, mix flush
50# lime, 150# ASF, Release plug
drop 106 BBL pressure 1100"
Released Nebal.

Thanks

CHARGE TO: Beredco
 STREET _____
 CITY _____ STATE _____ ZIP _____

TOTAL 6064.65

SERVICE

DEPTH OF JOB 4421
 PUMP TRUCK CHARGE 1675.00
 EXTRA FOOTAGE _____ @ _____
 MILEAGE 20 @ 6.00 120.00
 MANIFOLD _____ @ _____
 _____ @ _____
 _____ @ _____

TOTAL 1795.00

PLUG & FLOAT EQUIPMENT

1-5 1/2" Triplex 1300.00
1- " Lited Plug float @ 375.00
1- " DI-Tool @ 3500.00
2- " Baskets @ 150.00 300.00
12- " Centerligers @ 50.00 600.00
1- Thred lok @ 30.00

TOTAL 6105.00

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Mark Zeck

MARK ZECK
 PRINTED NAME

RECEIVED
 KANSAS CORPORATION COMMISSION
 FEB 27 2007

CONSERVATION DIVISION
 WICHITA, KS