

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

Operator: License # 32657
Name: Gateway Resources, LLC
Address: 224 S. Crestway
City/State/Zip: Wichita, KS 67218
Purchaser: None
Operator Contact Person: Gary F. Gensch
Phone: (316) 684-0199
Contractor: Name: VW. Drilling, LLC
License: 33575
Wellsite Geologist: Gary F. Gensch
Designate Type of Completion:
☒ New Well ☐ Re-Entry ☐ Workover
☐ Oil ☐ SWD ☐ SIOW ☐ Temp. Abd.
☐ Gas ☐ ENHR ☐ SIGW
☒ Dry ☐ Other (Core, WSW, Expl., Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows:
Operator: NA
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
☐ Deepening ☐ Re-perf. ☐ Conv. to Enhr./SWD
☐ Plug Back ☐ Plug Back Total Depth
☐ Commingled ☐ Docket No. _____
☐ Dual Completion ☐ Docket No. _____
☐ Other (SWD or Enhr.?) ☐ Docket No. _____
8/23/06 8/25/06 8/28/06
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date


API No. 15 - 065-23217-0000
County: Graham
~ C N/2 NW Sec. 8 Twp. 7 S. R. 22 ☐ East ☒ West
615 feet from S / N (circle one) Line of Section
1430 feet from E / W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Ambroiser Well #: 1-8
Field Name: Wildcat
Producing Formation: None
Elevation: Ground: 2355' Kelly Bushing: 2360'
Total Depth: 1773 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 208 Feet
Multiple Stage Cementing Collar Used? ☐ Yes ☒ No
If yes, show depth set NA Feet
If Alternate II completion, cement circulated from NA
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan *ALT II PFA with 8-27-07*
(Data must be collected from the Reserve Pit)
Chloride content 0 ppm Fluid volume 700 bbls
Dewatering method used Air Dry - Back Fill Pits
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ ☐ East ☐ West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Gary F. Gensch
Title: President Date: 1/26/07
Subscribed and sworn to before me this 26th day of January,
2007.
Notary Public: Marty J. Lee
Date Commission Expires: 9/16/08



KCC Office Use ONLY

Y Letter of Confidentiality Received
If Denied, Yes ☒ Date: 1-31-07
☐ Wireline Log Received
☐ Geologist Report Received
☐ UIC Distribution
RECEIVED
KANSAS CORPORATION COMMISSION
JAN 29 2007
CONSERVATION DIVISION
WICHITA, KS

Operator Name: Gateway Resources, LLC Lease Name: Ambroiser Well #: 1-8
 Sec. 8 Twp. 7 S. R. 22 ☐ East ☒ West County: Graham

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken ☐ Yes ☒ No
 (Attach Additional Sheets)

Samples Sent to Geological Survey ☐ Yes ☒ No

Cores Taken ☐ Yes ☒ No

Electric Log Run ☐ Yes ☒ No
 (Submit Copy)

List All E. Logs Run:

☒ Log Formation (Top), Depth and Datum ☐ Sample

Name Top Datum
 Cedar Hills SS 1513 +847

CASING RECORD ☒ New ☐ Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	24	210	Common	160	3% cc, 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
____ Perforate				
____ Protect Casing				
____ Plug Back TD				
____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)		Depth

TUBING RECORD			Size	Set At	Packer At	Liner Run		
						☐ Yes	☐ No	
Date of First, Resumerd Production, SWD or Enhr.			Producing Method					
			☐ Flowing ☐ Pumping ☐ Gas Lift ☐ Other (Explain)					
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Water	Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas

METHOD OF COMPLETION

Production Interval

☐ Vented ☐ Sold ☐ Used on Lease
 (If vented, Submit ACO-18.)

☐ Open Hole ☐ Perf. ☐ Dually Comp. ☐ Commingled
☐ Other (Specify) _____

RECEIVED
 KANSAS CORPORATION COMMISSION

JAN 29 2007

CONSERVATION DIVISION
 WICHITA, KS

WW Drilling, LLC
P. O. Box 307
WaKeeney, Kansas 67672

Gateway Resources, LLC
224 S. Crestway
Wichita, Kansas 67218

API # 15-065-23217-00-00

Ambrosier # 1-8
615' FNL & 1430' FWL
Section 8-7s-22w
Graham County, Kansas

100 sx @ 1125'
040 sx @ 275'
010 sx @ 40'
015 sx Rathole

165 sx Total - 60/40 poz - 6% gel—1/4 # per sx flo-seal

Herb Deines - 4:55 pm—8/25/06

RECEIVED
KANSAS CORPORATION COMMISSION

JAN 29 2007

CONSERVATION DIVISION
WICHITA, KS

ALLIEL CEMENTING CO., INC.

Federal Tax I.D. # 48-0727833

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

28048

Russell

DATE <u>8-23-06</u>	SEC. <u>8</u>	TWP. <u>7</u>	RANGE <u>22</u>	CALLED OUT	ON LOCATION <u>6:10 PM</u>	JOB START <u>6:15 PM</u>	JOB FINISH <u>6:30 PM</u>
LEASE <u>Anderson</u>	WELL # <u>1-8</u>	LOCATION <u>Hill City 7W 2E 15 1/2 W</u>			COUNTY <u>Greene</u>	STATE <u>Kansas</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR <u>W Drilling Rig 6</u>	
TYPE OF JOB <u>Surface</u>	
HOLE SIZE <u>12 1/4"</u>	T.D. <u>210</u>
CASING SIZE <u>8 5/8"</u>	DEPTH <u>208</u>
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG. <u>15'</u>	
PERFS.	
DISPLACEMENT <u>124 Bbl</u>	
EQUIPMENT	

PUMP TRUCK	CEMENTER <u>Steve</u>
# <u>409</u>	HELPER <u>Craig</u>
BULK TRUCK	
# <u>410</u>	DRIVER <u>Bob</u>
BULK TRUCK	
#	DRIVER

REMARKS:

Cement did Circulate

Thank You

CHARGE TO: Gateway Resources

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

Good Job!

SIGNATURE

Todd A. [Signature]

OWNER _____

CEMENT
AMOUNT ORDERED 160 Can 35cc 2461

COMMON	<u>160</u>	@	<u>1065</u>	<u>1704.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>1665</u>	<u>49.95</u>
CHLORIDE	<u>5</u>	@	<u>4660</u>	<u>233.00</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>168</u>	@	<u>190</u>	<u>319.20</u>
MILEAGE	<u>94</u>	<u>SK / mile</u>		<u>1360.00</u>
TOTAL				<u>3666.95</u>

SERVICE

DEPTH OF JOB	
PUMP TRUCK CHARGE	<u>815.00</u>
EXTRA FOOTAGE	@
MILEAGE	<u>90</u> @ <u>6.00</u> <u>540.00</u>
MANIFOLD	@
RECEIVED	@
KANSAS CORPORATION COMMISSION	@
JAN 29 2007	
CONSERVATION DIVISION WICKITA, KS	
PLUG & FLOAT EQUIPMENT	
TOTAL <u>1355.00</u>	

8 5/8 Plug	@	
	@	<u>60.00</u>
	@	
	@	
	@	
TOTAL <u>60.00</u>		

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME

ALLIED CEMENTING CO., INC.

24859

Federal Tax I.D.# 48-0110000

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
OAKLEY

DATE <u>8-28-06</u>	SEC <u>8</u>	TWP. <u>75</u>	RANGE <u>22W</u>	CALLED OUT	ON LOCATION <u>2:00PM</u>	JOB START <u>2:30AM</u>	JOB FINISH <u>4:45 PM</u>
LEASE <u>AMBROSTER</u>	WELL # <u>1-8</u>	LOCATION <u>HELL CITY 7N-2E-15-E IN</u>			COUNTY <u>GRAHAM</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR <u>W+W DRILL RIG #6</u>	OWNER <u>SAME</u>
TYPE OF JOB <u>PTA</u>	
HOLE SIZE <u>7 7/8"</u>	T.D. <u>1733'</u>
CASING SIZE	DEPTH
TUBING SIZE	DEPTH
DRILL PIPE <u>4 1/2</u>	DEPTH <u>1125'</u>
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG.	
PERFS.	
DISPLACEMENT	

EQUIPMENT

PUMP TRUCK # <u>191</u>	CEMENTER <u>TERRY</u>
	HELPER <u>WAYNE</u>
BULK TRUCK # <u>399</u>	DRIVER <u>MIKE</u>
BULK TRUCK #	DRIVER

REMARKS:

<u>100 SKS AT 1125'</u>
<u>40 SKS AT 275'</u>
<u>10 SKS AT 40'</u>
<u>15 SKS RNT HOLE</u>

THANK YOU

CHARGE TO: GATEWAY RESOURCES

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

CEMENT			
AMOUNT ORDERED			
<u>165 SKS 60/40 POZ 68 GEL 1/4" Flo-SEAL</u>			
COMMON	<u>99 SKS</u>	@ <u>12.20</u>	<u>1207.80</u>
POZMIX	<u>66 SKS</u>	@ <u>6.10</u>	<u>402.60</u>
GEL	<u>9 SKS</u>	@ <u>16.63</u>	<u>149.67</u>
CHLORIDE		@	
ASC		@	
		@	
		@	
<u>Flo-SEAL 41"</u>		@ <u>2.20</u>	<u>82.20</u>
		@	
		@	
		@	
		@	
		@	
HANDLING	<u>174 SKS</u>	@ <u>1.90</u>	<u>330.60</u>
MILEAGE	<u>94 PER SK / mile</u>		<u>1331.20</u>
TOTAL			<u>3503.95</u>

SERVICE

DEPTH OF JOB	<u>1125'</u>
PUMP TRUCK CHARGE	<u>815.00</u>
EXTRA FOOTAGE	@
MILEAGE	<u>85 MI</u> @ <u>6.00</u> <u>510.00</u>
MANIFOLD	@
RECEIVED	
KANSAS CORPORATION COMMISSION	

JAN 29 2007

CONSERVATION DIVISION
WICHITA, KS

TOTAL 1325.00

PLUG & FLOAT EQUIPMENT

<u>1- DRY Hole Plug</u>	<u>35.00</u>
	@
	@
	@
RECEIVED	
KANSAS CORPORATION COMMISSION	

CONSERVATION DIVISION
WICHITA, KS

TOTAL 35.00

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

Todd Dinkel
PRINTED NAME