

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Starting Date 10-7-86 month day year

API Number 15-163-22,891-00-00

OPERATOR: License # 6033 Name Murfin Drilling Company Address 250 N. Water, Suite 300 City/State/Zip Wichita, Ks. 67202 Contact Person David Doyel Phone 316-267-3241

SE SW NE... Sec. 10.. Twp. 10S. S, Rg... 19... 2970 Ft. from South Line of Section 1650 Ft. from East Line of Section

(Note: Locate well on Section Plat on reverse side)

CONTRACTOR: License # 6033 Name Murfin Drilling Company City/State Wichita, Ks. 67202

Nearest lease or unit boundary line feet County... Rooks Lease Name... Burton Well #... 1-10

Well Drilled For: Well Class: Type Equipment: X Oil SWD Infield X Mud Rotary Gas Inj Pool Ext Air Rotary OWWO Expl X Wildcat Cable

Ground surface elevation feet MSL Domestic well within 330 feet: yes no Municipal well within one mile: yes no Depth to bottom of fresh water 80' Depth to bottom of usable water 1000'

If OWWO: old well info as follows:

Operator Well Name Comp Date Old Total Depth

Surface pipe by Alternate: 2 X Surface pipe planned to be set 250 Conductor pipe required none Projected Total Depth 3850 feet Formation... Arb.

I certify that well will comply with K.S.A. 55-101, et seq., plus eventually plugging hole to KCC specifications.

Date 10-1-86 Signature of Operator or Agent DAVID DOYEL Title Geological Manager

For KCC Use:

Conductor Pipe Required feet; Minimum Surface Pipe Required 250 feet per Alt. 4 2 This Authorization Expires 4-1-87 Approved By 10-1-86


Signature of KCC representative

Must be filed with the K.C.C. five (5) days prior to commencing well  
This card void if drilling not started within six (6) months of date received by K.C.C.

### Important procedures to follow:

1. Notify District office before setting surface casing.
2. Set surface casing by circulating cement to the top.
3. File completion forms ACO-1 with K.C.C. within 90 days of well completion, following instructions on ACO-1, side 1, and including copies of wireline logs.
4. Notify District office 48 hours prior to old well workover or re-entry.
5. Prior to filing Intent, prepare a proposed plugging plan in case well is D & A, then obtain approval of plan when calling district office prior to setting surface pipe.
6. Submit plugging report (CP-4) to K.C.C. after plugging is completed.
7. Obtain an approved injection docket number before disposing of salt water.
8. Notify K.C.C. within 10 days when injection commences or terminates.
9. If an alternate 2 completion, cement in the production pipe from below any usable water to surface within 120 days of spud date.

### A Regular Section of Land 1 Mile = 5,280 Ft.



RECEIVED

CORPORATION COMMISSION  
OCT - 1 1986  
10-01-1986  
CONSERVATION DIVISION  
Wichita, Kansas

State Corporation Commission of Kansas  
Conservation Division  
200 Colorado Derby Building  
Wichita, Kansas 67202  
(316) 263-3238

CARD MUST BE TYPED

State of Kansas

NOTICE OF INTENTION TO DRILL

CARD MUST BE SIGNED

(see rules on reverse side)

Starting Date 10-7-86 month day year

API Number 15-163-22,891-00-00

OPERATOR: License # 6033 Name Murfin Drilling Company Address 250 N. Water, Suite 300 City/State/Zip Wichita, Ks. 67202 Contact Person David Doyel Phone 316-267-3241

SE SW NE... Sec. 10.. Twp. 10S. S, Rg. 19... 2970 Ft. from South Line of Section 1650 Ft. from East Line of Section (Note: Locate well on Section Plat on reverse side)

CONTRACTOR: License # 6033 Name Murfin Drilling Company City/State Wichita, Ks. 67202

Nearest lease or unit boundary line... feet County Rooks Lease Name BURTON Well # 1-10

Well Drilled For: Oil SWD Infield Mud Rotary Gas Inj Pool Ext Air Rotary OWWO Expl Wildcat Cable

Ground surface elevation... feet MSL Domestic well within 330 feet: yes no Municipal well within one mile: yes no

If OWWO: old well info as follows: Operator Well Name Comp Date Old Total Depth

Depth to bottom of fresh water 80' Depth to bottom of usable water 1000' Surface pipe by Alternate: 2 X Surface pipe planned to be set 250' 24' Conductor pipe required none Projected Total Depth 3850' feet Formation 163-22,891/Arb.

I certify that well will comply with K.S.A. 55-101, et seq., plus eventually plugging hole to KCC specifications. Date 10-1-86 Signature of Operator or Agent DAVID DOYEL Title Geological Manager

For KCC Use: Conductor Pipe Required 250 feet Minimum Surface Pipe Required 250 feet per Alt. 4-2 This Authorization Expires 4-1-87 Approved By 10-1-86

SP, 250 + Start oct 5-PM Haul Pumps

RCH/KCC

Sloyd DeHett

SE SW NE Sec. 10 Twp. 10S. S, Rg. 19 West

PLUGGING PROPOSAL IF ABOVE IS D & A

This plugging proposal will be reviewed and approved or revised at the time the district office is called prior to setting surface casing (call 7 a.m. to 5 p.m. workdays).

1st plug @ 3740 feet depth with 20 sxs of 60/40 poz
2nd plug @ 1600 feet depth with 20 sxs of
3rd plug @ 900 feet depth with 100 sxs of
4th plug @ 250 feet depth with 40 sxs of
5th plug @ feet depth with sxs of
(2) Rathole with 10 sxs (b) Mousehole with sxs

NOTE: Agreement between operator and district office on plug placement and the amount of cement to be used is necessary prior to plugging. In Addition: Call district office after well is either plugged or production casing is cemented in. (Call 7 a.m. to 5 p.m. workdays)

District office use only: API #15-163-22,891 Surface casing of feet set with sxs at Alternate 1 or 2 surface pipe Alternate 2 cementing was completed at STATE CORPORATION CONS. DIV. WICHITA, KS ft. depth with sxs on Hole plugged 19 agent

RECEIVED KCC DIST. #6 hours, days, 19

RECEIVED STATE CORPORATION CONS. DIV. WICHITA, KS

Zrick 2.5 x 1E OCT 2 4 1986 10-24-1986

OCT 2 1986