

NOTICE OF INTENTION TO DRILL

RULE 82-2-320

TYPE OR PRINTTo Be Filed With State Corporation
Commission Prior To Commencement of Well

15-065-02752-0000

County GrahamDate May 27, 1957Section 32 Township 8 Range 24Date operation to begin ImmediatelyWell location SW $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$
(10 Acres) (40 Acres) (160 Acres)

Surface pipe

8-5/8"

Size

250'

Length

Estimated total depth 4000'

Well is to be drilled _____ ft. north of the south sec. line _____ ft. east of the west sec. line


Operator Herman Geo. Kaiser Lease name Keith "A" Well No. 5Address 909 Palace Bldg.Drilling contractor K & E Drilling, Inc.Address 717-21 Union Center Bldg.Type of equipment to be used Rotary Well drilled for: Oil Gas _____ Disposal _____ Input _____

(Correspondence regarding this well should be addressed to:)

Name Herman Geo. Kaiser Address 909 Palace Bldg.City Tulsa 3, State Oklahoma

RULE 82-2-321. *Bonding Requirement.* The Commission may, at any time, on its own motion or upon complaint received from any person interested in the property to be drilled or any adjacent property, require from the owner of the lease, or the person, firm, corporation or association drilling the well, a good and sufficient bond running to the State of Kansas conditioned that said parties and their drilling operations shall comply with all rules and regulations of the Commission. Said bond shall remain in force and effect until released by the Commission.





State Corporation Commission of Kansas
Conservation Division
100 Graham Building
211 North Broadway
Wichita 2, Kansas

RECEIVED
STATE CORPORATION COMMISSION

MAY 28 1957
5-28-1957
CONSERVATION DIVISION
Wichita, Kansas

(IF PREFERRED, MAIL IN ENVELOPE)



RADIOACTIVITY LOG

WELEX JET SERVICES, Inc.

FILE NO.

FILE NO.

COMPANY HERMAN GEORGE KAISER,
OIL PRODUCER
WELL # 5 KEITH "A"
FIELD HOLLEY
COUNTY GRAHAM STATE KANSAS
LOCATION SEC. 32-85-21W SW SE SW

COMPANY HERMAN GEORGE KAISER, OIL PRODUCER
WELL # 5 KEITH "A" TR 10
FIELD HOLLEY
COUNTY GRAHAM STATE KANSAS
LOCATION SEC. 32-85-21W SW SE SW

Location of Well

LOG MEAS. FROM 6' ABOVE GROUND LEVEL ELEV.
DRLG. MEAS. FROM ELEV.
PERM. DATUM ELEV.

TYPE OF LOG	GAMMA RAY	N-GAMMA	
RUN NO.	1	1	
DATE	6-17-57	6-17-57	
JOB NO.	116-29-1501	116-29-1501	
TOTAL DEPTH (DRILLER)	4010	4010	
EFFECTIVE DEPTH (DRILLER)	3975	3975	
TOTAL DEPTH (R/A LOG)	3980	3980	
TOP OF LOGGED INTERVAL	3600	3600	
BOTTOM OF LOGGED INTERVAL	3967	3979	
TYPE OF FLUID IN HOLE	WATER	WATER	
FLUID LEVEL	3976	3976	
MAXIMUM RECORDED TEMPERATURE			
NEUTRON SOURCE STRENGTH & TYPE		S10A3	
SOURCE SPACING—IN.		13.5	
DETECTOR CLASS	SCINT.	SCINT.	
DETECTOR TYPE	DLG1	DLN1	
LENGTH OF MEASURING DEVICE—IN.	4	4	
O.D. OF INSTRUMENT—IN.	3-5/8	3-5/8	
TIME CONSTANT—SECONDS	3	3	
LOGGING SPEED FT./MIN.	20	20	
STATISTICAL VARIATION—IN.			
SENSITIVITY REFERENCE	C933	D368	
RECORDED BY	CURTIS & LONGPINE		
WITNESSED BY	MR. HALL		

RECEIVED
STATE CORPORATION COMMISSION
JAN 28 1974
CONSERVATION DIVISION
Wichita, Kansas

CASING RECORD INTERVAL				BORE HOLE INTERVAL			
SIZE—INS.	WT.—LB.	FROM WELL RECORD	FROM R/A LOG	BIT SIZE INS.	FROM WELL RECORD	FROM R/A LOG	
5-1/2	14	SURF. TO 4010'	TO	7-7/8	SURFACE TO 4010'	TO	
		TO	TO		TO	TO	
		TO	TO		TO	TO	
		TO	TO		TO	TO	