KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

WELL HISTORY - DESCR	RIPTION OF WELL & LEASE OPIC 'A'AI
Operator: License # 4894	API No. 15 - 071-20808-00-00
Name: Horseshoe Operating, Inc.	County: Greeley
Address: 110 W. Louisiana, Suite 200	C _NE Sec. 31 Twp. 20 S. R. 40 ☐ East West
City/State/Zip: Midland, Texas 79701	1320 feet from S / N (circle one) Line of Section
	1320feet from E / W (circle one) Line of Section
Purchaser:S I Burns/Dehhie Franklin	leet nom E / W (chick only) Eine or occurr
Operator Contact Person: S. L. Burns/Debbie Franklin	Footages Calculated from Nearest Outside Section Corner:
Phone: (_432) 683-1448	(circle one) NE SE NW SW Lease Name: Thompson Well #: 2-31
Contractor: Name: Cheyenne Drilling	
license:33375	Field Name: Bradshaw
Vellsite Geologist:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: 3603 Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 2830 Plug Back Total Depth:
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 5 jts @ 232 Feet
4 Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFee
Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tow/sx cmt.
Vell Name:	
Original Comp. Date:Original Total Depth:	Drilling Fluid Management Plan ALTI Phi with
	(Data must be collected from the Reserve Pit) 7-24-07
Deepening Re-perf Conv. to Enhr/SWD	1, ,
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name:
Other (SWD or Enhr.?) Docket No	Lease Name: License No.:
12/6/04 12/8/04	
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R 🗌 East 🗌 West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workor Information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline log TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged well	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, over or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. If 12 months if requested in writing and submitted with the form (see rule 82-3-105) and geologist well report shall be attached with this form. ALL CEMENTING is. Submit CP-111 form with all temporarily abandoned wells. Complete the oil and gas industry have been fully complied with and the statements
Subscribed and sworn to before me this 32 day of February	Wilseline Los Deseived
20.05	Geologist Report Received UIC Distribution PEB 2 8 20 Wretine Log Received RECEIV FEB 2 8 20 KCC WICH WIGUST 09, 2005
Notary Public: Delin Frankl	UIC Distribution
O G and province of the provin	FEB 20 0
	Debbie Franklin KCO
	Ary Public, State of Texas Mary Public, State of Texas Mary Commission Expires
W A AV N. 29 /	UGUST 09, 2005

My Commission Expires AUGUST 09, 2005

perator Name: Horse	snoe Operaun	g, inc.	Lea	ıse Name:∟	hompson		Well #: <u>2-3</u>) t	
ec. 31 Twp. 20		☐ East 🗹 W	Vest Cou	nty: Greek	эу		•		
STRUCTIONS: Show sted, time tool open a mperature, fluid recove ectric Wireline Logs si	nd closed, flowing ery, and flow rate	g and shut-in pres s if gas to surface	ssures, whether e test, along wit	shut-in pre	ssure reached	l static level, hydr	ostatic pressu	res, bottom hole	
i. rill Stem Tests Takën (Attach Additional She		Yes	No		og Forma	tion (Top), Depth	and Datum	Sample	
amples Sent to Geolog	•	Yes	No	Name	÷		, Тор	Datum	
ampies Sent to Geolog ores Taken	licar Survey	Yes	JNo ∃No						
ectric Log Run (Submit Copy)]No						
st All E. Logs Run:							in it		
<u> </u>			CASING RECOR			ction, etc.			
Purpose of String	Size Hole Drilled	Size Casin	g V	Veight	Setting	Type of Cement	# Sacks	Type and Percen	
Surface	Drilled	Set (In O.D	.) [os. / Ft.	Depth 232	C	240	Lite/Floseal	
				<u> ,</u> (مشيوم المسادر المسادس الرادا	The fire American ()			
		ADDI	TIONAL CEMEN	ITING / SQU	EEZE RECOR	D		·	
Purpose: — Perforate — Protect Casing — Plug Back TD — Plug Off Zone	Depth Top Bottom	Type of Cem	ent #Sa	#Sacks Used		Type and Percent Additives			
Shots Per Foot	oot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated			pe	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
							F		
!		Annual Additional Language					·····		
UBING RECORD	Size	Set At	Packe	er At	Liner Run	Yes No	· · · · · · · · · · · · · · · · · · ·	<u> </u>	
ate of First, Resumerd Pr	oduction, SWD or E	nhr. Produ	cing Method	Flowing	Pump	ing Gas L	ift 📝 Oth	er (Explain) \mathcal{D} : Λ	
stimated Production Per 24 Hours	Oil	Bbls. G	as Mcf	Wate	r !	Bbls.	Gas-Oil Ratio	Gravity	
isposition of Gas	METHOD OF C	OMPLETION		<u> </u>	Production Inte	erval			
Vented Sold [Used on Lease	, ,	en Hole 🔲 P ner <i>(Specify)</i>	erf. D	ually Comp.	Commingled		RECE	
		-					K	RECEIVE FEB 2 8 200 CC WICHI	

ALLIED CEMENTING CO., INC. 19562 Federal Tax I.D.#

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	SERVICE POINT:					
DATE 2/6/04 SEC. TWP. RANGE 104	CALLED OUT ON LOCATION JOB START JOB FINISH 2,30Pm 2,30Pm					
LEASE Hemyson WELL# 2-3/ LOCATION TV. bun	ve 135 /n 45 N/S Greeley 185					
OLD OR (Circle one)						
CONTRACTOR Chevenne #11	OWNER 59M e					
TYPE OF JOB CMT 8 & SUFFACT	O WILLIAM STATE OF THE STATE OF					
HOLE SIZE / 2/4 T.D. 233	CEMENT					
CASING SIZE -918 24 DEPTH 230	AMOUNT ORDERED					
TUBING SIZE DEPTH DRILL PIPE DEPTH	1755Kg Com +29000					
DRILL PIPE DEPTH TOOL DEPTH						
PRES. MAX 200 MINIMUM 50	COMMON 175 5Ks @ 8 85 1,548					
MEAS. LINE SHOE JOINT 15	POZMIX @					
CEMENT LEFT IN CSG. 15	GEL @					
PERFS.	CHLORIDE $\frac{4}{5}$ $\frac{5}{5}$ @ $\frac{30^{20}}{20^{20}}$					
DISPLACEMENT 13, 7 BBL	ASC @ 0 140 60					
EQUIPMENT	@					
PUMP TRUCK CEMENTER MEX						
# 102 HELPER Walt						
BULK TRUCK	@					
# 2/8 DRIVER M, K-e BULK TRUCK	@					
# DRIVER	@					
BRIVER	HANDLING / 79 SKs @ / 25 22325					
DEMARKS	MILEAGE 54 pr skluide 67/25					
REMARKS:						
CMT 8 4 with 1755ks Cmt Displace	► SERVICE					
13.7 BBL Close in Csg. Cement Did Circulate						
CEMENT DIA CITCULATE	DEPTH OF JOB					
	PUMP TRUCK CHARGE 520 EXTRA FOOTAGE @					
	EXTRA FOOTAGE @					
	MANIFOLD @					
	@					
CHARGE TO: Horse SHORE Operating						
STREET	TOTAL <u>\$20</u>					
CITYSTATEZIP	PLUG & FLOAT EQUIPMENT					
	1200 WIEOMI EQUINIEM					
To Allied Cementing Co., Inc.	·@					
You are hereby requested to rent cementing equipment——	@					
and furnish cementer and helper to assist owner or	@					
contractor to do work as is listed. The above work was						
done to satisfaction and supervision of owner agent or	RECEIVED TOTAL					
contractor. I have read & understand the "TERMS AND	mi v					
CONDITIONS" listed on the reverse side.	JOF 1 0 500t					
	TOTAL CHARGE CONSERVATION DIVISION					
	DISCOUNT IF PAID IN 30 DAYS					

ALLIED CEMENTING CC., INC. 19563 Federal Tax I.D.#

REMIT TO P.O. I		NSAS 676	65		SERV	ICE POINT:	lev
-	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	IOB START Do	IOR FINISH ~
DATE 12-8-04	,			0.12222	Midnite	JOB START Pin	2130 P
LEASE	WEII#	2-31	LOCATION T	1 120		COUNTY.	STATE
OLD OR NEW C		<i>a</i> 01	LOCATION	ibune 13s-	111-145-141	oreelex	-Kav
OLD ON NEW C	ircie one)]	
CONTRACTOR	Char	enne D	1 #11	OWNER	Same		
TYPE OF JOB	PTA	wie v	9	OWITER	Japan		
HOLE SIZE	71/8	T.D	2830	CEMENT			
CASING SIZE	مستعدد شاء الشاء	DEI	PTH	- AMOUNT OF	RDERED 125	sks C	
TUBING SIZE		DEI	PTH	475 SCS			- 20
DRILL PIPE	46 X	H DEI	PTH 2430	_ Used	240 9Ks 69/405	00, 6% les	1. 14# Flo
TOOL	·		PTH			,	San
PRES. MAX		MIN	NIMUM	COMMON	144 5K5	@ 885	1,274.40
MEAS. LINE		SHO	DE JOINT	POZMIX	96 SK3	@ 4 <u>00</u>	.384 ^{.83}
CEMENT LEFT IN	VCSG.			GEL	12 5Ks	@ <u>//-@o</u>	132 <u>@</u>
PERFS.				CHLORIDE _		@	
DISPLACEMENT				ASC	:	@	
	EQU	JIPMENT		Flo-Sea	60#	@ 140	8400
						_@	
PUMP TRUCK	CEMENT	ER 6	11-			@	
	HELPER	F	2 *2			_@	
BULK TRUCK		<u> </u>				@	
# 347	DRIVER	Jar	rad			@	
BULK TRUCK						@	`
# 218	DRIVER	Ala	3 40	TIANDI INC	101 -10	. @	50057
			_	HANDLING_	626 sks	@ 123	7825
16	. 10172	MADIZO.		MILEAGE	54 Pro 5K	•	2,34750
was a sail a	KE	MARKS:	ر ایستان میلید از انسان پیشتند او میلید. افران	مستند الزراء للما للمستندر		- TOTAL	5,0043
0111			. 05 . 0	<u> </u>			
			t, Rig had	_	SERVIC	Œ	
In Deill was		ranzo	g after 4				
vecided to	Plus	c.JeU		DEPTH OF JC		2430	
50 5K3 2	1430			PUMP TRUCE			700 =
50 SKS D	1300			EXTRA FOOT		. @	er the er th
50 SKS 7	2/01				75-miles	@ <u>4.00</u>	300
10 5KS D 4	10		- Ihank Tou	MANIFOLD _		. @	
						@	***
	i		_	and the same of th	\$. @	
CHARGE TO:	torses	hoe Of)Q_r	<u> </u>			. 60
STREET					 }	TOTAL _	1,000
CITTLE				<u> </u>			•
CITY	ST	ATE	ZIP	- ,	PLUG & FLOAT	FOLUPMENT	•
:				٠.	LUG & FLOAT	EQUI MENI	
P.				-,-		@	
			• *			@	
To Allied Cement						@	-
You are hereby re	quested to	o rent cem	enting equipment	R	ECEIVED	@	
and furnish cemer	iter and h	elper to as	sist owner or	KANSAS COR	PORATION COMMISSION	<u> </u>	
contractor to do w					4.0.0003	mom	
done to satisfactio					L 1 8 2007	TOTAL _	
contractor. I have					RVATION DIVISION		
CONDITIONS' li	sted on th	ne reverse	side.		WICHITA, KS		
ļi				TOTAL CHAR	GE	100	
•					- :-		
· A	J.			DISCOUNT		IF PAID	IN 30 DAYS
<i>.</i>	() a	1.	and some some some	erk eren			
SIGNATURE	104	100	لت				
					PRINTEI) NAME	