# CONFIDENTIAL

### Kansas Corporation Commission Oil & Gas Conservation Division

ORIGINA Form Must Be Typed

#### **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

| Operator: License # 32309   | API No. 15 - 081-21624-00-00   |
|---|--|
| Name: Presco Western, LLC   | County: Haskell  |
| Address: 5480 Valmont, Ste. 350   | NE - NE - NE - Sec. 30 Twp. 30 S. R. 33 East W West  |
| City/State/Zip: Boulder, CO 80301   | 545 feet from S /(N) circle one) Line of Section   |
| Purchaser: Plains Marketing LP - Oil OneOK - Gas  | 555 feet from (E)/ W (circle one) Line of Section  |
| Operator Contact Person: Leonard Witkowski  | Footages Calculated from Nearest Outside Section Corner:   |
| Phone: (303) 444-8881   |  |
| Contractory Names Chevenne Drilling LP  | (circle one) (NE) SE NW SW  Lease Name: Stalker Etal Well #: 31-A30-30-33  |
| 11 7 4 7110   | Field Name: Victory  |
| Wellsite Geologist: Boulder office CONFIDENTIAL   | Producing Formation: St. Louis   |
| Designate Type of Completion:   | Elevation: Ground: 2960 Kelly Bushing: 2975  |
| New Well Re-Entry Workover  | Total Depth: 5681 Plug Back Total Depth:   |
|   |  |
| OilSWDTemp. Abd.  | Amount of Surface Pipe Set and Cemented at 1704 Feet   |
| Gas ENHR SIGW   | Multiple Stage Cementing Collar Used?  |
| Dry Other (Core, WSW, Expl., Cathodic, etc)   | If yes, show depth setFeet   |
| If Workover/Re-entry: Old Well Info as follows:   | If Alternate II completion, cement circulated from   |
| Operator:   | feet depth tosx cmt.   |
| Well Name:  | Drilling Fluid Management Plan ALT IWHM  |
| Original Comp. Date: Original Total Depth:  | (Data must be collected from the Reserve Pit) 7-24-07  |
| Deepening Re-perf Conv. to Enhr./SWD  | Chloride content 9000 ppm Fluid volume 1800 bbls   |
| Plug Back Plug Back Total Depth   | Dewatering method used_Air Evaporation   |
| Commingled Docket No  | ·  |
| Dual Completion Docket No   | Location of fluid disposal if hauled offsite:  |
| Other (SWD or Enhr.?) Docket No   | Operator Name:   |
|   | Lease Name: License No.:   |
| 4/9/2006       4/15/2006       5/15/2006         Spud Date or       Date Reached TD       Completion Date or  | Quarter Sec Twp S. R   |
| Recompletion Date Recompletion Date   | County: Docket No.:  |
|   |  |
| INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs at TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. | or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-nd geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells. |
| All requirements of the statutes, rules and regulations promulgated to regulate nerein are complete and correct to the best of my knowledge.  | e the oil and gas industry have been fully complied with and the statements  |
| Signature: June William   | KCC Office Use ONLY  |
| Fitle: Regulatory Specialist Date: 7/24/2006  | Letter of Confidentiality Received   |
| Subscribed and sworn to before me this 24th day of July   | If Denied, Yes Date:   |
|   | , Wireline Log Received  |
| 2006  | Geologist Report Received  |
| Notary Public: JENNIFER THO   | UIC Distribution   |
| Carlot A Samuel Notaty Public   |  |
| Date Commission Expires: State of Colors  | ado  |

Side Two

| Operator Name: Presco Western, LLC             |  |  | Lease                      | Name: Stalker Etal              |   |                     | Well #: 31-A30-30-33 |                                |
|--|--|--|----------------------------|---------------------------------|---|---------------------|----------------------|--------------------------------|
| •  |  | _ ☐ East   |                            |                                 | · · · · · · · · · · · · · · · · · · ·   |                     |                      |                                |
| tested, time tool ope<br>temperature, fluid re | en and closed, flowin<br>covery, and flow rate   | and base of formations p<br>g and shut-in pressures,<br>es if gas to surface test, a<br>final geological well site | whether sl<br>along with f | hut-in pre                      | essure reached  | static level, hydro | ostatic pressu       | res, bottom hole               |
| Drill Stem Tests Take                          |  | Yes V No   |                            | <b>⊘</b> L                      | og Formati  | on (Top), Depth a   | and Datum            | Sample                         |
| Samples Sent to Geological Survey              |  | ✓ Yes □ No   |                            | Nam<br>Heeb                     |   | CC                  | Top<br>4040          | Datum<br>-1065                 |
| Cores Taken                                    |  | Yes No   |                            | Lans                            | ing IIIL  | 2 4 2006            | 4110                 | -1135                          |
| Electric Log Run (Submit Copy)                 |  | ✓ Yes   ☐ No   |                            | Kans                            |   | DENTIAL             | 4525                 | -1550                          |
| List All E. Logs Run:                          |  |  |                            | Marm                            | natori CONFI  | DPI11111            | 4760                 | -1785                          |
| -  |  |  |                            | Pawr                            | nee   |                     | 4872<br>5235         | -1897                          |
|  |  | og, Dual Induction   |                            | Morre                           | Morrow  |                     |                      | -2260                          |
| Bond Log GR/                                   |  | w/ITT log, Cemen   | ι                          | St Ge                           | enevieve  |                     | 5360                 | -2385                          |
|  |  |  |                            |                                 |   | <del> </del>        |                      |                                |
|  |  | CASING Report all strings set-   | RECORD conductor, su       | ✓ Neurface, interest            |   | tion, etc.          |                      |                                |
| Purpose of String                              | Size Hole<br>Drilled   | Size Casing<br>Set (In O.D.)   | Weig<br>Lbs.               |                                 | Setting<br>Depth  | Type of<br>Cement   | # Sacks<br>Used      | Type and Percent<br>Additives  |
| Surface  | 12-1/4"  | 8-5/8"   | 23                         |                                 | 1704  | Comm/Lite           | 150/600              | 3%CC;Lite 3%CC,1/4#floseal     |
| Production                                     | 7-7/8"   | 5-1/2"   | 15.5                       |                                 | 5791  | ASC                 | 325                  | 2%Gel,5#Gib,10%Salt,.5%Floseal |
|  |  |  |                            |                                 |   |                     |                      |                                |
|  |  | ADDITIONAL   | CEMENTI                    | NG / SQL                        | EEZE RECORD   |                     |                      |                                |
| Purpose: Perforate                             | Depth<br>Top Bottom  | Type of Cement #Sack   |                            | Used                            | Type and Percent Additives  |                     |                      |                                |
| Protect Casing Plug Back TD                    |  |  |                            |                                 |   |                     |                      |                                |
| Plug Off Zone                                  |  |  |                            |                                 |   |                     |                      |                                |
|  |  |  |                            |                                 |   |                     |                      |                                |
| Shots Per Foot                                 | hots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated |  |                            |                                 | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth |                     |                      |                                |
| 4 5519-5528 St Louis                           |  |  |                            | 2000g 15%NEFE; 50 bbls 2% flush |   |                     |                      |                                |
|  |  |  |                            |                                 |   |                     |                      |                                |
|  |  |  |                            |                                 |   |                     |                      |                                |
|  |  |  |                            |                                 | -   | ·                   |                      |                                |
|  |  |  |                            |                                 |   |                     |                      |                                |
| TUBING RECORD 2.8                              | Size   | Set At 5640  | Packer A                   | t                               | Liner Run   | Yes V No            |                      |                                |
| Date of First, Resumero                        | d Production, SWD or E   | inhr. Producing Meth   | nod                        | Flowing                         | ✓ Pumpin  | g 🔲 Gas Lift        | Othe                 | er (Explain)                   |
| Estimated Production                           | Oil  | Bbls. Gas  | Mcf                        | Wate                            | r Bb  | ols. G              | as-Oil Ratio         | Gravity                        |
| Per 24 Hours                                   | 62.8   | 95   |                            | 4.2                             | ·   | 15                  | 513                  | 37.5                           |
| Disposition of Gas                             | METHOD OF C  | COMPLETION   |                            |                                 | Production Interv   | al                  |                      |                                |
| Vented Sold (If vented, Su                     | Used on Lease  | Open Hole  | Perf.                      | D                               | ually Comp.   | Commingled          |                      | ·                              |

## LIED CEMENTING CO., INC. 22280 Federal Tax I.D. 22280

P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley

|  |                                   |                   | <del></del>                            |
|--|-----------------------------------|-------------------|--|
| DATE 4/10/06 SEC. TWP. RANGE 304 33W   | CALLED OUT ON LOCATION            | JOB START         | JOB FINISH<br>2,554                    |
| C+ I Block F+  |                                   |                   | STATE                                  |
| LEASE WELL#19-10-30-100CATION Dalant   | a 401 1/0+36 125 14E XS           | Haskell           | 15                                     |
| OLD OR NEW (Circle one)  |                                   | J                 | JUL 24                                 |
| CONTRACTOR Cheyenne #17  | OWNER Same                        |                   | JUI 🤈 /.                               |
| TYPE OF JOB CMT8 & CS9   |                                   |                   | CONFIDEN                               |
| HOLE SIZE /2 T.D. 17/5   | CEMENT                            |                   | GUNFIDEN                               |
| CASING SIZE 8 % 24 DEPTH 1708  | AMOUNT ORDERED                    | 200 114-          | .orl/                                  |
| TUBING SIZE DEPTH DRILL PIPE DEPTH   | 150 9kg ClassA + 37000            |                   | ,-Sea/                                 |
| TOOL DEPTH   | (10 7K3 MASSIT   110CC            |                   |  |
| PRES. MAX 1000 MINIMUM 150   | COMMON 150 5/5                    | @ 1100            | 1650,00                                |
| MEAS. LINE SHOE JOINT 42   | POZMIX                            |                   |  |
| CEMENT LEFT IN CSG. 42   | GEL                               | @                 |  |
| PERFS. DISPLACEMENT 106 1/2 PB1  | CHLORIDE 29 5/5                   | @ <u>42 100</u>   | 1008,00                                |
|  | ASC_<br>Light Weight Loosk        | @                 | (180 cm                                |
| EQUIPMENT  | Flo-5-cal 150#                    | @ 1.80            |  |
| PUMPERÜCK CEMENTER Max   |                                   | _@                |  |
| #373 29/ HELPER Andrew   |                                   | @                 |  |
| BULK TRUCK   |                                   |                   |  |
| # 347 DRIVER Allan   |                                   | _@<br>            |  |
| BULK TRUCK   |                                   | _ @               | ुश्रह्                                 |
| # 394 DRIVER LATTY   | HANDLING 811 9Ks                  | @ 1.70            | 1378,70                                |
| ,  | MILEAGE 74/5K/Ms                  |                   | 2270.80                                |
| REMARKS:   | ,                                 | TOTAL A           | 269750                                 |
|  | •                                 | •                 | ₹\$:                                   |
| CM+876Csquith Loogks Lite 2150   | SERVIC                            | CE                | × <b>y</b> 70 .                        |
| 107 BBL Land Plus Fleat Hel  | DEPTH OF JOB                      | , <del>-</del>    | ······································ |
| Cement Did Circulate   | ✓ DEPTH OF JOB  PUMP TRUCK CHARGE | 170               |  |
|  | EXTRA FOOTAGE                     | @ '               | 1450.00                                |
|  | MILEAGE 4011                      | @ 5.ac            | 200 ∞                                  |
|  | MANIFOLD                          | @                 |  |
|  | Head Restal                       | _@                | 80,00                                  |
| Durch line of  |                                   | _@                |  |
| CHARGE TO: Presco Western  |                                   |                   | 173000                                 |
| STREET   |                                   | TOTAL .           | 1730°°                                 |
| CITYSTATEZIP   |                                   |                   | 1                                      |
| O HAND   | PLUG & FLOAT                      | EQUIPMENT         | t two                                  |
|  |                                   |                   |  |
| <i>(</i> .   | 1-844 Rubber Plug                 | @                 | 100,00                                 |
| (Great)  | 1-8/8 O-4: de 5/10c               | _@                | 235,00                                 |
| To Allied Cementing Co., Inc.  | 4-9811 19 115-crt                 | @ <u>55,ao</u>    | 7700-                                  |
| You are hereby requested to rent cementing equipment   | 1-8 kg cement Bucket              | @ <u>27,000</u> - | 180.00                                 |
| and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was  |                                   |                   |  |
| done to satisfaction and supervision of owner agent or   | •                                 | TOTAL             | 1060,00                                |
| contractor. I have read & understand the "TERMS AND  | , ·                               | , O / 1 m -       |  |
| CONDITIONS" listed on the reverse side.  | TAX                               |                   |  |
| A  | TOTAL CHARGE                      |                   |  |
| $\langle \ \rangle \wedge . \wedge . \wedge $ |                                   |                   |  |
|  | ØISCOUNT                          | IF PAID           | IN 30 DAYS                             |
| 1 Jedin Thun Vb  | Kada (One                         | 20/09             |  |
| SIGNATURE  | 1 bunky soll                      | CUIT)             |  |
|  | / PRINTE                          | D NAME            |  |

### ING CO., INC. 23944

Federal Tax I.D.

REMITTO P.O. BOX 31

and furnish cementer and helper to assist aways

SERVICE POINT

| RUSSELL, KANSAS 67665  |  | JEK.   | VICE POINT:                           | ley            |
|--|--|--|---------------------------------------|----------------|
| DATE 16-06 SEC. TWP. RANGE 5791Ker 33-13-36-33   | CALLED OUT   | ON LOCATION  | JOB START                             | JOB FINISH     |
| LEASE F79/ WELL# LOCATION S9n7   | - 2 13,0   | 3  | COUNTY                                | 12:30 A        |
| OLD OR NEW (Circle one)  | 9719 1145  | YESTE TO   | Haskell                               | KS             |
| CONTRACTOR Cheyenne Drlg Rig 17  | OWNER  | 504  | <b>.</b>                              | KCC            |
| TYPE OF JOB Longstring HOLE SIZE 720 TD 5481   |  |  |                                       | UL 2 4 2006    |
| CASING SIZE  | CEMENT   |  |                                       |                |
| TUBING SIZE DEPTH 5667  TUBING SIZE DEPTH  | AMOUNT OR  | DERED  |                                       | NFIDENTIA      |
| DRILL PIPE DEPTH   | 3255K5   | A542260  |                                       | 17546 iso      |
| TOOL FOLT COLDE DEPTH 306'   | 120/10   | PL 160   | 5009015                               | WFRZ           |
| PRES. MAX MINIMUM  | COMMON   |  | G)                                    |                |
| MEAS, LINE SHOE JOINT 2/   | POZMIX   |  | @                                     |                |
| CEMENT LEFT IN CSG. 2/   | GEL  |  |                                       | 90.00          |
| DION: A GENERAL STATE OF THE ST | CHLORIDE   |  | @ <u>12.00</u><br>@                   | 10.00          |
|  | ASC 32   |  |                                       | 4160,00        |
| EQUIPMENT  | - And Andrews  | ***  | @                                     | 7160,00        |
| DE LA AD COMPANY OF THE PARTY O | 5917 41  | sks  | @ 17.50                               | 717.50         |
| PUMP TRUCK CEMENTER Degn<br>#373-28/ HELPER And Lett   | 7. 7.  |  | @                                     |                |
| BULK TRUCK   | Gilsonite  |  | @ <u>.65</u>                          | 1056.25        |
| <b>∽</b>   | F1-160   | The same of  | <u>@</u>                              |                |
| # 394 DRIVER Jarrod BULK TRUCK   | 1 - 100  |  |                                       | 1468,80        |
| # DRIVER   | Somes u  | 100  | 0 7 6 -                               |                |
| DATYDA   | HANDLING   | 423 sks  | 1.00 S                                | 500.00         |
|  | MILEAGE 79   | tot mile   |                                       | 719.10         |
| REMARKS:   | .,   |  |                                       |                |
| Mix 500 ggls wfR-2 followed  |  |  | TOTAL _                               | 9579.95        |
| WILL 3258KS ASC 29 6 1 102 CU  | •  | SERVICE  |                                       |                |
| SA Gilsonite, 12 of 1 20 Ft 160; wash Punn & Line Dealthing  | Paragraph of the State of the S | SERVICE<br>+ Company of the Company of |                                       | an egy a g     |
| 3/154 T DI June, Digp 1949 TO  | DEPTH OF JOB   |  |                                       |                |
| 1-61 10-10 114 41 10004 1000   | PUMP TRUCK C   | HARGE  | 7                                     | 770.00         |
| 116101 LIFT 17-655We 13007   | EXTRA FOOTA  | GE @   | · · · · · · · · · · · · · · · · · · · | 170,00         |
| Thank Val  | MILEAGE 3  | 0 MHC @  | 5.00 /                                | 50.00          |
| Joseph Joy   | MANIFOLD   | @  |                                       |                |
|  | Head Ren   | 7  |                                       | 100.00         |
| CHARGE TO: Presco Western  |  |  |                                       |                |
|  |  |  |                                       |                |
| STREET   |  |  | TOTAL -                               | 30200          |
| CITYSTATEZIP_  | - A.   |  |                                       |                |
|  | 5/2 PLI  | UG & FLOAT EQ  | UIPMENT                               |                |
|  |  | o'e  |                                       | /              |
|  | APU Inse.  | -7 @   |                                       | 0,00           |
| To Allian G  | 7- Centre  |  | 50,00 3                               | 35,00<br>50-00 |
| To Allied Cementing Co., Inc.  | 1- Bosker  | @  | STATE OF THE PARTY OF THE PARTY.      | 60,00          |
| You are hereby requested to rent cementing equipment   | 1- 1911 Co   | 19,  |                                       | 30.00          |