For KCC Use: Effective Date: District #_

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date September 10 2008	
Expected Solid Date	Spot
month day year	SW SE SE Sec. 24 Twp. 8 S. R. 29
9860	330 feet from N / ✓ S Line of Section
Opetic Paraurage Inc.	1050 feet from F
DO Boy 87	Is SECTION ✓ RegularIrregular?
Address: Colox of Schoenchen, KS 67667	
Contact Person: Jerry Green	(Note: Locate well on the Section Plat on reverse side) County: Sheridan
705 605 5155	Lease Name: Irene Well #: 1
-none.	Field Name: wildcat
CONTRACTOR: License# 33237	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Anderson Drilling Co.	Target Formation(s): Arbuckle
	Nearest Lease or unit boundary: 330
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2733feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mila:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 210-210
Seismic; # of Holes Other	Depth to bottom of usable water: 1550
Other	Surface Pipe by Alternate: 1 2
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 260
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 4700'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	
KCC DKT #:	-HCCEIVED
	If Yes, proposed zone: KANSIAS CORPORATION COMM
	AFFIDAVIT ALIC 2.7 2000
The undersigned hereby affirms that the drilling, completion and eve	AUG 2 7 2008
The discording real merce y among a many and	entual plugging of this well will comply with K.S.A. 33 et. seq.
It is agreed that the following minimum requirements will be met:	CONSERVATION DIVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste	CONSERVATION DIVISION WICHITA, KS d on each drilling rig;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i>	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; III be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; will be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; will be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; her plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; her plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. Ig order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator as 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well.	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; will be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indeed the district office on plug length and placement is necessary prior to plugging; where plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. If order #133,891-C, which applies to the KCC District 3 area, alternate II cementing If shall be plugged. In all cases, NOTIFY district office prior to any cementing.
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> poste The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe If the well is dry hole, an agreement between the operator at The appropriate district office will be notified before well is eit If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well. 	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; will be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indeed the district office on plug length and placement is necessary prior to plugging; where plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. If order #133,891-C, which applies to the KCC District 3 area, alternate II cementing If shall be plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; will be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; her plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing with shall be plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; will be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. If order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the Date: 8/25/08 Signature of Operator or Agent.	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; will be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indeed the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. If or order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; will be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. If order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to File Drill Pit Application (form CDP-1) with Intent to Drill;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the Date: 8/25/08 Signature of Operator or Agent. For KCC Use ONLY API # 15 - 179-21209-0000	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; will be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; her plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. If order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the Date: 8/25/08 Signature of Operator or Agent. For KCC Use ONLY API # 15 - 179-21209-0000 Conductor pipe required Feet	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; will be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; her plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. If order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator as 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well I hereby certify that the statements made herein are true and to the Date: 8/25/08 Signature of Operator or Agent For KCC Use ONLY API # 15 - / 79 - 212.09 - OOO Conductor pipe required	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; will be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; her plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. If order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator as 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well I hereby certify that the statements made herein are true and to the Date: 8/25/08 Signature of Operator or Agent For KCC Use ONLY API # 15 - / 79 - 212.09 - OOO Conductor pipe required	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; till be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indeed the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. If you can be sufficiently district office is given to any cementing. If shall be plugged. In all cases, NOTIFY district office prior to any cementing. If the best of my knowledge and the lef. Title: President Remember to File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting sall water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well I hereby certify that the statements made herein are true and to the Date: 8/25/08 Signature of Operator or Agent For KCC Use ONLY API # 15 - / 79 - 212 09 - OOO Conductor pipe required	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; will be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. Ig order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well in the statements made herein are true and to the specific plants. I hereby certify that the statements made herein are true and to the specific plants. Date: 8/25/08 Signature of Operator or Agent. For KCC Use ONLY API # 15 - 179-21209-0000 Conductor pipe required Now feet per Alt. Approved by: 8-28-09 This authorization expires: 8-28-09	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; till be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Inditing the district office on plug length and placement is necessary prior to plugging; her plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. If g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is shall be plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste; 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe; 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit; 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the world hereby certify that the statements made herein are true and to the Date: 8/25/08 Signature of Operator or Agent For KCC Use ONLY API # 15 - / 79 - 212.09 - OOO Conductor pipe required	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; till be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Inditing the district office on plug length and placement is necessary prior to plugging; her plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. If g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is shall be plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well in the statements made herein are true and to the specific plants. I hereby certify that the statements made herein are true and to the specific plants. Date: 8/25/08 Signature of Operator or Agent. For KCC Use ONLY API # 15 - 179 - 21209 - OOO Conductor pipe required Now feet per Alt. Approved by: 8-28-09 This authorization expires: 8-28-09	CONSERVATION DIVISION WICHITA, KS d on each drilling rig; till be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Ind the district office on plug length and placement is necessary prior to plugging; her plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. Ig order #133,891-C, which applies to the KCC District 3 area, alternate II cementing Is shall be plugged. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting sallt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 179-21209-0000	Location of Well: County: Sheridan
Operator: Castle Resources Inc.	
Lease Irene	330 feet from N / ✓ S Line of Section 1050 feet from ✓ E / W Line of Section
Well Number: 1	Sec. 24 Twp. 8 S. R. 29 East ✓ Wes
Field:_wildcat	
Number of Acres attributable to well:	ls Section: 🕢 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			<u> </u>	•	•			
 					· 			RECEIVED KANSAS CORPORATION COMMISS
 						·		AUG 2 7 2008
 · ·		· ·	i 		· · ·			CONSERVATION DIVISION WICHITA, KS
·		<u>:</u> :	 네	•		•		EXAMPLE
	• • •	· () · ·	\ : · · ·	· · ·		· ·		1980
		· ·				, 		3390'
 							.10S0 ¹	
 • •			<u> </u>	•	9—		. IO-20	SEWARD CO.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Castle Resource	es Inc	License Number: 9860				
Operator Address: PO Box 87	Schoenche	7667				
Contact Person: Jerry Green		Phone Number: (785) 625 - 5155				
Lease Name & Well No.: Irene #1			Pit Location (QQQQ):			
Type of Pit:	Pit is:		ω2 <u>sω σε σε</u>			
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 24 Twp. 8 R. 29 ☐ East ✓ West			
Settling Pit	If Existing, date co	onstructed:	330 Feet from North / 🗸 South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		1050 Feet from 🗸 East / 🗍 West Line of Section			
(If WP Supply API No. or Year Drilled)	500	(bbls)	Sheridan County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/l			
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
✓ Yes No	☐ Yes 🗸 I	No	sealed with bentonite			
Pit dimensions (all but working pits):	6 Length (fe	eet)6	Width (feet) N/A: Steel Pits			
	rom ground level to de		5 (feet)			
Distance to nearest water well within one-mil	e of pit	Depth to shalld	owest fresh water			
feet Depth of water well _	<i>220</i> feet		massured well owner electric lon (C) KDWR			
Emergency, Settling and Burn Pits ONLY	:	Drilling, Work	Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: drilling mud			
Producing Formation:			ar dunized in drining/workover.			
Number of producing wells on lease:			rking pits to be utilized:			
Barrels of fluid produced daily:		Abandonment	procedure: allow contents to dry & backfill			
Does the slope from the tank battery allow a flow into the pit? Yes No	ll spilled fluids to	Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above state 8/25/08 Date	ements are true and o		AUG 2 7 2008 Spinature of Applicant or Agent CONSERVATION DIVISION WICHTA, KS			
	KCC	OFFICE USE O				
Date Received: 8/27/08 Permit Nur	mber:	Perm	nit Date: 8/27/08 Lease Inspection: Yes 🗷 No			