For KCC Use: 9-2-08 Effective Date: 3 District # No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must b	be approved by KCC five	(5) days prior to commencing well	
pected Spud Date: September 2	2008	Spot Description:	
month day	year	NW SE NW SW Sec. 24 Twp. 23	s. r. 14 XE W
6227		(0/0/0/0) 1,770 feet from N	/ X S Line of Section
PERAIOH: License#		900 feet from F	/ X W Line of Section
ame: Amold E. Kraft		Is SECTION: Regular Inregular?	<u> </u>
dress 1: 434 Iris Rd Sw		IS SECTION. Minegular minegular:	
dress 2:	censo	(Note: Locate well on the Section Plat on r	reverse side)
	66852 +	County: Woodson	
ntact Person: Arnold E. Kraft		Lease Name: Rich "A"	Well #: 6
one: 620 836-4570		Field Name: Winterschied	
NTRACTOR: License# 33557		Is this a Prorated / Spaced Field?	Yes No
me: Skyy Drilling		Target Formation(s): Mississippi	[2]
		Nearest Lease or unit boundary line (in footage): 900	
Well Drilled For: Well Class: 1	Type Equipment:	Nearest Lease or unit boundary line (in lootage): 555	
X Oil	Mud Rotary	Ground Surface Elevation: 1000	feet MSL
Gas Storage Pool Ext.	Air Rotary	Water well within one-quarter mile:	Yes No
Disposal Wildcat	Cable	Public water supply well within one mile:	Yes X No
Seismic ; # of Holes Other		Depth to bottom of fresh water: 30	
Other:		Depth to bottom of usable water: 20/50	
		Surface Pine by Atternate:	
If OWWO: old well information as follows:		Length of Surface Pipe Planned to be set: 40	
Operator:		Length of Conductor Pipe (if any):	
		Projected Total Depth: 1650	
Well Name:Original Completion Date: Original To		Formation at Total Depth: Mississippi	
Original Completion Date Original R	otal Deptil	Water Source for Drilling Operations:	
ectional, Deviated or Horizontal wellbore?	Yes No	Well X Farm Pond Other:	
es, true vertical depth:			
•		DWR Permit #:	_
ttom Hole Location:		(Note: Apply for Permit with DWR	
ttom Hole Location:		(Note: Apply for Permit with DWR Will Cores be taken?	Yes No
ttom Hole Location:		(Note: Apply for Permit with DWR	
ttom Hole Location: C DKT #:	AFF	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	☐Yes ☑No RECEIVED
ttom Hole Location: C DKT #:	AFF	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	Yes No
ttom Hole Location: C DKT #: e undersigned hereby affirms that the drilling, con	AFF mpletion and eventual plu	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMM
tom Hole Location: C DKT #: e undersigned hereby affirms that the drilling, con agreed that the following minimum requirements	AFF mpletion and eventual plues s will be met:	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMM
tom Hole Location: C DKT #: e undersigned hereby affirms that the drilling, considered that the following minimum requirements Notify the appropriate district office prior to specific to the second content of the content of the prior to specific to the prior	AFF mpletion and eventual plut s will be met: pudding of well;	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq.	☐Yes ☑No RECEIVED
tom Hole Location: C DKT #: e undersigned hereby affirms that the drilling, constagreed that the following minimum requirements 1. Notify the appropriate district office prior to sp. 2. A copy of the approved notice of intent to drill	AFF mpletion and eventual plues s will be met: pudding of well; s shall be posted on each	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig;	RECEIVED KANSAS CORPORATION COMM
tom Hole Location: C DKT #: e undersigned hereby affirms that the drilling, consagreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sponsor to spons	AFF mpletion and eventual plug s will be met: pudding of well; i shall be posted on each cified below shall be set b	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe	RECEIVED KANSAS CORPORATION COMM
e undersigned hereby affirms that the drilling, consagreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sponsor to sponsor the approved notice of intent to drilling. 3. The minimum amount of surface pipe as specthrough all unconsolidated materials plus a minimum. 4. If the well is dry hole, an agreement between the sponsor that the surface pipe as specthrough all unconsolidated materials plus a minimum.	AFF mpletion and eventual plug s will be met: pudding of well; i shall be posted on each cified below shall be set b inimum of 20 feet into the the operator and the distr	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary price.	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 Shall EXPUSERVATION DIVISION WICHITA, KS
tom Hole Location: C DKT #: undersigned hereby affirms that the drilling, considered that the following minimum requirements Notify the appropriate district office <i>prior</i> to specific to approve the approved notice of intent to drilling. The minimum amount of surface pipe as specific through all unconsolidated materials plus a midulifith the well is dry hole, an agreement between the specific through all unconsolidated materials plus a midulification. The appropriate district office will be notified by	AFF mpletion and eventual plugs will be met: pudding of well; i shall be posted on each cified below shall be set to inform of 20 feet into the the operator and the distribefore well is either plugge	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in:	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 Shall EQUIPERVATION DIVISION WICHITA, KS or to plugging;
tom Hole Location: C DKT #: e undersigned hereby affirms that the drilling, considered that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to specific approved notice of intent to drilling. 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a midulification of the well is dry hole, an agreement between the specific appropriate district office will be notified before the appropriate district office will be notified before the appropriate district office will be notified before the specific appropriate district office will be notified before the appropriate district office will be notified before the specific appropriate district office will be notified before the specific appropriate district office will be notified before the specific appropriate district office will be notified before the specific appropriate district office will be notified before the specific appropriate district office will be notified before the specific appropriate district office will be notified before the specific appropriate district office will be notified before the specific appropriate district office will be notified before the specific appropriate district office will be notified before the specific appropriate district office will be notified before the specific appropriate district office will be notified before the specific appropriate district office will be notified before the specific appropriate district office will be notified before the specific appropriate district office will be notified before the specific appropriate district office will be notified before the specific appropriate district office will be notified before the specified appropriate district office will be notified before the specified appropriate district office will be notified before the specified appropriate district office will be notified before the specified appropriate district office will be notified before the specified appropriate district office will be notifie	AFF mpletion and eventual plugs will be met: pudding of well; is shall be posted on each cified below shall be set to inimum of 20 feet into the the operator and the distraction before well is either pluggeon pipe shall be cemented	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. Fict office on plug length and placement is necessary priced or production casing is cemented in; If from below any usable water to surface within 120 DAY	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 shall EQUIPERVATION DIVISION WICHITA, KS or to plugging; S of spud date.
tom Hole Location: C DKT #: e undersigned hereby affirms that the drilling, considered that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to specar to copy of the approved notice of intent to drilling. 3. The minimum amount of surface pipe as specar through all unconsolidated materials plus a minimum and the well is dry hole, an agreement between the specar to the appropriate district office will be notified to the appropriate district off	AFF mpletion and eventual plugs will be met: pudding of well; i shall be posted on each cified below shall be set to inimum of 20 feet into the the operator and the distribefore well is either pluggeon pipe shall be cemented a surface casing order #13	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; If from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 shall EQUEERVATION DIVISION WICHITA, KS or to plugging; 'S of spud date, nate II comenting
tom Hole Location: C DKT #: e undersigned hereby affirms that the drilling, considered that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill 3. The minimum amount of surface pipe as specthrough all unconsolidated materials plus a mid. If the well is dry hole, an agreement between the specific to the appropriate district office will be notified be an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud	AFF mpletion and eventual plugs will be met: pudding of well; i shall be posted on each cified below shall be set to inimum of 20 feet into the the operator and the distrated before well is either plugger on pipe shall be cemented s surface casing order #13 d date or the well shall be	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. into office on plug length and placement is necessary priced or production casing is cemented in; If from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 shall EQUIPERVATION DIVISION WICHITA, KS or to plugging; 'S of spud date, nate il comenting
e undersigned hereby affirms that the drilling, considered that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill 3. The minimum amount of surface pipe as specthrough all unconsolidated materials plus a mid. If the well is dry hole, an agreement between the specific prior to the appropriate district office will be notified before the appropriate district office will be notified before pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud	AFF mpletion and eventual plugs will be met: pudding of well; i shall be posted on each cified below shall be set to inimum of 20 feet into the the operator and the distrated before well is either plugger on pipe shall be cemented s surface casing order #13 d date or the well shall be	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. into office on plug length and placement is necessary priced or production casing is cemented in; If from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 shall EQUEERVATION DIVISION WICHITA, KS or to plugging; 'S of spud date, nate II comenting
tom Hole Location: C DKT #: a undersigned hereby affirms that the drilling, considered that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill 3. The minimum amount of surface pipe as specthrough all unconsolidated materials plus a mid. If the well is dry hole, an agreement between the spropriate district office will be notified be. 5. The appropriate district office will be notified be. 6. If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud preby certify that the statements made herein are	AFF mpletion and eventual plus s will be met: pudding of well; shall be posted on each cified below shall be set to inimum of 20 feet into the the operator and the distr before well is either plugge on pipe shall be cemented s surface casing order #13 d date or the well shall be etrue and correct to the be	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; If from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to allest of my knowledge and belief.	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 Shall BONSERVATION DIVISION WICHITA, KS For to plugging; TS of spud date, mate II cementing my cementing.
tom Hole Location: C DKT #: a undersigned hereby affirms that the drilling, considered that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill 3. The minimum amount of surface pipe as specthrough all unconsolidated materials plus a mid. If the well is dry hole, an agreement between the spropriate district office will be notified be. 5. The appropriate district office will be notified be. 6. If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud preby certify that the statements made herein are	AFF mpletion and eventual plugs will be met: pudding of well; i shall be posted on each cified below shall be set to inimum of 20 feet into the the operator and the distrated before well is either plugger on pipe shall be cemented s surface casing order #13 d date or the well shall be	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; If from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to allest of my knowledge and belief.	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 Shall BONSERVATION DIVISION WICHITA, KS or to plugging; 'S of spud date, nate II cementing ny cementing.
tom Hole Location: C DKT #: e undersigned hereby affirms that the drilling, considered that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill 3. The minimum amount of surface pipe as specthrough all unconsolidated materials plus a mid. 4. If the well is dry hole, an agreement between the spropriate district office will be notified be. 5. The appropriate district office will be notified be. 6. If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud preby certify that the statements made herein are	AFF mpletion and eventual plus s will be met: pudding of well; shall be posted on each cified below shall be set to inimum of 20 feet into the the operator and the distr before well is either plugge on pipe shall be cemented s surface casing order #13 d date or the well shall be etrue and correct to the be	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; If from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a set of my knowledge and belief. Title: OWNER	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 shall 60000 ERVATION DIVISION WICHITA, KS or to plugging; 'S of spud date, nate II cementing ny cementing.
tom Hole Location: C DKT #: a undersigned hereby affirms that the drilling, considered that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill 3. The minimum amount of surface pipe as specthrough all unconsolidated materials plus a mid. If the well is dry hole, an agreement between the spropriate district office will be notified being an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud preby certify that the statements made herein are 1. O8/26/2008 Signature of Operators Signature of Operators	AFF mpletion and eventual plus s will be met: pudding of well; shall be posted on each cified below shall be set to inimum of 20 feet into the the operator and the distr before well is either plugge on pipe shall be cemented s surface casing order #13 d date or the well shall be etrue and correct to the be	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; if from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a sest of my knowledge and belief. H. C. WINCE Title: OWNER	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 shall 60000 ERVATION DIVISION WICHITA, KS or to plugging; 'S of spud date, nate II cementing ny cementing.
tom Hole Location: C DKT #: a undersigned hereby affirms that the drilling, considered that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill 3. The minimum amount of surface pipe as specthrough all unconsolidated materials plus a mid. If the well is dry hole, an agreement between the spropriate district office will be notified being the first of the production of pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud preby certify that the statements made herein are 1. OB/26/2008 Signature of Operators 1. Signature of Operators	AFF mpletion and eventual plus s will be met: pudding of well; shall be posted on each ciffied below shall be set to inimum of 20 feet into the the operator and the distr before well is either plugge on pipe shall be cemented s surface casing order #13 d date or the well shall be et true and correct to the be or or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; If from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a lest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to District of the Drive Prior CDP-1 with Intent to Drive Prior C	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 Shall BONSERVATION DIVISION WICHITA, KS or to plugging; S of spud date. nate II cementing ny cementing.
e undersigned hereby affirms that the drilling, consideration agreed that the following minimum requirements. Notify the appropriate district office <i>prior</i> to sp. A copy of the approved notice of intent to drill. The minimum amount of surface pipe as specthrough all unconsolidated materials plus a mid. If the well is dry hole, an agreement between the spropriate district office will be notified be for pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spudereby certify that the statements made herein are specified. Signature of Operator CCC Use ONLY	AFF mpletion and eventual plus s will be met: pudding of well; shall be posted on each ciffied below shall be set to inimum of 20 feet into the the operator and the distr before well is either plugge on pipe shall be cemented s surface casing order #13 d date or the well shall be et true and correct to the be or or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; If from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a set of my knowledge and belief. Title: OWNER Remember to: File Drill Pit Application (form CDP-1) with Intent to Die File Completion Form ACO-1 within 120 days of spud	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 shall BONSERVATION DIVISION WICHITA, KS or to plugging; S of spud date. nate II cementing my cementing.
e undersigned hereby affirms that the drilling, cons agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill. 3. The minimum amount of surface pipe as specthrough all unconsolidated materials plus a mid. 4. If the well is dry hole, an agreement between the spropriate district office will be notified to 6. If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spudereby certify that the statements made herein are 1. O8/26/2008 Signature of Operator Conductor pipe required	AFF mpletion and eventual plus s will be met: pudding of well; shall be posted on each ciffied below shall be set to inimum of 20 feet into the the operator and the distr before well is either plugge on pipe shall be cemented s surface casing order #13 d date or the well shall be et true and correct to the be or or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; if from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a sest of my knowledge and belief. Title: OWNER Remember to: File Drill Pit Application (form CDP-1) with Intent to Die File Completion Form ACO-1 within 120 days of spud - File acreage attribution plat according to field proration	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 shall EDNSERVATION DIVISION WICHITA, KS or to plugging; 'S of spud date, nate II cementing ny cementing. rill; date; n orders; 23
e undersigned hereby affirms that the drilling, cons agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill. 3. The minimum amount of surface pipe as specthrough all unconsolidated materials plus a mid. If the well is dry hole, an agreement between the first office will be notified before the appropriate district off	AFF mpletion and eventual plus s will be met: pudding of well; i shall be posted on each ciffied below shall be set to inimum of 20 feet into the the operator and the distr before well is either plugge on pipe shall be cemented s surface casing order #13 d date or the well shall be a true and correct to the be or or Agent:	Will Cores be taken? If Yes, proposed zone: If Yes,	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 shall 60000 ERVATION DIVISION WICHITA, KS or to plugging; S of spud date, nate II cementing ny cementing.
s agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill 3. The minimum amount of surface pipe as specthrough all unconsolidated materials plus a mill. 4. If the well is dry hole, an agreement between the surface pipe as specthrough all unconsolidated materials plus a mill. 5. The appropriate district office will be notified be found to the surface of the surface of the surface of the specific production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud ereby certify that the statements made herein are series. 1. Signature of Operator of Conductor pipe required. 1. Work of the surface pipe required of the surface pipe required. 1. Minimum surface pipe required of the surface pipe required of the surface pipe required.	AFF mpletion and eventual plut s will be met: pudding of well; i shall be posted on each cified below shall be set to inimum of 20 feet into the the operator and the distr before well is either plugge on pipe shall be cemented s surface casing order #15 d date or the well shall be e true and correct to the be	Will Cores be taken? If Yes, proposed zone: If Yes,	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 shall EDNSERVATION DIVISION WICHITA, KS or to plugging; 'S of spud date, nate II cementing ny cementing. rill; date; n orders; tover or re-entry; eted (within 60 days);
e undersigned hereby affirms that the drilling, considered that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill. 3. The minimum amount of surface pipe as spectorough all unconsolidated materials plus a mid. If the well is dry hole, an agreement between the spropriate district office will be notified by the appropriate of the sproduction or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spudereby certify that the statements made herein are set: 1. **Signature** Signature** Signature of Operator Conductor pipe required **Signature of Operator	AFF mpletion and eventual plus s will be met: pudding of well; i shall be posted on each ciffied below shall be set to inimum of 20 feet into the the operator and the distr before well is either plugge on pipe shall be cemented s surface casing order #13 d date or the well shall be a true and correct to the be or or Agent:	Will Cores be taken? If Yes, proposed zone: If Yes,	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 shall Seven Envarion Division Wichita, Ks or to plugging; 'S of spud date, nate Il cementing ny cementing. rill; date; n orders; cover or re-entry; eted (within 60 days); salt water.
tom Hole Location: C DKT #: Be undersigned hereby affirms that the drilling, considerable agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill. 3. The minimum amount of surface pipe as spect through all unconsolidated materials plus a mid. If the well is dry hole, an agreement between the spropriate district office will be notified be for the appropriate district office will be notified be for pursuant to Appendix "B" - Eastern Kansass must be completed within 30 days of the spud ereby certify that the statements made herein are set: 1. OB/26/2008 1. Signature of Operator Conductor pipe required 1. Approved by: *** *** *** *** *** *** *** *** *** *	AFF mpletion and eventual plus s will be met: pudding of well; shall be posted on each ciffied below shall be set to inimum of 20 feet into the the operator and the distr before well is either plugge on pipe shall be cemented s surface casing order #13 d date or the well shall be et rue and correct to the be or or Agent:	Will Cores be taken? If Yes, proposed zone: If Yes,	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 shall Seven Envarion Division Wichita, Ks or to plugging; 'S of spud date, nate Il cementing ny cementing. rill; date; n orders; cover or re-entry; eted (within 60 days); salt water.
tom Hole Location: C DKT #: Be undersigned hereby affirms that the drilling, considerable agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill. 3. The minimum amount of surface pipe as spect through all unconsolidated materials plus a mid. If the well is dry hole, an agreement between the spropriate district office will be notified be for the appropriate district office will be notified be for pursuant to Appendix "B" - Eastern Kansass must be completed within 30 days of the spud ereby certify that the statements made herein are set: 1. OB/26/2008 1. Signature of Operator Conductor pipe required 1. Approved by: *** *** *** *** *** *** *** *** *** *	AFF mpletion and eventual plus s will be met: pudding of well; shall be posted on each ciffied below shall be set to inimum of 20 feet into the the operator and the distr before well is either plugge on pipe shall be cemented s surface casing order #13 d date or the well shall be et rue and correct to the be or or Agent:	Will Cores be taken? If Yes, proposed zone: If Yes,	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 shall Seven Envarion Division Wichita, Ks or to plugging; 'S of spud date, nate Il cementing ny cementing. rill; date; n orders; cover or re-entry; eted (within 60 days); salt water.
e undersigned hereby affirms that the drilling, cons agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill. 3. The minimum amount of surface pipe as specthrough all unconsolidated materials plus a mid. If the well is dry hole, an agreement between the first office will be notified before the appropriate district off	AFF mpletion and eventual plus s will be met: pudding of well; shall be posted on each ciffied below shall be set to inimum of 20 feet into the the operator and the distr before well is either plugge on pipe shall be cemented s surface casing order #13 d date or the well shall be et rue and correct to the be or or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. into office on plug length and placement is necessary priced or production casing is cemented in; If from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to at est of my knowledge and belief. Hemember to: File Drill Pit Application (form CDP-1) with Intent to District appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is compication written approval before disposing or injecting self this permit has expired (See: authorized expiration of the compilation of the promit has expired (See: authorized expiration of the compilation of the compilation of the promit has expired (See: authorized expiration of the compilation of the comp	RECEIVED KANSAS CORPORATION COMM AUG 2 7 2008 shall Seven Envarion Division Wichita, Ks or to plugging; 'S of spud date, nate Il cementing ny cementing. rill; date; n orders; cover or re-entry; eted (within 60 days); salt water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 207-27430-0000 Operator: Amold E. Kraft	Location of Well: County: Woodson
Lease: Rich "A"	1,770 feet from N / N S Line of Section
Well Number; 6	900 feet from E / X W Line of Section
Field: Winterschied	Sec. <u>24</u> Twp. <u>23</u> S. R. <u>14</u> 🔀 E 🗌 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NW - SE - NW - SW	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1 .			1			
1		:	1	:		: !
			1		7	
1 .	1		ı			
	•	:	1			•
1	•	•	1	•		•
		•		• ,		
		-		•		- !
		-				
	_	-				
1	-		1			
1			į.			
			I			
		•				
			ι .			
			1			
1	•	•	1		•	
	•	•		•		
		•				
•		•	I .	•		
			I .			
i .		2	1			
i .			1			·

1			1			
			1 .			
			I .			
1 -		_	1			
1	•	1	1			
1 7	•	-				
	•	•		• ,		
		-				
1 2		1				
1	•	-				
1			ı			
			<i></i>			
1						
			l			
			,			
1 :	•	1				
1 :	•	•				
1	•	•				
1	•	1				
1	•	•				
	•	•				
		•				
		•				
:	:	:		:		
:	:	<u> </u>		:		
:	:	<u></u>		;		
:	:			;		
:	:	:		:		
	:	: :				
	:					
	:					
:						
	:					
	:					
2×0 - •	:					
_ 900- >						
_ 900 -₽						
- 900- ≥						
- 900 - ₽						
- 900- >						
- 900- 3						
_ 900 -						
- 900- >						
_ 900 -\$						
_ 900- >						
_ 900 -						
- 900- >						
_ 900 ->						
_ 900 -						
- 900- 3						
- 900- 3	7.0					
- 900- >	7.0					
- 900- >	7.0					
- 900- •	7.0					
- 900- •	70					
- 900- 9	70					
- 900- 3	7≎					
- 900- *	70					
- 900- •	70					
- 900- 9	70					
- 900- >	70					
- 900- 3	70					
- 900- •	7.0					
- 900- >	7.0					
- 900- >	70					
- 900- >	7.0					
- 900- •	7.0					
- 900- >	7.0					
- 900- >	70					
- 900- 3	7.0					
- 900- 3	70					

24-23-14 E WOODSON COUNTY



NOTE: In all cases locate the spot of the proposed drilling locaton.

AUG 2 7 2008

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding section NSERVATION DIVISION 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Arnold E. Kraft			License Number: 6227				
Operator Address: 434 Iris Rd Sw			T				
Contact Person: Arnold E. Kraft			Phone Number: 620 836-4570				
Lease Name & Well No.: Rich "A"			Pit Location (QQQQ):				
Type of Pit:	Pit is:		NW . SE . NW . SW				
Emergency Pit Burn Pit	Proposed Existing		Sec. 24 Twp. 23 R. 14 East West				
Settling Pit Drilling Pit	If Existing, date constructed:		1,770 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit	Diait.		900 Feet from East / West Line of Section				
(If WP Supply API No. or Year Drilled)	Pit capacity: 100 (bbls)		Woodson				
Is the pit located in a Sensitive Ground Water	Arna2 Dvas D	` ′					
is the pit located in a Sensitive Glound Water	Alear Lifes Z	₹I _M 0	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?	Artificial Liner?	1	How is the pit lined if a plastic liner is not used?				
Yes No	Yes X	No	native clay				
Pit dimensions (all but working pits):	Length (fe	eet)10	Width (feet) N/A: Steel Pits				
Depth fr	om ground level to d	eepest point:	5 (feet) No Pit				
If the pit is lined give a brief description of the			dures for periodic maintenance and determining				
material, thickness and installation procedure) ,		ncluding any special monitoring.				
		Drilling Cor I fluid levels.	mpany will mud up the pits and monitir the				
		i ilulu levels.					
			- 100-2011 - 100 -				
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh waterfeet. mation:				
,		redwell owner electric log X KDWR					
		over and Haul-Off Pits ONLY:					
			al utilized in drilling/workover: Drilling mud				
			king pits to be utilized:1				
			procedure: Owner will dispose of drilling materials				
Does the slope from the tank battery allow all spilled fluids to			and close the pits.				
			pe closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED KANSAS CORPORATION COMMIS							
08/26/2008 Date	<u>*</u> (1	gnature of Applicant or Agent AUG 2 7 2008					
KCC OFFICE USE ONLY Steel Pit RFAC KS							
Date Received: 8/37/08 Permit Num	ber:	Permi	t Date: 8/28/08 Lease Inspection: Yes K No				