For KCC Use:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(5) days prior to commencing well	
Expected Soud Date: September 2, 2008	Spot Description:	
Expected Spud Date: September 2, 2000 month day year	NE NW NE NE Sec. 25 Twp. 24 S. R. 2	5 1571- 1711
5786V		
OPERATOR: License#	(COCOCOCO) 165	S Line of Section
Name: McGown Drilling, Inc.		W Line of Section
Address 1: P.O. Box K	ls SECTION: Regular X Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse s	ide)
City: Mound City State: KS Zip: 66056 +	County: Bourbon	
Contact Person: Doug McGown Phone: 913-795-2258	Lease Name: Shaw Wel	_{#:} <u>3-2-25</u>
	Field Name:	
CONTRACTOR: License# 5786	Is this a Prorated / Spaced Field?	Yes No
Name: McGOWN DRILLING, INC.	Target Formation(s): Bartlesville	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 165'	
	Ground Surface Elevation:	feet MSL
Coll Enh Rec Infletd Mud Rotary	Water well within one-quarter mile:	Yes No
Disposal Wildcat Cable	Public water supply well within one mile:	Yes X No
Seismic; # of Holes Other	Depth to bottom of fresh water: 100'	AITY
Other:	Depth to bottom of usable water: 100'	
	Surface Pipe by Alternate: I I III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe (if any): none	
Well Name:		
Original Completion Date: Original Total Depth:	Projected Total Depth: 250' Formation at Total Depth: Bartlesville	
	water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
	` <i>```</i>	
KCC DKT #:	Will Cores be taken?	Yes No
KCC DKT #:	_	
	Will Cores be taken? If Yes, proposed zone: KANSAS	RECEIVED
AFF	Will Cores be taken? If Yes, proposed zone: KANSAS	
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone: KANSAS KANSAS	RECEIVED S CORPORATION COMMUNICATION
AFF	Will Cores be taken? If Yes, proposed zone: KANSAS KANSAS	RECEIVED
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone: KANSAS IDAVIT Iging of this well will comply with K.S.A. 55 et. seq.	RECEIVED COMPRESSION COMPRESSION AUG 2 7 2008
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: KANSAS IDAVIT Iging of this well will comply with K.S.A. 55 et. seq.	RECEIVED SCORPORATION COMMISSION AUG 2 7 2008 ONSERVATION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken? If Yes, proposed zone: KANSAS HDAVIT Iging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be	RECEIVED SCORPORATION COMMISSION AUG 2 7 2008 ONSERVATION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: KANSAS IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Conditing rig; y circulating cement to the top; in all cases surface pipe shall be underlying formation.	RECEIVED GORPORATION COMMISSION AUG 2 7 2008 ONSERVATION DIVISION DIVISION DE SET
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	Will Cores be taken? If Yes, proposed zone: KANSAS KANSAS IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Controlling rig; y circulating cement to the top; in all cases surface pipe shall be underlying formation. Ict office on plug length and placement is necessary prior to plus.	RECEIVED GORPORATION COMMISSION AUG 2 7 2008 ONSERVATION DIVISION DIVISION DE SET
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Condrilling rig; y circulating cement to the top; in all cases surface pipe shall be underlying formation. Ict office on plug length and placement is necessary prior to plud or production casing is cemented in; If you have any usable water to surface within 120 DAYS of sp	RECEIVED S CORPORATION COMMISSION AUG 2 7 2008 ONSERVATION DIVISION ON SERVATION ON SERVAT
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of	Will Cores be taken? If Yes, proposed zone: KANSAS IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Critilling rig; y circulating cement to the top; in all cases surface pipe shall be underlying formation. Ict office on plug length and placement is necessary prior to plud or production casing is cemented in; If from below any usable water to surface within 120 DAYS of sp. 13,891-C, which applies to the KCC District 3 area, alternate II of	RECEIVED S CORPORATION COMMISSION AUG 2 7 2008 ONSERVATION DIVISION ON SERVATION ON SERVAT
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: KANSAS IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Condition rig; In y circulating cement to the top; in all cases surface pipe shall be underlying formation. In the core of the	RECEIVED S CORPORATION COMMISSION AUG 2 7 2008 ONSERVATION DIVISION ON SERVATION ON SERVAT
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of	Will Cores be taken? If Yes, proposed zone: KANSAS IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Condition rig; In y circulating cement to the top; in all cases surface pipe shall be underlying formation. In the core of the	RECEIVED S CORPORATION COMMISSION AUG 2 7 2008 ONSERVATION DIVISION ON SERVATION ON SERVAT
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a liberably certify that the statements made herein are true and correct to the best of the specific plants.	Will Cores be taken? If Yes, proposed zone: KANSAS RDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Codrilling rig; y circulating cement to the top; in all cases surface pipe shall be underlying formation. Ict office on plug length and placement is necessary prior to plus do or production casing is cemented in; If from below any usable water to surface within 120 DAYS of sp. 13,891-C, which applies to the KCC District 3 area, alternate II collugged. In all cases, NOTIFY district office prior to any cements of my knowledge and belief.	RECEIVED S CORPORATION COMMISSION AUG 2 7 2008 ONSERVATION DIVISION Reset Lugging; ud date. cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: KANSAS RDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Codrilling rig; y circulating cement to the top; in all cases surface pipe shall be underlying formation. Ict office on plug length and placement is necessary prior to plus do or production casing is cemented in; If from below any usable water to surface within 120 DAYS of sp. 13,891-C, which applies to the KCC District 3 area, alternate II collugged. In all cases, NOTIFY district office prior to any cements of my knowledge and belief.	RECEIVED GORPORATION COMMESSION AUG 2 7 2008 ONSERVATION DIVISION WICHITA, KS Rugging; ud date. cementing enting.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a liberably certify that the statements made herein are true and correct to the best of the specific plants.	Will Cores be taken? If Yes, proposed zone: KANSAS RDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Codrilling rig; y circulating cement to the top; in all cases surface pipe shall be underlying formation. Ict office on plug length and placement is necessary prior to plus do or production casing is cemented in; If from below any usable water to surface within 120 DAYS of sp. 13,891-C, which applies to the KCC District 3 area, alternate II collugged. In all cases, NOTIFY district office prior to any cements of my knowledge and belief.	RECEIVED GORPORATION COMMESSION AUG 2 7 2008 ONSERVATION DIVISION WICHITA, KS Rugging; ud date. cementing enting.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the content of the plant of the plant is a surface. Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Condrilling rig; y circulating cement to the top; in all cases surface pipe shall be underlying formation. Ict office on plug length and placement is necessary prior to plus do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spills,891-C, which applies to the KCC District 3 area, alternate II or plugged. In all cases, NOTIFY district office prior to any cement of the knowledge and belief. Title: Agent	RECEIVED S CORPORATION COMMISSION AUG 2 7 2008 ONSERVATION DIVISION Reset Lugging; ud date. cementing
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a liberably certify that the statements made herein are true and correct to the best appropriate in the statements of the operator of Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OUI - 23 4/32 - OOOO	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Conditiling rig; y circulating cement to the top; in all cases surface pipe shall be underlying formation. Ict office on plug length and placement is necessary prior to plus do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spills,891-C, which applies to the KCC District 3 area, alternate II conditions of the condition o	RECEIVED S CORPORATION COMMESSION AUG 2 7 2008 ONSERVATION DIVISION WICHITA, KS lugging; ud date. cementing enting.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete shall be 1 hereby certify that the statements made herein are true and correct to the between the complete shall be 1 hereby certify that the statements made herein are true and correct to the between the complete shall be 1 hereby certify that the statements made herein are true and correct to the between the complete shall be 1 hereby certify that the statements made herein are true and correct to the between the complete shall be 1 hereby certify that the statements made herein are true and correct to the between the complete shall be 1 hereby certify that the statements made herein are true and correct to the between the complete shall be 1 hereby certify that the statements made herein are true and correct to the between the complete shall be 1 hereby certify that the statements made herein are true and correct to the between the complete shall be 1 hereby certify that the statements made herein are true and correct to the between the complete shall be 1 hereby certify that the statements made herein are true and correct to the between the complete shall be 1 hereby certified the correct shall be 1 hereby certifi	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Conditiling rig; y circulating cement to the top; in all cases surface pipe shall be underlying formation. Ict office on plug length and placement is necessary prior to plug do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spila,891-C, which applies to the KCC District 3 area, alternate II conditions of the cases, NOTIFY district office prior to any cements of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders.	RECEIVED GORPORATION COMMISSION AUG 2 7 2008 ONSERVATION DIVISION PLANT SERVICE SERVI
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best between the complete to	Will Cores be taken? If Yes, proposed zone: KANSAS KANSAS IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well	RECEIVED GORPORATION COMMISSION AUG 2 7 2008 ONSERVATION DIVISION WICHITA, KS Rugging; ud date. cementing enting.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete of the plant of	Will Cores be taken? If Yes, proposed zone: KANSAS KANSAS IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well	RECEIVED GORPORATION COMMISSION AUG 2 7 2008 ONSERVATION DIVISION WICHITA, KS Rugging; ud date. cementing enting.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the plant of the production pipe required	Will Cores be taken? If Yes, proposed zone: KANSAS IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Condition rig; Y circulating cement to the top; in all cases surface pipe shall be underlying formation. Ict office on plug length and placement is necessary prior to pipe of or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spin 128,891-C, which applies to the KCC District 3 area, alternate II conjugged. In all cases, NOTIFY district office prior to any cements of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders. Notify appropriate district office 48 hours prior to workover or Submit plugging report (CP-4) after plugging is completed (will a continuation of the continuati	RECEIVED GORPORATION COMMESSION AUG 2 7 2008 ONSERVATION DIVISION WICHITA, KS Lugging; ud date. cementing enting. 25 17 18 18 18 18 18 18 18 18 18
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the statements of Operator or Agent: For KCC Use ONLY API # 15 - OII - 23 4/32 - OOOO Conductor pipe required	Will Cores be taken? If Yes, proposed zone: KANSAS KANSAS IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Condition of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will comply with K.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well will k.S.A. 55 et. seq. Conditions of this well	RECEIVED CORPORATION COMMESSION AUG 2 7 2008 ONSERVATION DIVISION Reset Lugging; ud date. cementing enting. 25 is; re-entry; ithin 60 days); case
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the plant of the production pipe required	Will Cores be taken? If Yes, proposed zone: KANSAS KANSAS IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Conditions rig; Y circulating cement to the top; in all cases surface pipe shall be underlying formation. Ict office on plug length and placement is necessary prior to plus or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spila,891-C, which applies to the KCC District 3 area, alternate II collugged. In all cases, NOTIFY district office prior to any cements of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders. Notify appropriate district office 48 hours prior to workover or Submit plugging report (CP-4) after plugging is completed (will be under the plugging or injecting salt waters. If this permit has expired (See: authorized expiration date) ples	RECEIVED GORPORATION COMMISSION AUG 2 7 2008 ONSERVATION DIVISION WE SET Ungging; und date. Dementing enting. 25 17 18 18 18 18 18 18 18 18 18
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the statements of Operator or Agent: For KCC Use ONLY API # 15 - OII - 23 4/32 - OOOO Conductor pipe required	Will Cores be taken? If Yes, proposed zone: KANSAS KANSAS IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Condition of this well will k.S.A. 55 et. seq. Condition of this well will k.S.A. 55 et. seq. Condition of this well will k.S.A. 55 et. seq. Condition of this well will k.S.A. 55 et. seq. Condition of this well will k.S.A. 55 et. seq. Condition of this well will k.S.A. 55 et. seq. Condition of this well will k.S.A. 55 et. seq. Condition of this well will k.S.A. 55 et. seq. Condition of this well will k.S.A. 55 et. seq. Condition of this well will k.S.A. 55 et. seq. Condition of this well will k.S.A. 55 et. seq. Condition of this well will k.S.A. 55 et. seq. Condition of this well will k.S.A. 55 et. seq. Condition of this well will k.S.A. 55 et. seq. Condition of this well will k.S.A. 55 et. seq.	RECEIVED CORPORATION COMMESSION AUG 2 7 2008 ONSERVATION DIVISION Reset Lugging; ud date. cementing enting. 25 is; re-entry; ithin 60 days); case


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - Oll - 23432-0000 Operator: McGown Drilling, Inc.	Location of Well: County; Bourbon	
Lease: Shaw Well Number: 3-2-25 Field:	165 feet from X N /	
Number of Acres attributable to well:	Is Section: Regular or Image Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: X NE NW SE SW	

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: McGown Drilling, Inc.		License Number: 5786		
Operator Address: P.O. Box K			Mound City KS 66056	
Contact Person: Doug McGown		Phone Number: 913-795-2258		
Lease Name & Well No.: Shaw 3-2-25		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE NW NE NE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 25 Twp. 24 R. 25 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		165 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			825 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Bourbon	
Is the nit located in a Sensitive Ground Water	s the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	d level? Artificial Liner?		How is the pit lined if a plastic liner is not used?	
			Fresh Water Mud	
Pit dimensions (all but working pits):	20 Length (fe	eet)5	Width (feet) N/A: Steel Pits	
Depth for	rom ground level to de	eepest point:	5 (feet) No Pit	
Distance to nearest water well within one-mile	e of pit	Depth to shallo	owest fresh waterfeet.	
Source of inf		Source of infor	rmation:	
			prilling, Workover and Haul-Off Pits ONLY: spe of material utilized in drilling/workover: Tresh Water Mud 1 1 1 1 1 1 1 1 1	
		al utilized in drilling/workover: Fresh Water Mud		
		rking pits to be utilized:1		
		procedure: Air Out & Backfill		
Does the slope from the tank battery allow all spilled fluids to		be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and o	correct to the bes	RECEIVED It of my knowledge and belief. KANSAS CORPORATION COM	
		()	AUG 2 7 2008	
8-25-08 L CO		VER V.//CLICIEN		
Date			Signature of Applicant of Agent CONSERVATION DIVISION WICHITA, KS	
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS	
Date Received: 8/27/08 Permit Nun	nber:	Perm	iit Date: 8/37/08 Lease Inspection: Yes 🔊 No	