For KCC Use:	9-2-08
Effective Date:	100
District #	4,
2010	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed

Must be ennroved by KCC five	All blanks must be F	Form must be Signed All blanks must be Filled			
iviusi de approved by NCC live	e (5) days prior to commencing well				
spected Spud Date September 20 2008		ast			
month day year	NE - 56-50 Sec. 23 Twp. 8 S. R. 29 V	/est			
9860	1200 feet from N / ✓ S Line of Section				
Cartle Resources Inc.	1100 feet from E / W Line of Section				
PO Roy 87	Is SECTIONRegularIrregular?				
ress: 10 Box 97 //State/Zip: Schoenchen, KS 67667	•				
ntact Person: Jerry Green	(Note: Locate well on the Section Plat on reverse side) County: Sheridan				
ntact Person:	Lease Name: Stallings Well #: 1				
nie.	Field Name: wildcat				
NTRACTOR: License# 33237	Is this a Prorated / Spaced Field?	No.			
ne: Anderson Drilling Co.	Target Formation(s): Arbuckle				
	Nearest Lease or unit boundary: 1100				
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2784 feet	MSI			
✓ Oil Enh Rec Infield ✓ Mud Rotary	Water well within one-quarter mile: Yes ✓				
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	= *			
OWWO Disposal V Wildcat Cable	Depth to bottom of fresh water: 210	3140			
Seismic; # of Holes Other	Depth to bottom of resh water: 1550				
Other					
		En			
WWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200 RECEIV Length of Conductor Pipe required: none KANSAS CORPORATIO				
Operator:	Projected Total Depth: 4700'	I O Charles			
Well Name:	Formation at Total Depth: Arbuckle AUG 2.7	2002			
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	200 0			
ctional, Deviated or Horizontal wellbore?	Well Farm Pond OtherCONSERVATION	DIVIGON			
es, true vertical depth:					
tom Hole Location:	Deville Gillit #				
C DKT #:	(Note: Apply for Permit with DWR → Yes ✓	سسر مادات			
O DK1 #	Will Cores be taken?Yes ✓ If Yes, proposed zone:	JINO			
	11 100, proposed const				
	FIDAVIT				
undersigned hereby affirms that the drilling, completion and eventual p					
e undersigned hereby affirms that the drilling, completion and eventual p					
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	olugging of this well will comply with K.S.A. 55 et. seq.				
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea	olugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig;				
e undersigned hereby affirms that the drilling, completion and eventual paragreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> seconds.	olugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set				
e undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into	olugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.	a:			
e undersigned hereby affirms that the drilling, completion and eventual pagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	colugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin	g;			
undersigned hereby affirms that the drilling, completion and eventual pagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the provided in the posted on each of the provided in the provided in the provided in the second of the well is dry hole, an agreement between the operator and the provided in the properties of the provided in t	colugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date				
undersigned hereby affirms that the drilling, completion and eventual pagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the proved notice of intent to drill <i>shall be</i> posted on each of the proved notice of intent to drill <i>shall be</i> posted on each of the proved notice of intent to drill <i>shall be</i> posted on each of the proved notice of intent to drill <i>shall be</i> posted on each of the proved notice of intent to drill <i>shall be</i> posted on each of the proved notice of intent to drill <i>shall be</i> posted on each of the proved notice of intent to district office will be notified before well is either plus of the proved notice of intent to drill <i>shall be</i> posted on each of the proved notice of intent to drill <i>shall be</i> posted on each of the proved notice of intent to drill <i>shall be</i> posted on each of the proved notice of intent to drill <i>shall be</i> posted on each of the proved notice of intent to drill <i>shall be</i> posted on each of the proved notice of intent to drill <i>shall be</i> posted on each of the proved notice of intent to drill <i>shall be</i> posted on each of the proved notice of intent to drill <i>shall be</i> posted on each of the proved notice of intent to drill <i>shall be</i> posted on each of the proved notice of intent to drill <i>shall be</i> posted on each of the proved notice of intent to drill <i>shall be</i> posted on the proved notice of intent to drill <i>shall be</i> posted on the proved notice of intent to drill <i>shall be</i> posted on the proved notice of intent to drill <i>shall be</i> posted on the proved notice of intent to drill <i>shall be</i> posted on the proved notice of intent to drill <i>shall be</i> posted on the proved notice of intent to drill <i>shall be</i> poste	colugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin agged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cemei	nting			
undersigned hereby affirms that the drilling, completion and eventual pagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on east through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 5. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall	colugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin agged or production casing is cemented in; nited from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cement to be plugged. In all cases, NOTIFY district office prior to any cementing	nting			
e undersigned hereby affirms that the drilling, completion and eventual programmer agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the surface pipe as specified below <i>shall be</i> in through all unconsolidated materials plus a minimum of 20 feet into the second of the s	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.	nting			
e undersigned hereby affirms that the drilling, completion and eventual progreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the the specified district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall probe that the statements made herein are true and to the best probe of the spud to the spud to the best probe of the spud to the spud to the best probe of the spud to the spud	colugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin agged or production casing is cemented in; nited from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cement to be plugged. In all cases, NOTIFY district office prior to any cementing	nting			
e undersigned hereby affirms that the drilling, completion and eventual pagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the the spropriate district office will be notified before well is either plus if an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall preby certify that the statements made herein are true and to the best of the well shall be certified.	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: President	nting			
e undersigned hereby affirms that the drilling, completion and eventual pagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the specific of the specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the specified district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be cereby certify that the statements made herein are true and to the best set. Signature of Operator or Agent:	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin agged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: President Remember 10:	nting			
e undersigned hereby affirms that the drilling, completion and eventual pagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the specific of the specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the specified district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be cereby certify that the statements made herein are true and to the best set. Signature of Operator or Agent:	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin agged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: President Remember 10: File Drill Pit Application (form CDP-1) with Intent to Drill;	nting			
e undersigned hereby affirms that the drilling, completion and eventual pagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> strongh all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best of the specific of the specific of the specific of the series of	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: President Remember 10: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	nting			
e undersigned hereby affirms that the drilling, completion and eventual procession of agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the statement of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the statement of the well is dry hole, an agreement between the operator and the statements of the statement of the sta	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin agged or production casing is cemented in; and formation of the form below any usable water to surface within 120 days of spud date of #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: President Remember o: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	nting			
e undersigned hereby affirms that the drilling, completion and eventual procession of the appropriate district office prior to spudding of well; 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intention of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best sets at the statement of the spud date or the well shall be reby certify that the statements made herein are true and to the best sets at 179-31208. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 179-31208 ONLY	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin agged or production casing is cemented in; and formation are formation below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: President Remember o: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	nting			
e undersigned hereby affirms that the drilling, completion and eventual procession of the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> in through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be presented to the statements made herein are true and to the best of the second of the spud date or the well shall be second or the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be said to the shall be said to the spud date or the well shall be said to the shall be said to	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin agged or production casing is cemented in; and formation of the form below any usable water to surface within 120 days of spud date of #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: President Remember o: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	inting			
e undersigned hereby affirms that the drilling, completion and eventual procession of the appropriate district office prior to spudding of well; 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best set. 1. **Approved by: **Lower Sales** 1. **None feet** 1. **None feet** 1. **None feet** 1. **Approved by: **Lower Sales** 1. **None feet** 1. **None feet** 1. **None feet** 1. **Lower Sales** 1. **None feet** 1. **None feet** 2. **Approved by: **Lower Sales** 2. **Lower Sales** 3. **Lower Sales** 4. **Lower Sales** 2. **Lower Sales** 3. **Lower Sales** 4. **Lower Sales** 3. **Lower Sales** 4. **Lower Sales** 4. **Lower Sales** 3. **Lower Sales** 4. **Lower Sales** 5. **Lower Sales** 6. **Lower	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin agged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.	nting			
e undersigned hereby affirms that the drilling, completion and eventual procession of the appropriate district office prior to spudding of well; 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the appropriate district office prior as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be preby certify that the statements made herein are true and to the best of the second of the statements of the spud date or the second of the	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin togged or production casing is cemented in; the difference of production casing is cemented in; the difference of the kellow any usable water to surface within 120 days of spud date of #133,891-C, which applies to the kellow control of the plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	inting			
e undersigned hereby affirms that the drilling, completion and eventual procession of the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the well is dry hole, an agreement between the operator and the state of the well is dry hole, an agreement between the operator and the procession of the spropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall be provided by the statements made herein are true and to the best of the spud date or the well shall be provided by the statements made herein are true and to the best of the spud date or the well shall be provided by the statements made herein are true and to the best of the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the spud date or the well shall be provided by the spud date or the spud date	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin agged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: President Remember to: - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	inting			
e undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reeby certify that the statements made herein are true and to the best stee 8/25/08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 179 - 2/208 - OOOO Conductor pipe required feet Minimum surface pipe required feet per Alt. (2) Approved by:	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin agged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemer be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please	inting			

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 179-21208-0000	Location of Well: County: Sheridan
Operator: Castle Resources Inc.	1200feet from N / ✓ S Line of Section
Lease: Stallings	feet from E / V W Line of Section
Well Number: 1	Sec. 23 Twp. 8 S. R. 29 East 🗸 Wesi
Field: wildcat	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

		•									•		•			
i i																
									١.					 _		
	• • •			•		•			'	•			•	 -		
		•		-					!		•		•		•	
									1							
									1							
						•								 •		
									İ							
							•				•					
							•				-				•	
				•		•					•	•		 •		
											•					
							•				•				•	
								ገ	2							
								1	≺.							
								$-\infty$	J							
								_								
											•		•		-	
			- 4													
									1							
									İ							
				•			•						•			
													-			
3							٠.,		١.						٠.	
,																
	l		- 4	ο.												
			 '													
	į		- 1				•									
	!		1													
	l															
			· · ·1									•				
									1		-					
			Į	1												
		•					•				•		•		-	
				t -							•					
	l			ì.					1							
				Ι.	^		F		i							

RECEIVED KANSAS CORPORATION COMMISSION

AUG 2 7 2008

CONSERVATION DIVISION WICHITA, KS



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Castle Resource	es Inc	License Number: 9860								
Operator Address: PO Box 87	Schoenche	en, KS 6	7667							
Contact Person: Jerry Green		Phone Number: (785) 625 - 5155								
Lease Name & Well No.: Stallings #	±1	Pit Location (QQQQ):								
Type of Pit:	Pit is:		<u>NE NE SW SW</u>							
Emergency Pit Burn Pit	Proposed	Existing	Sec. 23 Twp. 8 R. 29 ☐ East ✓ West							
Settling Pit	If Existing, date co	onstructed:	1200 Feet from North / ✓ South Line of Section							
Workover Pit Haul-Off Pit	Pit capacity:		1100 Feet from East / V West Line of Section							
(If WP Supply API No. or Year Drilled)	'	(bbls)	Sheridan County							
Is the pit located in a Sensitive Ground Water	r Area? ☐ Yes ✓	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)							
is the bottom below ground level? Ves No	Artificial Liner? Yes ✓	No	How is the pit lined if a plastic liner is not used? Sealed with bentonite							
Pit dimensions (all but working pits):	The from ground level to de		Width (feet) N/A: Steel Pits 5 (feet)							
Distance to nearest water well within one-mi	le of pit		owest fresh water <u>42</u> feet.							
feet Depth of water well _	<i>/ 75</i> feet	Source of information: measured well owner electric log KDWR								
Emergency, Settling and Burn Pits ONLY		Drilling, Work	Workover and Haul-Off Pits ONLY:							
Producing Formation:		kover and Haul-Off Pits ONLY: rial utilized in drilling/workover: drilling mud orking pits to be utilized: 3								
Number of producing wells on lease:		- · · · · · · · · · · · · · · · · · · ·								
Barrels of fluid produced daily:		Abandonment procedure: allow contents to dry & backfill								
Does the slope from the tank battery allow a flow into the pit? Yes No	II spilled fluids to	Drill pits must	ust be closed within 365 days of spud date.							
I hereby certify that the above state	tements are true and o	correct to the bes								
8/25/08										
Date		7/	Signature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS							
	KCC	OFFICE/USE O	NLY							
Date Received: 8/27/08 Permit Nu	mber:	Perm	nit Date: 8/87/08 Lease Inspection: Yes 💌 No							