For KCC Use: Effective Date: 9-/3-08 District

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: September 18 2008	Spot Description:	
month day year	- N/2 - N/2 - SW Sec. 34 Twp. 17 S. R. 8	αw
34157	(a/a/a/o) 2,310 feet from N / X S Line of Se	_
OPERATOR: License# Name: Fox Petroleum, Inc.	1,320 feet from E / W Line of Se	
Address 1: P.O. Box 495	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Great Bend State: KS Zip: 67530 +	County: Ellsworth	
Contact Person: John Spence	Lease Name: Wire Well #: 3	
Phone: 620-617-2162	Field Name: Geneseo	
CONTRACTOR: License#33724	Is this a Prorated / Spaced Field?	1 _{NO}
Name: Warren Drilling, LLC	Target Formation(s): Arbuckle	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330	
	Ground Surface Elevation: 1719 feet	MSL
	Water well within one-quarter mile:	No.
Gas Storage X Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic; # of Holes Other	Depth to bottom of fresh water: 120'	
Other:	Depth to bottom of usable water: 280'	
	Surface Pipe by Alternate: XI III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 350'	
Operator:	Length of Conductor Pipe (if any): None	· · · · · ·
Well Name:	Projected Total Depth: 3400'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
_	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: To be determined	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:KCC DKT #:	(Note: Apply for Permit with DWA	a
NOO DITT.	Will Cores be taken?	No
ΝΟΟ ΟΙΝΙ π.	If Yes, proposed zone:	
	If Yes, proposed zone:RECEIV	ED
AFF	If Yes, proposed zone: RECEIV	ED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: RECEIV IDAVIT KANSAS CORPORATION Iging of this well will comply with K.S.A. 55 et. seq.	ED N COMMISSIO
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIV	ED N COMMISSIO
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: RECEIV KANSAS CORPORATION ging of this well will comply with K.S.A. 55 et. seq. SEP 0 5 2	ED N COMMISSIO 2008
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: RECEIV KANSAS CORPORATION ging of this well will comply with K.S.A. 55 et. seq. SEP 0 5 2 CONSERVATION	ED COMMISSIO 2008 DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: RECEIV KANSAS CORPORATION ging of this well will comply with K.S.A. 55 et. seq. SEP 05 2 drilling rig; y circulating cement to the top; in all cases surface pipe shall be MICHITA.	ED COMMISSIO 2008 DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	If Yes, proposed zone: RECEIV RECEIV KANSAS CORPORATION ging of this well will comply with K.S.A. 55 et. seq. SEP 0 5 2 drilling rig; y circulating cement to the top; in all cases surface pipe shall be MICHITA, in underlying formation. ict office on plug length and placement is necessary prior to plugging;	ED COMMISSIO 2008 DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge	If Yes, proposed zone: RECEIV RECEIV	ED COMMISSIO 2008 DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	If Yes, proposed zone: RECEIV RECEIV	ED COMMISSIO 2008 DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard	IF Yes, proposed zone: RECEIV RECEIVE RECEIV RECEIV RECEIV RECEIV RECEIV RECEIV RECEIV RECEI	ED COMMISSIO 2008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the described. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the state of the sta	IDAVIT RECEIV KANSAS CORPORATION ging of this well will comply with K.S.A. 55 et. seq. SEP 0 5 2 drilling rig; y circulating cement to the top; in all cases surface pipe shall be MICHITA, is underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing.	ED COMMISSIO 2008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the spud date.	IDAVIT RECEIV KANSAS CORPORATION Iging of this well will comply with K.S.A. 55 et. seq. SEP 0 5 2 Idrilling rig: Conservation Original comment to the top: in all cases surface pipe shall be self-CHITA, is underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If ye will be self-comment to the top: in all cases surface pipe shall be self-CHITA, is underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If ye will be self-comment to the top: in all cases surface prior to plugging; and or production casing is cemented in; If ye will be self-chita, in the self-c	ED COMMISSIO 2008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the spud date.	IDAVIT RECEIV KANSAS CORPORATION ging of this well will comply with K.S.A. 55 et. seq. SEP 0 5 2 drilling rig; y circulating cement to the top; in all cases surface pipe shall be MICHITA, is underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing.	ED COMMISSIO 2008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the described. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the state of the sta	IDAVIT RECEIV KANSAS CORPORATION Iging of this well will comply with K.S.A. 55 et. seq. SEP 0 5 2 Idrilling rig: CONSERVATION In all cases surface pipe shall be self-HITA, is underlying formation. In all cases surface within 120 DAYS of spud date. If rom below any usable water to surface within 120 DAYS of spud date. Is all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing. If the Agent Title: Agent	ED N COMMISSIO 2008 DIVISION (S
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beat the selection of	IDAVIT RECEIV KANSAS CORPORATION Iging of this well will comply with K.S.A. 55 et. seq. SEP 0 5 2 Idrilling rig: CONSERVATION In y circulating cement to the top; in all cases surface pipe shall be self-CHITA, is underlying formation. In it office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. If you have a plugged. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. It is a plugged. In all cases and belief. Agent Remember to:	ED COMMISSIO 2008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the definition of the control of the definition of the definiti	IDAVIT RECEIV KANSAS CORPORATION Iging of this well will comply with K.S.A. 55 et. seq. SEP 0 5 2 Idrilling rig: CONSERVATION In all cases surface pipe shall be SHICHITA, is underlying formation. In all cases surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill:	ED N COMMISSIO 2008 DIVISION (S
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beat the complete of the statements of the operator of the specific of the specific statements. September 3, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS3 - 21227-ODD	IDAVIT RECEIV KANSAS CORPORATION Iging of this well will comply with K.S.A. 55 et. seq. SEP 0 5 2 Idrilling rig: Onservation Original comment to the top; in all cases surface pipe shall be septimental, and enderlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Ist of my knowledge and belief. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill: File Completion Form ACO-1 within 120 days of spud date;	ED N COMMISSION COMMISSION CS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the surface of the operator of Agent: September 3, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS3 - 21227 - OCCORDING TO THE STATE OF THE STATE O	IDAVIT RECEIV KANSAS CORPORATION Iging of this well will comply with K.S.A. 55 et. seq. SEP 0 5 2 Idrilling rig: CONSERVATION In all cases surface pipe shall be SHICHITA, is underlying formation. In all cases surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill:	ED N COMMISSIO 2008 DIVISION (S
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the surface of the operator of Agent: September 3, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS3 - 2 1 22 7 - OSS - Gentle of the perfect of the p	IDAVIT RECEIV KANSAS CORPORATION SEP 052 CONSERVATION RECEIV RECIEV LECIV REPOS 2 CONSERVATION RECEIV RECIEV REPOS 2 CONSERVATION RECEIV REPOS 2 CONSERVATION RECEIV REPOS 2 CONSERVATION RECEIV REPOS 2 CONSERVATION REPOS 3 RECEIV REPOS 2 CONSERVATION REPOS 3 RECEIV REPOS 3 CONSERVATION REPOS 4 REPOS 4 REPOS 4 REPOS 4 REPOS 4 REPOS 5 RECEIV RECEIV KANSAS CORPORATION REPOS 4 REPOS 4 REPOS 4 REPOS 4 RECEIV KANSAS CORPORATION REPOS 4 REPOS 4 REPOS 4 REPOS 4 RECEIV REPOS 4 REPO	ED COMMISSION COMMISSI
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beat conductor pipe required. September 3, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 053 - 21227 - 0000 Conductor pipe required	IDAVIT RECEIV Receiv	ED COMMISSION COMMISSION CS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a september 3, 2008 I hereby certify that the statements made herein are true and correct to the description of the description	IDAVIT RECEIV RECEIV RANSAS CORPORATION Iging of this well will comply with K.S.A. 55 et. seq. SEP 0 5 2 drilling rig; y circulating cement to the top; in all cases surface pipe shall be MCHITA, is underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Ist at my knowledge and belief. Agent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	ED COMMISSION COMMISSION CS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beat conductor pipe required. September 3, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 053 - 21227 - 0000 Conductor pipe required	IDAVIT RECEIV RECIVITY Reging of this well will comply with K.S.A. 55 et. seq. SEP 0 5 2 drilling rig: y circulating cement to the top; in all cases surface pipe shall be septential, in underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ED COMMISSION COMMISSION CS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the statements of Operator of Agent: For KCC Use ONLY API # 15 - OS3 - 21227 - OCCO Conductor pipe required	IDAVIT RECEIV RECIVE RECIVE	ED COMMISSION COMMISSION CS 34 17 8
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed. I hereby certify that the statements made herein are true and correct to the decrease of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a complete or the spud date or the well shall be a complete or the spud date or the well shall be a complete or the spud date or the well shall be a complete or the spud date or the well shall be a complete or the spud date or the well shall be a complete or the spud date or the well shall be a complete or the spud date or the well shall be a complete or the spud date or the well shall be a complete or the spud date or the well shall be a complete or the spud date or the well shall be a complete or the spud date or the well shall be a complete or the spud date or the well shall be a complete or the spud date or the well shall be a complete or the spud date or the well shall be a complete or the spud date or the well shall be a complete or the spud date or the shall be a complete or the spud date or the	IDAVIT RECEIV RECIVITY Reging of this well will comply with K.S.A. 55 et. seq. SEP 0 5 2 drilling rig: y circulating cement to the top; in all cases surface pipe shall be septential, in underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ED COMMISSION 2008 DIVISION (S)

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

APINO. 15 - D53-21227-0000	
Operator: Fox Petroleum, Inc.	Location of Well: County: Ellsworth
Lease: Wire	2,310 feet from N / N S Line of Section
Well Number: 3	1,320 feet from E / X W Line of Section
Field: Geneseo	Sec. <u>34 Twp. 17 S. R. 8 E X</u> W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)


:							
:							
		; :		-		3	:
				1		•	:
•		• :				:	:
•		: :		:		1	:
		: :		1		:	
						,	
		; .					
				l			
				١.			
:		: :		-		:	
		: ,					
						•	
				•			
						•	:
•		• :		l :		:	:
•				,		•	-

1							
				i •		•	
				•		•	:
				1		•	:
		•				:	:
:		: :		1		:	
:		: ;					
		. :				•	
				! -		•	•
*******							*********
				!			
		: .				;	
		: :					
		: .				•	•
						•	•
						•	•
		•				•	Ī
		• :	_			Ξ	
		: :	. 7	3 (•
	•		3	~			
ールブ	\sim	; ;		• :		:	Ė
しろで	O 1					:	:
132	0					:	:
132	0						
132	0		_			:	
132	<u> </u>			ı			
132	0						
132	0'						
132	<u>o'</u>						
132							,,,,,,,,,,,
132				 			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
132				 	*******		
132						,	
132		על			•••••		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
132		עק		· 	*******		
132		על					
132		גא		· 	*******	,	,
132		د ک					
132		スチ			******		
132		スメ					
132		رد ۲					
132		23/			•••••		
132		23/0			•••••		
132		えき10					
132		2310					
132		23/0′					
132		2310′			•••••		
132		23/0'					
132		23/0′					
132		23/0'					
132		23/0'					
132		23/0'					
132		23/o'					
132		23/0'					
132		え3/0′					
132		23/0′					
132		23/0'					
132		え3/0′					
132		23/0′					
132		23/0'					

RECEIVED KANSAS CORPORATION COMMISSION

SEP 0 5 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Fox Petroleum, Inc.			License Number: 34157			
Operator Address: P.O. Box 495			Great Bend KS 67530			
Contact Person: John Spence		Phone Number: 620-617-2162				
Lease Name & Well No.: Wire	3		Pit Location (QQQQ):			
Type of Pit:	Pit is:		N/2 _ N/2 _ SW			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 34 Twp. 17 R. 8 East West			
Settling Pit Drilling Pit	If Existing, date co	onstructed:	2,310 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:	-	1,320 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	4,000	(bbls)	Ellsworth			
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration: mg/l			
	<u> </u>	· · · · · · · · · · · · · · · · · · ·	(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Bentonite gel in the drilling mud			
1	00	100				
Pit dimensions (all but working pits):	Length (fe	eet)	4			
If the pit is lined give a brief description of the		1	edures for periodic maintenance and determining			
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh water				
2185 feet Depth of water wellfeet						
Emergency, Settling and Burn Pits ONLY:]	cover and Haul-Off Pits ONLY:			
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of material utilized in drilling/workover: Bentonite Gel Number of working pits to be utilized: 3 Abandonment procedure: Allow the pits to dry naturally and backfill as conditions allow				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date. RECEIVED				
I hereby certify that the above state	ements are true and	correct to the bes	4			
	/		SEP 0 5 2008			
	(\ \ \ \ //	10			
September 3, 2008 Date			Conservation Divisio			
			Signature of Applicant or Agent WICHITA, KS			
	ксс	OFFICE USE O	Signature of Applicant or Agent WICHITA, KS			