# For KCC Use: 9-/4-08 Effective Date: 9-/4-08 District # Value

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: September 12, 2008  month day year	Spot Description: 37.400653 -95.595028         SW _ Sw       Sec. 30 _ Twp. 30 _ S. R. 17 _ X E _	
OPERATOR: License# 33365	(0/0/0/0) 740 feet from N / X S Line of Sec	
Name: _Layne Energy Operating, LLC	640 feet from E / W Line of Sec	ction
Address 1: 1900 Shawnee Mission Parkway	Is SECTION: XRegular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Mission Woods State: KS Zip: 66205 + 2001	County: Wilson	
Contact Person: Timothy H. Wright	Lease Name: Mahaffey Well #: 13-30	
Phone: 913-748-3960	Field Name: Cherokee Basin Coal	
CONTRACTOR: License#_33606 /	Is this a Prorated / Spaced Field?	No T
Name: Thornton Air	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 597'	
	Ground Surface Elevation: 931feet I	_
Oil Enh Rec X Infield Mud Rotary  Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:	
Gas Storage Pool Ext. X Air Rotary  Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic : # of Holes Other	Depth to bottom of fresh water: 1501/00	
Other:	Depth to bottom of usable water:	<del></del>
<u> </u>	Surface Pipe by Alternate: I I I	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:  None	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 1200'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	Av.
KCC DKT #:	Will Cores be taken?	7 NO
	test.	
	If Yes, proposed zone:	
AEE	RECE	EIVED
	RECE IDAVIT KANSAS CORPORA	
The undersigned hereby affirms that the drilling, completion and eventual plug	RECE  IDAVIT  KANSAS CORPORA  Iging of this well will comply with K.S.A. 55 et. seq.	TION COMMISS!
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	RECE IDAVIT KANSAS CORPORA	TION COMMISS!
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	RECE KANSAS CORPORA gging of this well will comply with K.S.A. 55 et. seq.  SEP 0	8 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the appropriate district of intent to drill <i>shall be</i> posted on each of the appropriate of the prior to drill shall be posted on each of the appropriate of the shall be posted on each of the appropriate of the shall be posted on each of the shall be posted on the shall be posted on each of the shall be posted on the shall be posted on the shall be posted on each of the shall be posted on each of the shall be posted on	RECE KANSAS CORPORA  gging of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig:  CONSERVAT	TION COMMISS!  8 2008  ION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	RECE KANSAS CORPORA  gging of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig;  conservat  y circulating cement to the top; in all cases surface pipe shall be set WiCHI  underlying formation.	TION COMMISS!  8 2008  ION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	RECE KANSAS CORPORA gging of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig; conservat by circulating cement to the top; in all cases surface pipe shall be set WiCHI underlying formation. ict office on plug length and placement is necessary prior to plugging;	TION COMMISS!  8 2008  ION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the inimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge	RECE KANSAS CORPORA  gging of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig;  conservat  y circulating cement to the top; in all cases surface pipe shall be set WiCHI underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;	TION COMMISS!  8 2008  ION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the inimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugges.  If an ALTERNATE IL COMPLETION production pipe shall be cemented.	RECE KANSAS CORPORA  gging of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig;  conservat  y circulating cement to the top; in all cases surface pipe shall be set WiCHI underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.	TION COMMISS!  8 2008  ION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the strict off the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	RECE KANSAS CORPORA  gging of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set WiCHI underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing	TION COMMISS!  8 2008  ION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> set by through all unconsolidated materials plus a minimum of 20 feet into the same and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be greatly approximately the same and the	RECE KANSAS CORPORA ging of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set WiCHI underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	TION COMMISS!  8 2008  ION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the state of the approved and surface pipe as specified below shall be set be set to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the be	RECE KANSAS CORPORA  ging of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set WiCHI underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.	TION COMMISS!  8 2008  ION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> set by through all unconsolidated materials plus a minimum of 20 feet into the same and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be greatly approximately the same and the	RECE KANSAS CORPORA ging of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set WiCHI underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	TION COMMISS!  8 2008  ION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the statements.	RECE KANSAS CORPORA ging of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set WiCHI underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Agent	ATION COMMISSI  8 2008  ION DIVISION TA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district office prior as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of the state of the state of the state of the state of the spud date or the well shall be a later of the state of the state of the spud date or the well shall be a later of the state of th	RECE KANSAS CORPORA  giging of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set WiCHI underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Title:  Agent	TION COMMISS!  8 2008  ION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the district of the surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the district of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge of the surface of the shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the best of the certification.  September 5, 2008  Signature of Operator or Agent:	RECE KANSAS CORPORA  giging of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set WiCHI underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Title:  Agent	TION COMMISSI  8 2008  ION DIVISION TA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district office will be a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cempted. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the beginning to the spud state of the spud state of the spud state of the spud state of the well shall be greatly appropriate.  September 5, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27668 - 0000	RECE KANSAS CORPORA  giging of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set WiCHI underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  Agent  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	ATION COMMISSI  8 2008  ION DIVISION TA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district office will be a specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and correct to the best of the set of the specific of the set	ging of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set WiCHI underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;	8 2008 ION DIVISION TA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the appropriate district of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the strict of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the beginner.  September 5, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27668 - ODDO  Conductor pipe required feet  Minimum surface pipe required feet per ALT.	gigng of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set WiCHI underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  Agent  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days)	8 2008 ION DIVISION TA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district office will be a specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and correct to the best of the set of the specific of the set	ging of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set WiCHI underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days).	8 2008 ION DIVISION TA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office will be a set be through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best between the completed.  September 5, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27668 - 0000  Conductor pipe required  Approved by:  Minimum surface pipe required	ging of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set WiCHI underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If mo below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	8 2008 ION DIVISION TA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district office will be a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cempted. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the beginning.  September 5, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27668 - 0000  Conductor pipe required feet  Minimum surface pipe required feet  Minimum surface pipe required feet per ALT. I I III	ging of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set WiCHI underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  Agent  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days).  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	8 2008 ION DIVISION TA, KS  30 30 17
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office will be a set be through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best between the completed.  September 5, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27668 - 0000  Conductor pipe required  Approved by:  Minimum surface pipe required	ging of this well will comply with K.S.A. 55 et. seq.  SEP 0  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set WiCHI underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If mo below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	8 2008 ION DIVISION TA, KS

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

F	
API No. 15 - 205-27668-0000	
Operator: Layne Energy Operating, LLC	Location of Well: County: Wilson
Lease: Mahaffey	740 feet from N / X S Line of Section
Well Number: 13-30	640 feet from E / X W Line of Section
Field: Cherokee Basin Coal	Sec. <u>30</u> Twp. <u>30</u> S. R. <u>17</u> 🔀 E 🔲 W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:  SW _ SW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

							,
:	:	:					
:	:	:					
:	:	:					: 1
:		:		:			
				l			
					*******		
:		:					
:							:
:		:					:
:		:		:		•	•
					• • • • • • •		
						_	.
:		:				•	:
:						•	:
:	;					:	:
;	:	:				•	: 1
·		·		l ˈ			
	:	•				:	: \
:	;					<u>:</u>	: 1
	:					•	:
						:	:
:		:				:	·
						•	
:						•	:
1 :						•	:
;	:			1		:	:
:		•			•	•	:
				1			
				1		:	:
				1		:	:
						:	:
:		:		]		;	•
					******		
_							
					:	•	:
640'					:	:	:
1640 :				Į.		:	:
1 -				1	:	:	:
			,				
	<b>-</b> 0						
	1,40'			!	:	:	:
		:		1	:	:	:
1	740'	:			:	;	;
	40	:			:	:	:
1	_1	·				<u> </u>	•

RECEIVED KANSAS CORPORATION COMMISSION

SEP 0 8 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: in all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, atc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC	License Number: 33365		
Operator Address: 1900 Shawnee Mission Parkway		Mission Woods KS 66205	
Contact Person: Timothy H. Wright		Phone Number: 913-748-3960	
Lease Name & Well No.: Mahaffey 13-30		Pit Location (QQQQ):	
Type of Pit: Pit is:	4.44	swsw_	
Emergency Pit Burn Pit Proposed	Existing	Sec. 30 Twp. 30 R. 17 East West	
Settling Pit Drilling Pit If Existing, date	constructed:	740 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Pit capacity:		Feet from East / X West Line of Section	
(II VVF Supply AFT No. of Teal Difficult	(bbls)	Wilson County	
Is the pit located in a Sensitive Ground Water Area? Yes	<b>₹</b> No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	No	self-sealing	
Pit dimensions (all but working pits): 30 Length (	feet) 20	Width (feet) N/A: Steel Pits	
Depth from ground level to d	deepest point:	3 (feet) No Pit	
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		edures for periodic maintenance and determining RECEIVED including any special monitoring.  KANSAS CORPORATION COMMITTEE	100ION
			SSIUN
		SEP 0 8 2008	
		CONSERVATION DIVISION WICHITA, KS	1
Distance to nearest water well within one-mile of pit  Depth to shall Source of infi		owest fresh waterfeet. rmation:	
<del> </del>		ured well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:	Ψ.	cover and Haul-Off Pits ONLY:	İ
		ial utilized in drilling/workover: fresh water mud	į
		procedure: Let evaporate until dry, then backfill	1
Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to	Abandonment	and restore	
		be closed within 365 days of spud date.	71.1
I hereby certify that the above statements are true and	d correct to the bes	be closed within 365 days of spud date.  St of my knowledge and belief.	ò
	1/1		) ,
September 5, 2008  Date	aum)	Signature of Applicant or Agent	)
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 9 7 08 Permit Number:	Pern	nit Date: 9 8 08 Lease Inspection: Yes No	